THE RESOURCES AGENCY OF CALIFORNIA

Department of Water Resources

BULLETIN No. 77-60

# GROUND WATER CONDITIONS IN CENTRAL AND NORTHERN CALIFORNIA 1959-60

JANUARY 1963



EDMUND G. BROWN
*Governor*
State of California

WILLIAM E. WARNE
*Administrator*
The Resources Agency of California
*and Director*
Department of Water Resources

State of California
THE RESOURCES AGENCY OF CALIFORNIA
Department of Water Resources

BULLETIN No. 77-60

# GROUND WATER CONDITIONS IN CENTRAL AND NORTHERN CALIFORNIA 1959-60

JANUARY 1963

EDMUND G. BROWN
*Governor*
State of California

WILLIAM E. WARNE
*Administrator*
The Resources Agency of California
*and Director*
Department of Water Resources

TABLE OF CONTENTS


| | Page |
|---|---|
| LETTER OF TRANSMITTAL | vi |
| ACKNOWLEDGMENTS | viii |
| ORGANIZATION, DEPARTMENT OF WATER RESOURCES | x |
| CHAPTER I. INTRODUCTION | 1 |
| Authorization | 2 |
| Prior Reports | 2 |
| Scope of Report | 3 |
| Basic Data | 3 |
| Processed Data | 4 |
| Related Information | 5 |
| Numbering Systems | 6 |
| Region and Basin Designation | 6 |
| Well Numbering System | 7 |
| CHAPTER II. GROUND WATER CONDITIONS | 9 |
| North Coastal Region | 9 |
| San Francisco Bay Region | 13 |
| Central Coastal Region | 16 |
| Central Valley Region | 19 |
| Lahontan Region | 33 |

TABLES


| Number | | Page |
|---|---|---|
| 1 | Average Change in Ground Water Levels in Basins and Areas in North Coastal Region Spring 1959 to Spring 1960 . . . . . | 11 |
| 2 | Summary of Ground Water Level Data Collected in the North Coastal Region July 1, 1959 - June 30, 1960 . . . . . | 12 |
| 3 | Average Change in Ground Water Levels in Basins and Areas in San Francisco Bay Region Spring 1959 to Spring 1960 . . . . . | 14 |
| 4 | Summary of Ground Water Level Data Collected in San Francisco Bay Region July 1, 1959 - June 1960 . . . . . | 15 |
| 5 | Average Change in Ground Water Levels in Basins and Areas in Central Coastal Region Spring 1959 to Spring 1960 . . . . . | 17 |
| 6 | Summary of Ground Water Level Data Collected in the Central Coastal Region July 1, 1959 - June 30, 1960 . . . . . | 18 |
| 7 | Average Change in Ground Water Levels in Basins and Areas in Central Valley Region Spring 1959 to Spring 1960 . . . . . | 21 |
| 8 | Summary of Ground Water Level Data Collected in the Central Valley Region July 1, 1959 - June 30, 1960 . . . . . | 26 |
| 9 | Change in Average Ground Water Level from 1921 to 1951 and 1951 to 1960 in Nineteen Ground Water Areas in the San Joaquin Valley . . . . | 32 |
| 10 | Average Change in Ground Water Levels in Basins and Areas in Lahontan Region Spring 1959 to Spring 1960 . . . . . | 34 |
| 11 | Summary of Ground Water Level Data Collected in the Lahontan Region July 1, 1959 - June 30, 1960 . . . . . | 34 |

## APPENDIXES


| | | Page |
|---|---|---|
| A | Description of Selected Water Wells in Central and Northern California . . . . . | A-1 |
| B | Records of Ground Water Levels at Selected Wells in Central and Northern California . . | B-1 |
| C | Prior Reports Containing Basic Ground Water Data . . . . . | C-1 |
| D | Contemporary Reports of Basic Hydrologic Data Issued Annually by the Department of Water Resources . . . . . | D-1 |


## PLATES

(Plates are bound at end of bulletin)


| Number | |
|---|---|
| 1 | Ground Water Basins or Areas in Central and Northern California |
| 2 | Fluctuation of Water Level in Wells, North Coastal Region |
| 3 | Fluctuation of Water Level in Wells, San Francisco Bay Region |
| 4 | Fluctuation of Water Level in Wells, Central Coastal Region |
| 5 | Fluctuation of Water Level in Wells in Sacramento Valley, Central Valley Region |
| 6 | Fluctuation of Water Level in Wells in Northern San Joaquin Valley, Central Valley Region |
| 7 | Fluctuation of Water Level in Wells in Southern San Joaquin Valley, Central Valley Region |
| 8 | Map of 19 Ground Water Areas in San Joaquin Valley and Profiles along Section A-A' Showing Ground Water Levels in 1921, 1951, 1959, and 1960 |
| 9 | Fluctuation of Average Water Level, 1921 to 1960, in 19 Ground Water Areas in San Joaquin Valley |

THE RESOURCES AGENCY OF CALIFORNIA

DEPARTMENT OF WATER RESOURCES

1120 N STREET, SACRAMENTO

January 14, 1963

Honorable Edmund G. Brown, Governor, and
Members of the Legislature of the
State of California

Gentlemen:

I have the honor to transmit herewith Bulletin No. 77-60, entitled "Ground Water Conditions in Central and Northern California, 1959-60." This report is the third of an annual series of bulletins presenting information on ground water conditions and records of water levels in wells in Central and Northern California. In this respect, the report is similar to the annual reports of the Bulletin No. 39 series, which beginning in 1932, have presented each year's record of ground water levels at wells and information on water supply conditions in Southern California. The activity is conducted under authority of Section 226 and 12616 of the California Water Code.

Ground water levels in the North Coastal, San Francisco Bay, and Central Valley Regions in the spring of 1960 were generally lower than in the spring of 1959. Notable exceptions were rises in water levels in the Carmel and Soquel Valleys, the Lindsay-Strathmore Irrigation District, and the South San Joaquin Municipal Utilities District.

In the Sacramento Valley, the lower levels during 1960 in Yuba, Placer, Sacramento, Yolo, and Solano Counties represent a continuation of the downward trend in water levels that has prevailed for many years. This also is the case in the southern and western portions of the San Joaquin Valley.

In the eastern portion of San Joaquin Valley in ground water areas that receive surface water from the Friant-Kern Canal, the generally lower levels during 1960 mark a break in an upward trend. Long-term hydrographs for selected wells in these ground water areas show a downward trend in water levels over the years prior to 1951, the first year of substantial deliveries from the Friant-Kern Canal. Subsequent to 1951 and through 1959, an upward

Honorable Edmund G. Brown, Governor, and
Members of the Legislature of the
State of California

trend was indicated, especially where the ground water recharge has been increased by imported surface water concident with some use of imported surface water in place of ground water. During 1960, only two of these units, the Lindsay-Strathmore Irrigation District and the South San Joaquin Municipal Utilities District, continued the upward trend. This was due to subnormal precipitation during the preceding two years, combined with an increase in ground water pumping to supplement short surface water supplies.

Sincerely yours,

William E. Warne

Director

# ACKNOWLEDGMENTS

In the preparation of this report, valuable assistance and contributions were received from many public and private agencies and individuals. The sources of data presented in Appendix B are noted therein.

Special mention is made of the following agencies whose cooperations is gratefully acknowledged:

Alameda County Flood Control and Water Conservation District

Alameda County Water District

Alta Irrigation District

Arcade County Water District

Buena Vista Water Storage District

Butte County

California Water Service Company

Colusa County

Consolidated Irrigation District

East Bay Municipal Utility District

El Nido Irrigation District

Fortuna, City of

Fresno, City of

Fresno Irrigation District

Glenn County

Kern County

Kern County Land Company

Lake County

Merced Irrigation District

Modesto Irrigation District

Monterey County Flood Control and Water Conservation District

Oakdale Irrigation District

Porterville Irrigation District

Poso Soil Conservation District

Sacramento Municipal Utility District

San Benito County

San Joaquin County

Santa Clara Valley Water Conservation District

Santa Cruz County

Saucelito Irrigation District

Solano County

South San Joaquin Irrigation District

South Santa Clara Valley Water Conservation District

Sutter County

Tehama County

Turlock Irrigation District

United States Bureau of Reclamation

United States Geological Survey--Ground Water Branch

Vandalia Irrigation District

Yolo County

Yuba County

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES

EDMUND G. BROWN, Governor
WILLIAM E. WARNE, Administrator
The Resources Agency of California,
and Director of Water Resources
ALFRED R. GOLZE, Chief Engineer

---

DIVISION OF RESOURCES PLANNING

William L. Berry.....Division Engineer

The activity leading to this report
was conducted under the direction
of

C. A. McCullough..... Principal Engineer, Water Resources

by

Glenn R. Peterson...Associate Engineer, Water Resources

Assisted by

Helen J. Peters.....Associate Engineer, Water Resources
Arthur L. Winslow....Associate Engineer, Water Resources
John S. Bartok.....Water Resources Technician I

# CHAPTER I. INTRODUCTION

The ground water resource of California has long been recognized as one of the major natural resources of the State presenting problems in use and conservation. The ever increasing rate of draft on the ground water reservoirs makes the problems more numerous and complex, and the solution of these problems more urgent.

All studies of ground water problems and plans for solution of these problems have one factor in common: they must be founded upon accurate records of ground water elevations obtained over a period of many years. This is true whether the problem is a determination of safe yield of a ground water basin, an operation of a basin for cyclic storage in conjunction with surface water supplies, the control of sea-water intrusion, or any of the many problems that must be solved to maintain the benefits California derives from its ground water storage basin.

The State, through the Division of Water Resources, began the collection of ground water data in 1930 in connection with special investigations of water resources of specific areas, and has gradually developed a continuing program of basic data collection. Through cooperative activities of federal and local agencies, coordinated and augmented by the department, the program of annual, semiannual, and monthly measurement of ground water levels has gradually expanded to include better coverage and more ground water basins in California.

## Authorization

Authorization for the continuing program of ground water measurement and collection, and publication of ground water level data is included in Sections 226 and 12616 of the California Water Code. Section 226 provides that:

> "The department, either independently or in cooperation with any person or any county, State, Federal, or other agency, may do any of the following:
>
> (a) Conduct investigations of all or any portion of any stream, stream system, lake or other body of water;
>
> (b) Investigate either or both surface and underground water conditions;
>
> (c) Collect records of diversion and use of water;
>
> (d) Supervise distribution of water in accordance with agreements and court orders therefor."

Section 12616 provides that:

> "The department may conduct investigations of the water resources of the State, formulate plans for the control, conservation, protection, and utilization of such water resources, including solutions for the water problems of each portion of the State as deemed expedient and economically feasible, and may render reports thereon. In conducting such investigations and formulating such plans, the department may conduct investigations and surveys to determine the availability, usability, extents, and boundaries of underground basins."

## Prior Reports

Department of Water Resources Bulletins No. 77-58, October 1959 and 77-59, January 1962, reported ground water level measurements in major ground water basins of Central and Northern

California. These bulletins also described basin boundaries and characteristics of geology and hydrology. Other reports of investigations and plans for water development in many of these basins have covered various aspects of the hydrology of the basins and have included tabulations of the well data and water level measurements obtained during the investigations. Such reports, issued by the department or its predecessors, and by the U.S. Geological Survey, are listed in Appendix C. Contemporary reports of basic hydrologic data issued annually by the Department of Water Resources are listed in Appendix D.

## Scope of Report

The aerial scope of this bulletin is depicted on Plate I showing basins, subbasins, or areas in Central and Northern California for which ground water level data is reported. During the year covered by this report, the Department of Water Resources obtained records of fall 1959 and spring 1960 water levels in approximately 11,000 wells in ground water basins of Central and Northern California. The period of record for many of these wells ranges from 40 years to less than one year.

### Basic Data

Because significant trends in water level fluctuations can be indicated by a representative sample, a selection was made of approximately 1,000 wells for which the records are presented in this report. These wells, designated as selected wells, were chosen on the basis of a number of factors such as areal distribution; length of water level record; frequency of measurements;

conformity with respect to water level fluctuations in the ground water basin; and availability of a log, mineral analyses, and/or production records. The descriptive data for the selected wells are given in Appendix A. The water level measurements made from July 1, 1959, to June 30, 1960, are given in Appendix B which continues the record for those wells published in Bulletins 77-58 and 77-59 with a few wells added or removed.

The descriptive data for the selected wells, and the water level records for each, were placed on punch cards for machine processing of Appendixes A and B. In addition, the well description and water level measurements for the period of record for all of the 11,000 wells are being placed on punch cards. When this is accomplished, these records, by machine selection or sorting, will be available for any ground water basin, area, or unit, or for any combination that may be desired.

Processed Data

Water level fluctuations are depicted graphically on hydrographs of 78 wells distributed among significant basins of Central and Northern California. These wells were selected insofar as possible as representative of their respective areas. The hydrographs are presented in Plates 2 through 7 by region, basin, and well number.

Unit hydrographs depicting the fluctuation of average water levels in 19 ground water areas in San Joaquin Valley are presented on Plate 9. A map of the 19 ground water areas and profiles along a section showing water levels in 1921, 1951, 1959, and 1960 are presented on Plate 8.

Summaries of ground water level data collected, and average changes in ground water levels in basins and areas as well as maximum and minimum depths to water in each basin or area are presented in Tables 1 through 11 listed by region, basin, and area. The average changes shown in these plates were determined by planimetering ground water contour maps or by numerical computations of selected well measurements of the selected wells reported in this bulletin. Areas of significant rise or drop of ground water levels are shown on Plate 1.

## Related Information

Ground water maps are prepared for basins in which knowledge of the water level is sufficient. These maps are drawn to show lines of equal elevation of water in wells. For some basins maps showing lines of equal depth to water are also prepared. At appropriate intervals, commonly five years, maps are prepared to show lines of equal change in the water level in wells during the time interval. During 1959-60, elevation maps for the fall of 1959 and the spring of 1960 were completed for Sacramento Valley, San Joaquin County, and southern San Joaquin Valley. Elevation maps for the spring of 1960 were also completed for the Gilroy-Hollister area in San Benito County, Santa Clara Valley, Pajaro Valley, Salinas Valley, Goose Lake Valley, Alturas Basin, Big Valley, Round Valley, Fall River Valley, Redding Basin, Mohawk Valley, Sierra Valley, Surprise Valley, Madeline Plains, Willow Creek Valley and Honey Lake Valley. Depth maps for the

fall of 1959 and the spring of 1960 were completed for Sacramento Valley, San Joaquin County, and Poso Soil Conservation District. A map showing lines of equal change of water levels in wells in southern San Joaquin Valley from the spring of 1955 to the spring of 1960 was also completed. The maps are on file with this department.

In addition to the records of water levels and ground water contour maps prepared by the department, monthly water level observations are currently made or received by the department in approximately 1,700 wells in Central and Northern California. This monthly well observation program is carried out in cooperation with federal and local agencies. Additional monthly measurements are made by these agencies which are not on file with this department. Data for approximately 250 wells were published by the department in monthly summary tabulations.

## Numbering Systems

The numbering systems used by the department were developed to facilitate machine data processing of water level measurement data.

### Region and Basin Designation

The regions used in this report and shown on Plate 1, "Ground Water Basins or Areas in Central and Northern California," are geographic areas defined in Section 13040 of the Water Code. Of the nine regions defined, the portion of Central and Northern California covered by this report comprises all of North Coastal Region No. 1, San Francisco Region No. 2, Central Valley Region No. 5, and portion of Central Coastal Region No. 3. A decimal system of

the form 0-00.00 has been used for basin numbering. The number to the left of the dash refers to the geographic region. On the right of the dash the first two digits refer to a hydrographic unit, generally designated as a basin, valley, or area. These are followed by decimals which designate a subbasin, area, or subarea within the basin, valley, or area. An example is given below.




Well Numbering System

The well numbering system used in this report is based on the township, range, and section subdivision of the Public Land Survey. It conforms to the system used in all ground water investigations made by the United States Geological Survey in California and by the Department of Water Resources. In this report, the number of a well, assigned in accordance with this system, is referred to as the "State" well number.

Under the system, each section is divided into 40-acre tracts lettered as follows:

| | | | |
|---|---|---|---|
| D | C | B | A |
| E | F | G | H |
| M | L | K | J |
| N | P | Q | R |

Wells are numbered within each 40-acre tract according to the chronological sequence in which they have been assigned State Well Numbers. For example, a well which has the number 16N/1W-17K1,H would be in Township 16 North, Range 1 West, Section 17, H.B.&M., and would be further designated as the first well assigned a State Well Number in Lot K. In this report, well numbers are referenced to the Humboldt Base and Meridian (H), the Mount Diablo Base and Meridian (M), or the San Bernardino Base and Meridian (S).

# CHAPTER II - GROUND WATER CONDITIONS

Ground water levels in Central and Northern California were generally lower in the spring of 1960 than in the spring of 1959. The continued subnormal precipitation of the preceding two years combined with an increase in ground water pumpage to supplement the subnormal surface water supplies has caused the rate of decline of ground water levels to accelerate in many areas. Lowering of ground water levels occurred in almost all basins and areas included in this report.

Depths to water ranged from near surface or flowing in portions of the North Coastal Region to approximately 500 feet in portions of the west side of the San Joaquin Valley. In South Alameda County, Pajaro Valley and Salinas Valley, where water levels in substantial parts of the ground water basins have remained below sea level, a sea water intrusion problem continues to exist.

## North Coastal Region

Seventeen ground water basins or areas in the North Coastal Region are listed and delineated on Plate 1. Ground water level measurements at selected wells in these basins or areas are presented in Appendix B. The average changes in water levels from 1959 to 1960, and the maximum and minimum depths to water in each reported basin or area are given in Table 1. A summary of ground water level data collected in the region is presented in Table 2. Hydrographs, showing the fluctuation in water levels during the period of record at a few selected wells, are presented on Plate 2.

In contrast to other regions in Central and Northern California, changes in ground water levels in the North Coastal Region were small. There were rises or no appreciable changes in ground water levels in eight of the 17 basins or areas since the previous year, and declines from 1959 to 1960 were generally less than from 1958 to 1959. Noteworthy examples are Round Valley in which ground water levels declined 5.6 feet from 1958 to 1959, and raised 1.2 feet from 1959 to 1960, and Scott River Valley in which ground water levels declined 3.1 feet from 1958 to 1959 and 0.3 feet from 1959 to 1960. An exception is Alexander Valley in which the levels declined 0.2 feet from 1958 to 1959 and 2.1 feet from 1959 to 1960.

TABLE 1
AVERAGE CHANGE IN GROUND WATER LEVELS IN
BASINS OR AREAS IN NORTH COASTAL REGION
SPRING 1959 TO SPRING 1960

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1959 to 1960, in feet | Location and recorded maximum and minimum depth to water in the spring 1960 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Smith River Plain | 1-1.00 | 5 | +0.5 | 16N/1W-17K1<br>25.0 | 17N/1W-2P1<br>11.1 |
| Butte Valley | 1-3.00 | 5 | -1.7 | 46N/2W-25R2<br>29.4 | 47N/1W-27B1<br>11.4 |
| Shasta Valley | 1-4.00 | 6 | 0.0 | 44N/5W-34H1<br>29.6 | 43N/6W-22A1<br>2.7 |
| Scott River Valley | 1-5.00 | 6 | -0.3 | 42N/9W-8C3<br>61.0 | 42N/9W-27N1<br>2.4 |
| Mad River Valley | 1-8.00 | 2 | -0.4 | 6N/1E-29P1<br>11.0 | 6N/1E-6H1<br>3.4 |
| Eureka Plain | 1-9.00 | 0 | a/ | | |
| Eel River Valley | 1-10.00 | 3 | -0.1 | 3N/1W-34J1<br>35.7 | 3N/1W-18D1<br>3.1 |
| Round Valley | 1-11.00 | 3 | +1.2 | 22N/12W-18N1<br>38.4 | 23N/12W-31N1<br>Flowing |
| Laytonville Valley | 1-12.00 | 3 | +1.0 | 21N/15W-11R4<br>58.4 | 21N/15W-11R2<br>0.6 |
| Little Lake Valley | 1-13.00 | 5 | +0.7 | 18N/13W-19B1<br>35.2 | 18N/13W-8L1<br>2.4 |
| Potter Valley | 1-14.00 | 3 | +0.8 | 17N/11W-29P1<br>22.2 | 17N/11W-18J1<br>0.2 |
| Ukiah Valley | 1-15.00 | 3 | -1.1 | 15N/12W-35M1<br>24.8 | 15N/12W-21M1<br>0.5 |
| Sanel Valley | 1-16.00 | 3 | -0.5 | 13N/11W-19P1<br>18.9 | 13N/11W-19P1<br>1.8 |
| Alexander Valley | 1-17.00 | 6 | -2.1 | 10N/9W-18B1<br>21.5 | 11N/10W-17P2<br>2.6 |
| Santa Rosa Valley | 1-18.00 | | | | |
| Santa Rosa Area | 1-18.01 | 9 | -1.1 | 6N/8W-7P2<br>31.0 | 8N/9W-36N1<br>5.7 |
| Healdsburg Area | 1-18.02 | 5 | -0.3 | 8N/9W-22L1<br>26.6 | 10N/10W-35Q1<br>3.1 |
| Lower Russian River Valley | 1-98.00 | 3 | +1.4 | 7N/11W-14E1<br>22.9 | 7N/11W-16M1<br>10.0 |

a/ No data available for spring 1960.

TABLE 2

SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE NORTH COASTAL REGION
July 1, 1959 - June 30, 1960

| Ground water basin or area | Basin number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1959 | Spring 1960 |
| Smith River Plain | 1-1.00 | U. S. Geological Survey | 6 | | |
| | | U. S. Bureau of Reclamation | | 8 | |
| Butte Valley | 1-3.00 | U. S. Geological Survey | 5 | | |
| | | U. S. Bureau of Reclamation | | 28 | |
| Shasta Valley | 1-4.00 | U. S. Geological Survey | 6 | | |
| | | Department of Water Resources | | 5 | |
| Scott River Valley | 1-5.00 | U. S. Geological Survey | 4 | | |
| | | Department of Water Resources | | 3 | |
| Mad River Valley | 1-8.00 | U. S. Geological Survey | 2 | | |
| | | U. S. Bureau of Reclamation | | 8 | |
| Eureka Plain | 1-9.00 | U. S. Bureau of Reclamation | | 1 | |
| Eel River Valley | 1-10.00 | U. S. Geological Survey | 3 | | |
| | | U. S. Bureau of Reclamation | | 15 | |
| Round Valley | 1-11.00 | U. S. Geological Survey | 3 | | |
| | | U. S. Bureau of Reclamation | | 45 | 40 |
| Laytonville Valley | 1-12.00 | U. S. Geological Survey | 5 | | |
| | | Department of Water Resources | | 13 | 13 |
| Little Lake Valley | 1-13.00 | U. S. Geological Survey | 4 | | |
| | | Department of Water Resources | | 13 | 13 |
| Potter Valley | 1-14.00 | U. S. Geological Survey | 3 | | |
| Ukiah Valley | 1-15.00 | U. S. Geological Survey | 3 | | |
| Sanel Valley | 1-16.00 | U. S. Geological Survey | 3 | | |
| Alexander Valley | 1-17.00 | U. S. Geological Survey | 6 | | |
| | | Department of Water Resources | | 1 | 1 |
| Santa Rosa Valley | 1-18.00 | | | | |
| Santa Rosa Area | 1-18.01 | U. S. Geological Survey | 4 | | |
| | | Department of Water Resources | | 15 | 15 |
| Healdsburg Area | 1-18.02 | U. S. Geological Survey | 5 | | |
| Lower Russian River Valley | 1-98.00 | U. S. Geological Survey | 3 | | |
| | | Department of Water Resources | | 1 | 1 |
| Total | | | 65 | 156 | 83 |

## San Francisco Bay Region

Eleven basins or areas in the San Francisco Bay Region are listed and delineated on Plate 1. Ground water level measurements at selected wells described in Appendix A are presented in Appendix B. The average changes in ground water levels from 1959 to 1960 and the maximum and minimum depths to water in each basin or area are given in Table 3. A summary of ground water level data collected is presented in Table 4. Hydrographs, showing the fluctuation in ground water levels during the period of record of a few selected wells, are presented on Plate 3.

Ground water levels declined in all eleven basins or areas from 1959 to 1960. During 1958-59, ground water levels declined in seven of the basins or areas but the 1959-60 decline was generally less in these basins or areas than in the previous year.

Sea water intrusion continued to be a problem in South Alameda County.

TABLE 3
AVERAGE CHANGE IN GROUND WATER LEVELS IN
BASINS AND AREAS IN SAN FRANCISCO BAY REGION
SPRING 1959 TO SPRING 1960

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1959 to 1960, in feet | Location and recorded maximu and minimum depth to water i the spring of 1960 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Petaluma Valley | 2-1.00 | 5 | -0.8 | 5N/7W-20B2<br>79.8 | 3N/6W-1Q1<br>1.7 |
| Napa Sonoma Valley | 2-2.00 | | | | |
| Napa Valley | 2-2.01 | 7 | -1.8 | 7N/5W-16B2<br>18.8 | 7N/5W-23D2<br>1.6 |
| Sonoma Valley | 2-2.02 | 5 | -1.7 | 5N/6W-14C1<br>59.5 | 5N/5W-8Q1<br>9.7 |
| Suisun-Fairfield Valley | 2-3.00 | 1/ | -3.2 | 5N/2W-29R1<br>54.9 | 5N/3W-26F2<br>6.2 |
| Ygnacio Valley | 2-6.00 | 4 | -0.1 | 2N/2W-36E1<br>16.3 | 2N/2W-27R1<br>2.1 |
| Santa Clara Valley | 2-9.00 | | | | |
| South Alameda County | 2-9.01 | | | | |
| Upper Aquifer | | 64 | -4.3 | 4S/1W-29C4<br>91.8 | 3S/3W-24Q2<br>9.8 |
| Lower Aquifer | | 46 | -8.7 | 5S/1W-2C1<br>146.7 | 3S/2W-19A2<br>21.3 |
| North Santa Clara County | 2-9.02 | 22 | -8.6 | 7S/2W-3Q1<br>342.0 | 8S/1E-13H1<br>11.0 |
| Livermore Valley | 2-10.00 | 4 | -3.0 | 3S/2E-2R1<br>105.0 | 2S/2E-25N1<br>12.1 |
| Half Moon Bay Terrace | 2-22.00 | 5 | -0.6 | 6S/5W-8B1<br>61.6 | 5S/5W-18P1<br>5.2 |
| San Gregorio Valley | 2-24.00 | 2 | -1.2 | 7S/5W-15C1<br>26.7 | 7S/5W-13E1<br>11.0 |
| Pescadero Valley | 2-26.00 | 2 | -0.2 | 8S/5W-11P1<br>14.4 | 8S/5W-9H1<br>5.0 |

1/ The average change was determined by planimetering ground water contour maps.

TABLE 4
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN SAN FRANCISCO BAY REGION
July 1, 1959 - June 30, 1960

| Ground water basin or area | Basin number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1959 | Spring 1960 |
| taluma Valley | 2-1.00 | U. S. Geological Survey | 4 | | |
| | | Department of Water Resources | | 5 | 5 |
| pa-Sonoma Valley | 2-2.00 | | | | |
| Napa Valley | 2-2.01 | U. S. Geological Survey | 5 | | |
| | | Department of Water Resources | | 9 | 9 |
| Sonoma Valley | 2-2.02 | U. S. Geological Survey | 3 | | |
| | | Department of Water Resources | | 2 | 2 |
| isun-Fairfield Valley | 2-3.00 * | U. S. Geological Survey | 4 | | |
| | | Solano County | | | 26 |
| | | Department of Water Resources | | 26 | |
| nacio Valley | 2-6.00 | Department of Water Resources | 2 | 9 | 9 |
| nta Clara Valley | 2-9.00 | | | | |
| South Alameda County | 2-9.01 * | Alameda County Flood Control and Water Conservation District | | 151 | 125 |
| | | Alameda County Water District | | 35 | 34 |
| | | Department of Water Resources | 1 | | |
| North Santa Clara County | 2-9.02 * | Santa Clara Valley Water Conservation District | 258 | | |
| | | U. S. Geological Survey | 5 | | |
| vermore Valley | 2-10.00 * | Alameda County Flood Control and Water Conservation District | | 41 | 39 |
| | | Department of Water Resources | | 111 | 110 |
| lf Moon Bay Terrace | 2-22.00 | Department of Water Resources | 2 | 11 | 11 |
| n Gregorio Valley | 2-24.00 | Department of Water Resources | 2 | 5 | 5 |
| scadero Valley | 2-26.00 | Department of Water Resources | 2 | 7 | 7 |
| tal | | | 288 | 412 | 382 |

A ground water map was prepared for the spring of 1960

## Central Coastal Region

Eleven basins and areas in the Central Coastal Region are shown on Plate 1. Ground water level measurements at selected wells described in Appendix A are presented in Appendix B. Average changes in water levels from 1959 to 1960, and maximum and minimum depths to water in each basin or area are given in Table 5. A summary of ground water level data collection in the region is presented in Table 6. Hydrographs showing fluctuations of water levels during the periods of record at a few selected wells are presented on Plate 4.

Ground water levels were generally lower in the Central Coastal Region in 1959-60 than in 1958-59. Notable exceptions are Carmel Valley and Soquel Valley. The ground water level rise in Carmel Valley approximated the decline that occurred the previous year. A rise of 1.3 feet in Soquel Valley is a continuation of an upward trend of the previous two years. The significant decline in Salinas Valley in 1959-60 followed a relatively stable condition in 1958-59 which in turn followed a rise in 1957-58. The decline of four feet in South Santa Clara County broke marked rises during the previous two years. A maximum decline of 6.6 feet occurred in West Santa Cruz Terrace which was a continuation of a downward trend during the previous two years.

Sea water intrusion continued to be a problem in portions of Pajaro and Salinas Valleys.

TABLE 5
AVERAGE CHANGE IN GROUND WATER LEVELS IN
BASINS AND AREAS IN CENTRAL COASTAL REGION
SPRING 1959 TO SPRING 1960

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1959 to 1960, in feet | Location and recorded maximum and minimum depth to water in the spring of 1960 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Soquel Valley | 3-1.00 | 5 | +1.3 | 11S/1W-9L1<br>63.7 | 11S/1W-15H1<br>54.7 |
| West Santa Cruz Terrace | 3-26.00 | 3 | -6.6 | 11S/2W-22K1<br>63.2 | 11S/2W-22K1<br>63.2 |
| Pajaro Valley | 3-2.00 | 1/ | +0.3 | 13S/2E-5B1<br>137.0 | 12S/1E-24G1<br>3.7 |
| Gilroy-Hollister Valley | 3-3.00 | | | | |
| South Santa Clara County | 3-3.01 | 1/ | -4.0 | 10S/4E-35E1<br>78.2 | 11S/4E-22M1<br>5.6 |
| San Benito County | 3-3.02 | 1/ | -2.0 | 12S/5E-12F1<br>83.8 | 11S/5E-13D1<br>23.4 |
| Salinas Valley | 3-4.00 | | | | |
| Pressure Area | 3-4.01 | | | | |
| 180-foot aquifer | | 1/ | -1.3 | 16S/4E-11D1<br>43.0 | 14S/2E-3C1<br>9.4 |
| 400-foot aquifer | | 1/ | -0.6 | 14S/3E-18J1<br>81.0 | 13S/2E-31Q1<br>13.7 |
| East Side Area | 3-4.02 | 1/ | -0.7 | 16S/5E-17R1<br>101.7 | 14S/3E-15K1<br>47.0 |
| Forebay Area | 3-4.03 | 1/ | 0.0 | 17S/5E-11C1<br>55.5 | 18S/7E-18P1<br>30.6 |
| Arroyo Seco Cone | 3-4.04 | 1/ | -3.7 | 19S/6E-11C1<br>159.5 | 17S/6E-32E1<br>4.5 |
| Upper Valley Area | 3-4.05 | 1/ | +0.4 | 19S/7E-10P1<br>89.7 | 21S/10E-32N1<br>21.5 |
| Carmel Valley | 3-7.00 | 1 | +1.1 | 16S/1E-25B1<br>13.6 | 16S/1E-21A1<br>6.1 |

1/ The average change was determined by planimetering ground water contour maps.

TABLE 6
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL COASTAL REGION
July 1, 1959 - June 30, 1960

| Ground water basin or area | Basin number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1959 | Spring 1960 |
| Soquel Valley | 3-1.00 | Department of Water Resources | 2 | 6 | 6 |
| West Santa Cruz Terrace | 3-26.00 | Department of Water Resources | | 3 | 3 |
| Pajaro Valley | 3-2.00 * | Monterey County Flood Control and Water Conservation District | | 29 | 27 |
| | | Department of Water Resources | 6 | 27 | 27 |
| | | City of Watsonville | 5 | | |
| Gilroy-Hollister Valley | 3-3.00 | | | | |
| South Santa Clara County | 3-3.01 * | South Santa Clara Valley Water Conservation District | | 21 | 21 |
| | | Santa Clara Valley Water Conservation District | 12 | | |
| | | Department of Water Resources | 2 | 13 | 13 |
| San Benito County | 3-3.02 * | Pacheco Pass Water District | | | 24 |
| | | San Benito County | | | 76 |
| | | Department of Water Resources | 3 | | |
| Salinas Valley | 3-4.00 | | | | |
| Pressure Area | 3-4.01 * | Monterey County Flood Control and Water Conservation District | 15 | 125 | 125 |
| East Side Area | 3-4.02 * | Monterey County Flood Control and Water Conservation District | 10 | 86 | 86 |
| Forebay Area | 3-4.03 * | Monterey County Flood Control and Water Conservation District | 8 | 39 | 39 |
| Arroyo Seco Cone | 3-4.04 * | Monterey County Flood Control and Water Conservation District | 5 | 20 | 20 |
| Upper Valley Area | 3-4.05 * | Monterey County Flood Control and Water Conservation District | 7 | 26 | 26 |
| Carmel Valley | 3-7.00 | Department of Water Resources | 2 | 6 | 6 |
| Total | | | 77 | 401 | 499 |

* A ground water map was prepared for the spring of 1960

## CENTRAL VALLEY REGION

Seventy-seven ground water basins or areas in the Central Valley Region are shown on Plate 1. Ground water level measurements of selected wells described in Appendix A are listed in Appendix B. Average changes in water levels from 1959 to 1960, and maximum and minimum depths to water in each basin or area are given in Table 7. A summary of ground water level data collected in the region is presented in Table 8. Hydrographs showing fluctuations in water levels during the period of record at a few selected wells are presented on Plates 5, 6, and 7.

The Central Valley Region contains most of the ground water in Central and Northern California. Ground water levels declined in substantially all of the basins and areas in the region from the spring of 1959 to the spring of 1960. In 1959-60, declines of from 5 to 13 feet occurred in 24 areas. In 1958-59, declines of more than 5 feet occurred in only six areas.

In the northern portion of the region, including Sacramento Valley, Redding Basin, and smaller valleys in the Clear Lake area, ground water levels declined more than a foot in 17 of the 21 areas with no appreciable change in the remaining four areas. The maximum change was a decline of 5.8 feet in Placer County. The only rise was 0.2 feet in Sutter County. The maximum two year declines (1958-60) occurred in Yuba, Placer, and Yolo Counties. The declines were 9.5 feet, 10.4 feet, and 10.7 feet, respectively.

The southern portion of the region consists of the San Joaquin Valley. Of 48 areas in the valley, ground water levels

declined more than a foot in 43, raised one foot in one, and change less than a foot in three. The maximum decline was 13.3 feet in Porterville Irrigation District and the maximum rise was one foot in South San Joaquin Municipal Utility District.

Ground water level fluctuations in 19 areas, shown on Plate 8, in the eastern part of the valley from Merced River to Wheeler Ridge are illustrated by ground water profiles on the plate and hydrographs on Plate 9. A summary of water level changes from 1921 to 1951 and from 1951 to 1960 is presented in Table 9. In these areas, large declines in ground water levels occurred from 1921 to 1951, which was the first year of substantial deliveries from Friant-Kern Canal. Subsequently, as illustrated, substantial recoveries occurred in some areas due to imported surface water supplies. Ground water levels were higher in 14 areas in the spring of 1959 than in 1951. From the spring of 1959 to the spring of 1960 levels in all of the areas declined and in 1960 levels in only eight of the areas were higher than in 1951.

TABLE 7
AVERAGE CHANGE IN GROUND WATER LEVELS IN
BASINS AND AREAS IN CENTRAL VALLEY REGION
SPRING 1959 TO SPRING 1960

| Ground Water Basin or area | | Number of wells considered in analysis | Average change in ground water level 1959 to 1960, in feet | Location and recorded maximum and minimum depth to water in the spring of 1960 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Goose Lake Valley | 5-1.00 | 2 | -0.2 | 45N/14E-17P1<br>50.8 | 48N/14E-24A3<br>18.7 |
| Alturas Basin | 5-2.00 | 6 | -0.5 | 42N/12E-10G1<br>39.6 | 41N/11E-5E1<br>6.2 |
| Big Valley | 5-4.00 | 3 | -1.3 | 38N/8E-17K1<br>11.7 | 39N/9E-28F1<br>6.3 |
| Round Valley | 5-36.00 | 1 | -0.5 | 39N/9E-10K1<br>6.5 | 39N/9E-10K1<br>6.5 |
| Fall River Valley | 5-5.00 | 2 | -0.2 | 37N/5E-1J1<br>11.0 | 38N/4E-33F1<br>4.6 |
| Redding Basin | 5-6.00 | 1/ | -0.9 | 30N/5W-15R1<br>188.6 | 30N/3W-17N3<br>7.2 |
| Mohawk Valley | 5-11.00 | 0 | | 22N/13E-30R1<br>33.8 | 22N/12E-9A1<br>2.6 |
| Sierra Valley | 5-12.00 | 7 | -0.7 | 21N/16E-18H1<br>19.1 | 20N/14E-13Q2<br>2.8 |
| Upper Lake Valley | 5-13.00 | 2 | -1.0 | 15N/9W-7G1<br>9.9 | 15N/9W-7G1<br>5.8 |
| Scott Valley | 5-14.00 | 4 | -2.8 | 14N/10W-22A1<br>21.4 | 14N/10W-14F1<br>2.4 |
| Kelseyville Valley | 5-15.00 | 3 | -0.3 | 14N/9W-33K1<br>12.6 | 13N/9W-20P1<br>6.4 |
| Long Valley | 5-31.00 | 1 | -3.7 | 14N/7W-6F1<br>10.8 | 14N/7W-6F1<br>10.8 |
| High Valley | 5-16.00 | 3 | -2.9 | 14N/7W-19M2<br>44.9 | 14N/7W-19M1<br>20.7 |
| Burns Valley | 5-17.00 | 2 | -1.8 | 13N/7W-15Q1<br>7.7 | 13N/7W-15Q1<br>3.5 |
| Lower Lake Area | 5-30.00 | 2 | -2.5 | 12N/7W-14C2<br>18.5 | 12N/7W-3J1<br>13.0 |
| Coyote Valley | 5-18.00 | 1 | 0.0 | 11N/6W-19G1<br>12.2 | 11N/6W-19G1<br>8.5 |
| Collayomi Valley | 5-19.00 | 3 | -2.1 | 11N/7W-33L1<br>16.6 | 10N/7W-1G1<br>4.8 |
| Sacramento Valley<br>Tehama County | 5-21.00<br>5-21.01 | 1/ | -4.9 | 26N/3W-21P1<br>83.0 | 24N/2W-2N1<br>8.5 |

TABLE 7 (Continued)
AVERAGE CHANGE IN GROUND WATER LEVELS IN
BASINS AND AREAS IN CENTRAL VALLEY REGION
SPRING 1959 TO SPRING 1960

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1959 to 1960, in feet | Location and recorded maximum and minimum depth to water in the spring of 1960 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Sacramento Valley (continued) | 5-21.00 | | | | |
| Glenn County | 5-21.02 | 1/ | -1.7 | 22N/4W-25B1<br>93.0 | 20N/2W-7A1<br>0.3 |
| Butte County | 5-21.03 | 19 | -2.0 | 22N/2E-17E1<br>67.0 | 19N/2E-10B9<br>1.9 |
| Colusa County | 5-21.04 | 1/ | -2.2 | 13N/2W-21B1<br>233.8 | 17N/2W-11K1<br>5.3 |
| Sutter County | 5-21.05 | 1/ | +0.2 | 11N/4E-1M1<br>53.2 | 12N/3E-23N1<br>4.2 |
| Yuba County | 5-21.06 | 1/ | -4.4 | 14N/4E-13C1<br>82.9 | 13N/4E-7E1<br>14.8 |
| Placer County | 5-21.07 | 1/ | -5.8 | 11N/5E-34R3<br>86.8 | 11N/6E-11R1<br>23.2 |
| Sacramento County | 5-21.08 | 150 | -2.7 | 6N/8E-15J1<br>121.1 | 7N/8E-13A1<br>13.0 |
| Yolo County | 5-21.09 | 25 | -5.5 | 12N/1W-5M1<br>117.1 | 9N/1E-8D1<br>3.6 |
| Capay Valley | 5-21.10 | 24 | -1.5 | 11N/3W-4P1<br>66.7 | 10N/2W-16L1<br>13.9 |
| Solano County | 5-21.11 | 1/ | -5.1 | 7N/1W-13H1<br>74.4 | 5N/2E-36N1<br>6.7 |
| San Joaquin Valley | 5-22.00 | | | | |
| Mokelumne River Area | 5-22.01 | 8 | -3.0 | 3N/8E-19C1<br>91.1 | 4N/5E-22A1<br>34.0 |
| Calaveras River Area | 5-22.02 | 8 | -4.7 | 2N/9E-5H1<br>93.3 | 2N/6E-34K1<br>32.0 |
| Farmington-Collegeville Area | 5-22.03 | 1/ | -3.0 | 1N/8E-17D1<br>84.3 | 1S/8E-19N1<br>15.9 |
| Tracy Area | 5-22.04 | 6 | -1.3 | 2S/6E-31N1<br>54.7 | 1S/6E-31E1<br>7.8 |
| South San Joaquin Irrigation District | 5-22.05 | 1 | -1.5 | 2S/9E-8H1<br>24.3 | 2S/9E-8H1<br>24.3 |
| Oakdale Irrigation District | 5-22.06 | 8 | -2.3 | 1S/10E-28J1<br>83.0 | 2S/12E-31K1<br>43.1 |
| Modesto Irrigation District | 5-22.07 | 1 | -0.7 | 4S/7E-2A1<br>11.7 | 3S/8E-13A1<br>10.0 |
| Turlock Irrigation District | 5-22.08 | 8 | -0.8 | 5S/10E-21R1<br>9.9 | 6S/9E-15R1<br>3.4 |
| Merced Irrigation District | 5-22.09 | 12 | -2.8 | 6S/13E-19N1<br>17.5 | 7S/12E-21D1<br>6.8 |

TABLE 7 (Continued)
AVERAGE CHANGE IN GROUND WATER LEVELS IN
BASINS AND AREAS IN CENTRAL VALLEY REGION
SPRING 1959 TO SPRING 1960

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1959 to 1960, in feet | Location and recorded maximum and minimum depth to water in the spring of 1960 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| San Joaquin Valley (continued) | 5-22.00 | | | | |
| El Nido Irrigation District | 5-22.10 | 29 | -7.0 | 9S/13E-14R1<br>68.8 | 9S/14E-17K1<br>60.5 |
| Delta Mendota Area | 5-22.11 | | | | |
| Shallow zone | | 36 | -1.6 | 13S/12E-22N1<br>206.8 | 11S/11E-22K1<br>1.4 |
| Deep zone | | 27 | -1.5 | 12S/11E-35Q1<br>323.2 | 11S-12E-31C1<br>21.8 |
| Chowchilla Water District | 5-22.12 | 1/ | -11.4 | 9S/17E-21L1<br>85.8 | 9S/16E-35D1<br>33.0 |
| Madera Irrigation District | 5-22.13 | 1/ | -4.9 | 11S/20E-22M1<br>110.2 | 10S/19E-16D1<br>21.7 |
| West Chowchilla-Madera Area | 5-22.14 | 1/ | -3.8 | 10S/14E-1R1<br>52.3 | 11S/14E-33L1<br>11.7 |
| Fresno Irrigation District | 5-22.15 | 1/ | -5.2 | 12S/20E-14A1<br>91.6 | 12S/22E-21E1<br>18.5 |
| City of Fresno | 5-22.16 | 1/ | -6.6 | 14S/20E-10M1<br>75.0 | 14S/20E-10M1<br>67.1 |
| Fresno Slough Area | 5-22.17 | 3 | -3.1 | 16S/17E-23N1<br>96.8 | 13S/15E-28H1<br>14.0 |
| Consolidated Irrigation District | 5-22.18 | 1/ | -4.5 | 16S/19E-14A1<br>72.8 | 17S/22E-3C1<br>22.0 |
| Alta Irrigation District | 5-22.19 | 1/ | -11.3 | 14S/23E-36R1<br>66.0 | 17S/22E-24R1<br>20.7 |
| Lower Kings River Area | 5-22.20 | 1/ | -2.8 | 18S/18E-12N2<br>120.0 | 20S/21E-25L1<br>7.1 |
| Orange Cove Irrigation District | 5-22.21 | 1/ | -6.9 | 15S/25E-22N1<br>31.1 | 14S/25E-30D1<br>26.6 |
| Stone Corral Irrigation District | 5-22.22 | 9 | -4.2 | 17S/26E-17P2<br>27.8 | 16S/26E-32P1<br>8.6 |
| Ivanhoe Irrigation District | 5-22.23 | 1/ | -7.2 | 18S/25E-12Q1<br>48.6 | 18S/25E-12Q1<br>48.6 |
| Kaweah Delta Water Conservation District | 5-22.24 | 1/ | -11.2 | 20S/22E-10C1<br>93.3 | 17S/27E-34P1<br>10.5 |
| Tulare Irrigation District | 5-22.25 | 1/ | -10.6 | 20S/23E-9J1<br>79.6 | 20S/24E-23K1<br>60.2 |
| Exeter Irrigation District | 5-22.26 | 1/ | -4.0 | 19S/26E-23E1<br>90.3 | 18S/27E-29D1<br>30.5 |
| Lindsay-Strathmore Irrigation District | 5-22.27 | 1/ | +0.9 | 19S/27E-29D1<br>72.0 | 20S/27E-6B1<br>63.0 |

TABLE 7 (Continued)
AVERAGE CHANGE IN GROUND WATER LEVELS IN
BASINS AND AREAS IN CENTRAL VALLEY REGION
SPRING 1959 TO SPRING 1960

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1959 to 1960, in feet | Location and recorded maximum and minimum depth to water in the spring of 1960 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| San Joaquin Valley (continued) | 5-22.00 | | | | |
| Lindmore Irrigation District | 5-22.28 | 1/ | -3.0 | 20S/26E-22C2<br>114.1 | 20S/27E-29J1<br>60.8 |
| Porterville Irrigation District | 5-22.29 | 1/ | -13.3 | 22S/27E-10R1<br>118.6 | 21S/27E-23N1<br>44.0 |
| Lower Tule River Irrigation District | 5-22.30 | 1/ | -11.5 | 22S/25E-15A1<br>140.0 | 21S/25E-8H1<br>55.0 |
| Vandalia Irrigation District | 5-22.31 | 5 | -6.2 | 22S/28E-18A1<br>111.4 | 22S/28E-18A1<br>111.4 |
| Saucelito Irrigation District | 5-22.32 | 1/ | -8.0 | 23S/26E-2R1<br>149.2 | 22S/26E-15J1<br>125.9 |
| Pixley Irrigation District | 5-22.33 | 1/ | -9.8 | 23S/25E-16N3<br>230.4 | 23S/23E-2B1<br>32.9 |
| Alpaugh-Allensworth Area | 5-22.34 | 2 | -8.1 | 24S/23E-21B2<br>55.7 | 24S/24E-23Q1<br>44.3 |
| Delano-Earlimart Irrigation District | 5-22.35 | 1/ | -4.1 | 25S/26E-1A2<br>488.0 | 24S/25E-33J1<br>90.6 |
| South San Joaquin Municipal Utility District | 5-22.36 | 4 | +1.0 | 26S/26E-16P1<br>250.0 | 25S/25E-6H1<br>86.5 |
| North Kern Water Storage District | 5-22.37 | 62 | -3.1 | 28S/27E-21F1<br>430.0 | 27S/25E-1A1<br>72.8 |
| Shafter-Wasco Irrigation District | 5-22.38 | 1/ | -4.1 | 27S/25E-28F1<br>180.9 | 27S/24E-35C1<br>164.0 |
| Kern River Delta Area | 5-22.40 | 1/ | -6.4 | 32S/26E-36G1<br>185.0 | 31S/28E-17P2<br>12.0 |
| Edison-Maricopa Area | 5-22.41 | 9 | -6.8 | 30S/29E-26A1<br>433.8 | 30S/28E-34R2<br>91.5 |
| Buena Vista Water Storage District | 5-22.42 | 1/ | -7.0 | 27S/22E-16B1<br>111.6 | 28S/22E-10D2<br>20.8 |
| Semitropic Water Storage District | 5-22.43 | 100 | -7.8 | 26S/24E-23H1<br>164.0 | 28S/23E-11E1<br>24.5 |
| Avenal-McKittrick Area | 5-22.44 | 1 | -0.6 | 28S/21E-13E1<br>173.4 | 25S/20E-4C1<br>62.9 |
| Tulare Lake-Lost Hills Area | 5-22.45 | 0 | | 26S/21E-14J1<br>26.5 | 26S/21E-14J1<br>26.5 |
| Corcoran Irrigation District | 5-22.46 | 1/ | -7.3 | 21S/22E-24K1<br>37.7 | 21S/22E-16Q1<br>24.3 |

TABLE 7 (Continued)
AVERAGE CHANGE IN GROUND WATER LEVELS IN
BASINS AND AREAS IN CENTRAL VALLEY REGION
SPRING 1959 TO SPRING 1960

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1959 to 1960, in feet | Location and recorded maximum and minimum depth to water in the spring of 1960 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| San Joaquin Valley (continued) | 5-22.00 | | | | |
| Mendota-Huron, Deep Zone | 5-22.47 | 1/ | -2.5 | 19S/17E-35N1<br>494.0 | 14S/15E-35N1<br>47.3 |
| Terra Bella Irrigation District | 5-22.50 | 5 | -4.6 | 22S/27E-36N1<br>264.3 | 23S/27E-10H1<br>223.6 |

1/ Average determined by planimetering a ground water contour map.

TABLE 8
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL VALLEY REGION
July 1, 1959 - June 30, 1960

| Ground water basin or areas | Basin Number | | Measuring agency | Number of wells measured | | |
|---|---|---|---|---|---|---|
| | | | | Monthly | Fall 1959 | Spring 1960 |
| Goose Lake Valley | 5-1.00 | * | Department of Water Resources | 2 | 60 | 62 |
| Alturas Basin | 5-2.00 | * | Department of Water Resources | 7 | 99 | 111 |
| Big Valley | 5-4.00 | * | Department of Water Resources | 4 | 197 | 193 |
| Round Valley | 5-36.00 | | Department of Water Resources | | 17 | 17 |
| Fall River Valley | 5-5.00 | * | Department of Water Resources | 3 | 112 | 114 |
| Redding Basin | 5-6.00 | * | Department of Water Resources | 5 | 97 | 100 |
| Mohawk Valley | 5-11.00 | * | Department of Water Resources | | 4 | 5 |
| Sierra Valley | 5-12.00 | * | Department of Water Resources | 7 | 192 | 193 |
| Upper Lake Valley | 5-13.00 | | Department of Water Resources | 1 | 21 | 21 |
| Scott Valley | 5-14.00 | | Department of Water Resources | 2 | 10 | 10 |
| Kelseyville Valley | 5-15.00 | | Department of Water Resources | 2 | 37 | 37 |
| Long Valley | 5-31.00 | | Department of Water Resources | | 1 | 1 |
| High Valley | 5-16.00 | | U. S. Geological Survey | 1 | | |
| | | | Department of Water Resources | | 1 | 2 |
| Burns Valley | 5-17.00 | | U. S. Geological Survey | 1 | | |
| | | | Department of Water Resources | | 2 | 3 |
| Lower Lake Area | 5-30.00 | | U. S. Geological Survey | 1 | | |
| | | | Department of Water Resources | | 3 | 4 |
| Coyote Valley | 5-18.00 | | U. S. Geological Survey | 1 | | |
| | | | Department of Water Resources | | 1 | 2 |
| Collayomi Valley | 5-19.00 | | U. S. Geological Survey | 1 | | |
| | | | Department of Water Resources | | 4 | 2 |
| Sacramento Valley | 5-21.00 | | | | | |
| Tehama County | 5-21.01 | * | Tehama County | | 80 | 77 |
| | | | Department of Water Resources | 5 | 17 | 17 |
| Glenn County | 5-21.02 | * | Glenn County | | 116 | 121 |
| | | | U. S. Bureau of Reclamation | 5 | 34 | 37 |
| | | | Department of Water Resources | 7 | | |
| Butte County | 5-21.03 | * | Butte County | | 162 | 157 |
| | | | U. S. Bureau of Reclamation | 5 | | |
| | | | Department of Water Resources | 5 | 7 | |
| Colusa County | 5-21.04 | * | Colusa County | | 40 | 38 |
| | | | U. S. Bureau of Reclamation | 4 | 25 | 23 |
| | | | Department of Water Resources | 6 | 19 | 19 |

TABLE 8 (Continued)
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL VALLEY REGION
July 1, 1959 - June 30, 1960

| Ground water basin or area | Basin number | Measuring agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1959 | Spring 1960 |
| acramento Valley (continued) | | | | | |
| Sutter County | 5-21.05 * | Sutter County | | 98 | 97 |
| | | U. S. Bureau of Reclamation | | 34 | 16 |
| | | Department of Water Resources | 7 | | 3 |
| Yuba County | 5-21.06 * | Yuba County | | | |
| | | Department of Water Resources | 24 | 75 | 70 |
| Placer County | 5-21.07 * | U. S. Bureau of Reclamation | | 89 | 61 |
| | | Department of Water Resources | 2 | 11 | 11 |
| Sacramento County | 5-21.08 * | Sacramento Municipal Utility District | | 18 | 18 |
| | | U. S. Bureau of Reclamation | 5 | 209 | 102 |
| | | Department of Water Resources | 6 | 66 | 85 |
| Yolo County | 5-21.09 * | Yolo County | | 197 | 192 |
| | | U. S. Bureau of Reclamation | 35 | 80 | 56 |
| | | Department of Water Resources | 5 | | 1 |
| Capay Valley | 5-21.10 * | Yolo County | | 28 | 27 |
| Solano County | 5-21.11 * | Solano Irrigation District | | | 50 |
| | | U. S. Geological Survey | 3 | | |
| | | U. S. Bureau of Reclamation | 40 | 85 | 71 |
| | | Department of Water Resources | 5 | 47 | |
| an Joaquin Valley | 5-22.00 | | | | |
| Mokelumne River Area | 5-22.01 * | U. S. Bureau of Reclamation | | 5 | 5 |
| | | San Joaquin County | | 70 | 68 |
| | | East Bay Municipal Utility District | 39 | 32 | 32 |
| | | Department of Water Resources | 1 | | |
| Calaveras River Area | 5-22.02 * | San Joaquin County | | 77 | 73 |
| | | California Water Service | | 12 | 12 |
| | | Department of Water Resources | 1 | | |
| Farmington-Collegeville Area | 5-22.03 * | San Joaquin County | | 62 | 62 |
| | | Department of Water Resources | 2 | 7 | |
| Tracy Area | 5-22.04 * | San Joaquin County | | 23 | 23 |
| | | Department of Water Resources | 1 | | |
| South San Joaquin Irrigation District | 5-22.05 | South San Joaquin Irrigation District | | 55 | 55 |
| Oakdale Irrigation District | 5-22.06 | Oakdale Irrigation District | 20 | 127 | 127 |
| Modesto Irrigation District | 5-22.07 | Modesto Irrigation District | | 110 | 74 |
| Turlock Irrigation District | 5-22.08 | Turlock Irrigation District | 200 | | |
| Merced Irrigation District | 5-22.09 | U. S. Bureau of Reclamation | | 16 | 16 |
| | | Merced Irrigation District | 226 | | |

TABLE 8 (Continued)
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL VALLEY REGION
July 1, 1959 - June 30, 1960

| Ground water basin or area | Basin number | Measuring agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1959 | Spring 1960 |
| San Joaquin Valley (continued) | | | | | |
| El Nido Irrigation District | 5-22.10 * | Merced Irrigation District | | 30 | 30 |
| Delta-Mendota Area | 5-22.11 * | U. S. Geological Survey | 2 | | 97 |
| | | U. S. Bureau of Reclamation | | 525 | 494 |
| | | Department of Water Resources | 180 | 226 | 226 |
| | | San Luis Canal Company | 100 | | |
| Chowchilla Water District | 5-22.12 * | Chowchilla Water District | | 109 | 107 |
| | | U. S. Bureau of Reclamation | | 23 | 23 |
| Madera Irrigation District | 5-22.13 * | Madera Irrigation District | | 186 | 203 |
| | | U. S. Bureau of Reclamation | | 66 | 60 |
| | | Chowchilla Water District | | 4 | 4 |
| | | Department of Water Resources | | 2 | |
| West Chowchilla-Madera Area | 5-22.14 * | Chowchilla Water District | | 9 | 9 |
| | | U. S. Bureau of Reclamation | | 109 | 109 |
| | | Madera Irrigation District | | 25 | 27 |
| | | Department of Water Resources | | 1 | |
| Fresno Irrigation District | 5-22.15 * | Consolidated Irrigation District | | 5 | 1 |
| | | Fresno Irrigation District | 11 | 87 | 81 |
| | | U. S. Bureau of Reclamation | | 87 | 98 |
| | | Madera Irrigation District | | 1 | 1 |
| | | Department of Water Resources | | 43 | 37 |
| City of Fresno | 5-22.16 * | City of Fresno | 2 | 48 | 45 |
| Fresno Slough Area | 5-22.17 * | Fresno Irrigation District | | 13 | 11 |
| | | Consolidated Irrigation District | | 3 | 3 |
| | | U. S. Bureau of Reclamation | | 187 | 202 |
| | | Department of Water Resources | | 50 | 52 |
| Consolidated Irrigation District | 5-22.18 * | Consolidated Irrigation District | 10 | 58 | 54 |
| | | Fresno Irrigation District | | 1 | 1 |
| | | Department of Water Resources | | 7 | 8 |
| Alta Irrigation District | 5-22.19 * | Consolidated Irrigation District | | 1 | 2 |
| | | Alta Irrigation District | 9 | 143 | 136 |
| | | Kaweah Delta Water Conservation District | | 1 | 1 |
| | | U. S. Bureau of Reclamation | | 28 | 30 |
| | | Orange Cove Irrigation District | | 3 | 3 |
| | | Department of Water Resources | | 3 | 1 |
| Lower Kings River Area | 5-22.20 * | Kaweah Delta Water Conservation District | | 2 | 2 |
| | | Consolidated Irrigation District | | 6 | 7 |
| | | U. S. Bureau of Reclamation | | 10 | 7 |
| | | Department of Water Resources | 38 | 160 | 155 |
| Orange Cove Irrigation District | 5-22.21 * | U. S. Bureau of Reclamation | | 14 | 14 |
| | | Orange Cove Irrigation District | | 80 | 78 |

TABLE 8 (Continued)
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL VALLEY REGION
July 1, 1959 - June 30, 1960

| Ground water basin or area | Basin number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1959 | Spring 1960 |
| San Joaquin Valley (continued) | | | | | |
| Stone Corral Irrigation District | 5-22.22 * | U. S. Bureau of Reclamation | | 28 | 28 |
| Ivanhoe Irrigation District | 5-22.23 * | Kaweah Delta Water Conservation District | | 1 | 1 |
| | | Ivanhoe Irrigation District | | 31 | 31 |
| | | U. S. Bureau of Reclamation | | 9 | 3 |
| | | Department of Water Resources | | 3 | 9 |
| Kaweah Delta Water Conservation District | 5-22.24 * | Exeter Irrigation District | | 19 | 18 |
| | | Tulare Irrigation District | | 3 | 10 |
| | | Kaweah Delta Water Conservation District | | 80 | 78 |
| | | Lindmore Irrigation District | | 7 | 7 |
| | | U. S. Bureau of Reclamation | | 34 | 25 |
| | | Alta Irrigation District | | 1 | 1 |
| | | Department of Water Resources | 1 | 79 | 86 |
| Tulare Irrigation District | 5-22.25 * | U. S. Bureau of Reclamation | | 4 | 4 |
| | | Tulare Irrigation District | | 80 | 79 |
| | | Department of Water Resources | | 2 | 2 |
| Exeter Irrigation District | 5-22.26 * | Kaweah Delta Water Conservation District | | 1 | 1 |
| | | Exeter Irrigation District | | 36 | 36 |
| | | U. S. Bureau of Reclamation | | 3 | 4 |
| | | Department of Water Resources | | 1 | |
| Lindsay-Strathmore Irrigation District | 5-22.27 * | Lindmore Irrigation District | | 3 | 3 |
| | | Lindsay-Strathmore Irrigation District | | 18 | 19 |
| | | U. S. Bureau of Reclamation | | 2 | 2 |
| Lindmore Irrigation District | 5-22.28 * | Exeter Irrigation District | | 1 | 1 |
| | | Porterville Irrigation District | | 2 | 2 |
| | | Lindmore Irrigation District | | 63 | 62 |
| | | Lindsay-Strathmore Irrigation District | | | 1 |
| | | U. S. Bureau of Reclamation | | 6 | 7 |
| Porterville Irrigation District | 5-22.29 * | Lower Tule River Irrigation District | | 3 | 3 |
| | | Porterville Irrigation District | | 14 | 19 |
| | | U. S. Bureau of Reclamation | | 9 | 13 |
| | | Department of Water Resources | | 1 | 3 |
| Lower Tule River Irrigation District | 5-22.30 * | Saucelito Irrigation District | | 5 | 6 |
| | | Lower Tule River Irrigation District | 2 | 111 | 118 |
| | | Porterville Irrigation District | | 1 | 1 |
| | | Lindmore Irrigation District | | 1 | 1 |
| | | Department of Water Resources | 2 | 4 | 4 |
| Vandalia Irrigation District | 5-22.31 * | Department of Water Resources | | | 2 |
| | | U. S. Bureau of Reclamation | | 3 | 1 |

TABLE 8 (Continued)
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL VALLEY REGION
July 1, 1959 - June 30, 1960

| Ground water basin or area | Basin number | Measuring agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1959 | Spring 1960 |
| San Joaquin Valley (continued) | | | | | |
| Saucelito Irrigation District | 5-22.32 * | Porterville Irrigation District | | 1 | 1 |
| | | Saucelito Irrigation District | | 21 | 21 |
| | | Delano-Earlimart Irrigation District | | 1 | 1 |
| | | U. S. Bureau of Reclamation | | 3 | 1 |
| | | Department of Water Resources | | 1 | 2 |
| Pixley Irrigation District | 5-22.33 * | Lower Tule River Irrigation District | | 1 | 2 |
| | | U. S. Geological Survey | 3 | | |
| | | U. S. Bureau of Reclamation | 1 | 64 | 36 |
| | | Department of Water Resources | | 8 | 26 |
| Alpaugh-Allensworth Area | 5-22.34 * | Lower Tule River Irrigation District | | 1 | 1 |
| | | U. S. Bureau of Reclamation | | 36 | 30 |
| | | Department of Water Resources | 20 | 7 | 14 |
| Delano-Earlimart Irrigation District | 5-22.35 * | Delano-Earlimart Irrigation District | | 102 | 100 |
| | | U. S. Geological Survey | 3 | | 1 |
| | | U. S. Bureau of Reclamation | | 25 | 18 |
| | | Department of Water Resources | | 10 | 22 |
| South San Joaquin Municipal Utility District | 5-22.36 * | U. S. Geological Survey | 1 | | |
| | | South San Joaquin Municipal Utility District | | 51 | 61 |
| | | Delano-Earlimart Irrigation District | | | 4 |
| | | Kern County Land Company | | | 7 |
| | | U. S. Bureau of Reclamation | | 2 | 4 |
| | | Department of Water Resources | | 20 | 5 |
| North Kern Water Storage District | 5-22.37 * | Shafter-Wasco Irrigation District | | 8 | 2 |
| | | Kern County Land Company | 4 | 179 | 162 |
| | | U. S. Bureau of Reclamation | | 18 | 23 |
| | | Department of Water Resources | | 38 | 20 |
| Shafter-Wasco Irrigation District | 5-22.38 * | U. S. Bureau of Reclamation | | 6 | 1 |
| | | Shafter-Wasco Irrigation District | | 41 | 34 |
| | | Kern County Land Company | 1 | 24 | 27 |
| | | Department of Water Resources | | 6 | 6 |
| City of Bakersfield | 5-22.39 * | California Water Service | | 32 | 31 |
| Kern River Delta Area | 5-22.40 * | Shafter-Wasco Irrigation District | | 6 | 4 |
| | | Kern County Surveyor | | 113 | 91 |
| | | Buena Vista Water Storage District | 1 | | |
| | | Department of Water Resources | | 33 | 31 |
| | | U. S. Bureau of Reclamation | | 23 | 31 |
| | | Kern County Land Company | 6 | 164 | 179 |
| Edison-Marioopa Area | 5-22.41 * | Kern County Land Company | 1 | 25 | 29 |
| | | U. S. Geological Survey | 4 | | 1 |
| | | Kern County Surveyor | | 42 | 39 |
| | | U. S. Bureau of Reclamation | 2 | 186 | 190 |
| | | Department of Water Resources | | 105 | 94 |

TABLE 8 (Continued)
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL VALLEY REGION
July 1, 1959 - June 30, 1960

| Ground water basin or area | Basin number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1959 | Spring 1960 |
| ın Joaquin Valley (continued) | | | | | |
| Buena Vista Water Storage District | 5-22.42 * | Buena Vista Water Storage District | 4 | 27 | 19 |
| | | Kern County Land Company | | | 5 |
| | | U. S. Geological Survey | 2 | | |
| | | U. S. Bureau of Reclamation | | 8 | 9 |
| | | Kern County Surveyor | | 27 | 21 |
| Semitropic Water Storage District | 5-22.43 * | Shafter-Wasco Irrigation District | | 3 | 3 |
| | | U. S. Bureau of Reclamation | | 28 | 26 |
| | | Kern County Surveyor | | 137 | 116 |
| | | U. S. Geological Survey | 2 | | |
| | | Kern County Land Company | 1 | 22 | 22 |
| | | Department of Water Resources | | 13 | 14 |
| | | Buena Vista Water Storage District | 1 | 1 | 2 |
| Avenal-McKittrick Area | 5-22.44 * | U. S. Geological Survey | 7 | | |
| | | Department of Water Resources | 6 | 60 | |
| Tulare Lake-Lost Hills Area | 5-22.45 * | Kern County Surveyor | | | 14 |
| | | Department of Water Resources | 14 | 98 | |
| Corcoran Irrigation District | 5-22.46 * | Kaweah Delta Water Conservation District | | 1 | 1 |
| | | Department of Water Resources | | 12 | 12 |
| Mendota-Huron Area | 5-22.47 * | U. S. Geological Survey | 6 | | 607 |
| | | U. S. Bureau of Reclamation | 6 | 44 | 48 |
| | | Department of Water Resources | 30 | 466 | 9 |
| Poso Soil Conservation District | 5-22.48 * | Department of Water Resources | | 1 | |
| | | Poso Soil Conservation District | 102 | | |
| Terra Bella Irrigation District | 5-22.50 * | U. S. Geological Survey | 1 | | |
| | | U. S. Bureau of Reclamation | | 36 | 23 |
| | | Department of Water Resources | | 2 | 12 |
| ›tal | | | 1,283 | 8,405 | 8,198 |

* A ground water map was prepared for the spring of 1960

TABLE 9
CHANGE IN AVERAGE GROUND WATER LEVEL FROM
1921 TO 1951 AND 1951 TO 1960
IN NINETEEN GROUND WATER AREAS IN THE SAN JOAQUIN VALLEY

| Name of ground water area | Area in square miles | Irrigation and other water districts included in the ground water unit | Net change in water level 1921-51[1] in feet | Net change in water level 1951-60[2] in feet |
|---|---|---|---|---|
| Madera | 342.6 | Madera Irrigation District, Chowchilla Water District | -24.1[3] | -2.3 |
| Fresno | 404.0 | Fresno Irrigation District | -22.4 | -6.4 |
| Consolidated | 243.0 | Consolidated Irrigation District | -19.0 | +0.7 |
| Fresno-Consolidated-Outside | 700.1 | Fresno Irrigation District, Consolidated Irrigation District | -23.2 | -3.8 |
| Outside Only | 53.1 | ----- | -- | -14.0 |
| Centerville Bottoms | 18.1 | ----- | +1.0 | +1.3 |
| Alta | 190.9 | Alta Irrigation District | -17.2[3] | +5.9 |
| Ivanhoe | 17.4 | Ivanhoe Irrigation District | -55.9 | +18.0 |
| Outside Ivanhoe | 76.6 | Part of Alta Irrigation District, Stone Corral Irrigation District | -28.5 | -1.9 |
| Mill Creek | 128.2 | ----- | -31.1 | -6.2 |
| Tulare | 121.1 | Tulare Irrigation District | -59.1 | +11.0 |
| Elk Bayou | 67.6 | ----- | -47.8 | 0.0 |
| Lindsay-Exeter | 136.4 | Exeter Irrigation District, Lindsay-Strathmore Irrigation District, Lindmore Irrigation District | -77.7 | +53.5 |
| Tule River | 156.6 | Porterville Irrigation District, most of Lower Tule River Irrigation District, part of Saucelito Irrigation District | -62.5 | +25.7 |
| Lower Deer Creek | 162.2 | Part of Lower Tule River Irrigation District, most of Saucelito Irrigation District, part of Delano-Earlimart Irrigation District | -106.7 | -1.4 |
| Middle Deer Creek | 54.6 | Terra Bella Irrigation District | -61.8 | -25.6 |
| Delano-Earlimart | 140.0 | Most of Delano-Earlimart Irrigation District, small part of South San Joaquin Municipal Utility District | -133.8 | +38.3 |
| McFarland-Shafter | 306.0 | Southern San Joaquin Municipal Utility District, North Kern Water Storage District, Shafter-Wasco Irrigation District | -99.0 | -18.3 |
| Rosedale | 78.9 | ----- | -36.3 | -36.1 |
| Arvin-Edison | 205.2 | Arvin-Edison Water Storage District | -69.9[4] | -16.8[5] |

1/ 1951 was the first year of substantial deliveries from Friant-Kern Canal
2/ Fall of 1951 to spring of 1960
3/ 1929 to 1951
4/ 1941 to 1951
5/ Change from fall 1951 to spring 1958

## LAHONTAN REGION

Four ground water basins or areas in the northern portion of the Lahonton Region are shown on Plate 1. Average changes in water levels from 1959 to 1960, and maximum and minimum depths to water in each basin or area are given in Table 10. A summary of ground water level data collected in the northern portion of the region are presented in Table 11. Water level data in these basins or areas are on file with the department.

The period of record is inadequate to indicate trends in ground water level fluctuations.

TABLE 10
AVERAGE CHANGE IN GROUND WATER LEVELS IN
BASINS AND AREAS IN LAHONTAN REGION
SPRING 1959 TO SPRING 1960

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1959 to 1960, in feet | Location and recorded maximum and minimum depth to water in the spring of 1960 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Surprise Valley | 6-1.00 | 4 | -2.5 | 40N/16E-36G1<br>71.2 | 46N/16E-9L1<br>21.9 |
| Madeline Plains | 6-2.00 | 2 | -1.6 | 34N/14E-26B1<br>34.0 | 37N/13E-32A1<br>14.9 |
| Willow Creek Valley | 6-3.00 | 6 | -0.2 | 31N/13E-18G1<br>31.8 | 31N/12E-13M1<br>5.0 |
| Honey Lake Valley | 6-4.00 | 3 | -1.9 | 26N/16E-15E3<br>52.9 | 29N/14E-17R2<br>9.7 |

TABLE 11
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE LAHONTAN REGION
July 1, 1959 - June 30, 1960

| Ground water basin or area | Basin number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1959 | Spring 1960 |
| Lahontan Region | | | | | |
| Surprise Valley | 6-1.00 * | Department of Water Resources | 8 | 221 | 211 |
| Madeline Plains | 6-2.00 * | Department of Water Resources | 3 | 127 | 139 |
| Willow Creek Valley | 6-3.00 * | Department of Water Resources | | 7 | 7 |
| Honey Lake Valley | 6-4.00 * | Department of Water Resources | 4 | 413 | 528 |
| Total | | | 15 | 768 | 885 |

* A ground water map was prepared for the spring of 1960

# APPENDIX A

## DESCRIPTION OF SELECTED WATER WELLS IN CENTRAL AND NORTHERN CALIFORNIA

DESCRIPTION OF SELECTED WATER WELLS
IN CENTRAL AND NORTHERN CALIFORNIA

———————— o ————————

Explanation of heading and symbols used in the columns of the appendix table.

———————— o ————————

State well number--The state well number is the number that has been assigned to identify a well. The system, which is referred to the township, range, and section subdivision of the Public Land Survey, is explained in Chapter I of the text. Because the designation of both State and Geological Survey well numbers is based on the same system, a well for which data are reported by either agency will, in most cases, have a common number and the number is not repeated in the "Agency well number" column. Exceptions occur where the department and the Geological Survey number differs, and in these cases the Geological Survey number is shown in the "Agency well number" column.

Agency well number--The agency well number is the number assigned by any agency other than the Department of Water Resources in accordance with the numbering system used by that agency.

Agency supplying data--Each number in this column is the code number for the agency supplying an agency well number different from the state well number. The agency code consists of a five digit number, the first of which is a region number. Thus, 32100

refers to agency 2100 in Region 3. Because of the limitations of punch-card space, the agency code has been shown as a four digit number without the region number. Therefore, the four digit agency code should always be referred to the region in which the well is located.

The first digit of the four digit agency code designates the type of well-numbering system used by the agency, as follows:

| Code | Well-numbering system |
|---|---|
| 1 | Location numbers |
| 2 | Monterey County Flood Control and Water Conservation District or Santa Clara Valley Water Conservation District system |
| 3 | Serial numbers |
| 4 | Local numbers |
| 5 | State or USGS system |
| 6 | USBR system |
| 7 | South San Joaquin Irrigation District system |

The last three digits of the agency code are numbers that designate within specified serial limits the type of agency from which the data were obtained, as follows:

| Code | Type of agency |
|---|---|
| 000-049 | Federal |
| 050-099 | State |
| 100-199 | County |
| 200-399 | Municipal |
| 400-699 | District--Water, Irrigation, Conservation, etc. |
| 700-999 | Private |

The agencies and code numbers assigned to them in each of the Regions are listed in the following tabulation:

| Agency Code | Agency |
|---|---|
| | North Coastal Region |
| 5000 | U. S. Geological Survey |
| 5001 | U. S. Bureau of Reclamation |
| 5050 | Department of Water Resources |
| 5200 | City of Fortuna |
| | San Francisco Bay Region |
| 2400 | Santa Clara Valley Water Conservation District |
| 3700 | Stanford University |
| 4200 | City of Palo Alto |
| 5000 | U. S. Geological Survey |
| 5050 | Department of Water Resources |
| 5100 | Alameda County Flood Control and Water Conservation District |
| 5500 | Alameda County Water District |
| | Central Coastal Region |
| 2100 | Monterey County Flood Control and Water Conservation District |
| 2400 | Santa Clara Valley Water Conservation District |
| 5050 | Department of Water Resources |
| 5101 | San Benito County |
| 5400 | South Santa Clara Valley Water Conservation District |

| Agency Code | Agency |
|---|---|
| | Central Valley Region |
| 1201 | East Bay Municipal Utility District |
| 1531 | San Luis Canal Company |
| 1700 | Kern County Land Company |
| 3200 | City of Fresno |
| 3202 | Sacramento Municipal Utility District |
| 3520 | Oakdale Irrigation District |
| 3521 | Modesto Irrigation District |
| 3524 | Turlock Irrigation District |
| 3525 | Merced Irrigation District |
| 3527 | El Nido Irrigation District |
| 3631 | Fresno Irrigation District |
| 3636 | Consolidated Irrigation District |
| 3700 | Individual Owner |
| 4637 | Alta Irrigation District |
| 4640 | Buena Vista Water Storage District |
| 4701 | California Water Service Company |
| 5000 | U. S. Geological Survey |
| 5001 | U. S. Bureau of Reclamation |
| 5050 | Department of Water Resources |
| 5100 | Tehama County |
| 5101 | Colusa County |
| 5102 | Sutter County |
| 5103 | Yuba County |
| 5104 | Yolo County |

| Agency Code | Agency |
|---|---|
| | Central Valley Region (Cont.) |
| 5105 | Glenn County |
| 5106 | Butte County |
| 5107 | Placer County |
| 5108 | Sacramento County |
| 5109 | Solano County |
| 5110 | San Joaquin County |
| 5111 | Lake County Flood Control and Water Conservation District |
| 6001 | U. S. Bureau of Reclamation |
| 6528 | Chowchilla Water District |
| 5529 | Poso Soil Conservation District |
| 6530 | Madera Irrigation District |
| 6600 | Orange Cove Irrigation District |
| 6601 | Stone Corral Irrigation District |
| 6602 | Ivanhoe Irrigation District |
| 6603 | Kaweah Delta Water Conservation District |
| 6604 | Tulare Irrigation District |
| 6605 | Exeter Irrigation District |
| 6606 | Lindsay-Strathmore Irrigation District |
| 6607 | Lindmore Irrigation District |
| 6608 | Porterville Irrigation District |
| 6609 | Lower Tule River Irrigation District |
| 6610 | Vandalia Irrigation District |
| 6611 | Saucelito Irrigation District |
| 6612 | Pixley Irrigation District |

| Agency Code | Agency |
|---|---|
| | Central Valley Region (Cont.) |
| 6613 | Delano-Earlimart Irrigation District |
| 6614 | Southern San Joaquin Municipal Utility District |
| 1615 | North Kern Water Storage District |
| 6616 | Shafter-Wasco Irrigation District |
| 5600 | James Irrigation District |
| 5617 | Semitropic Water Storage District |
| 5601 | Tranquillity Soil Conservation District |
| 5618 | Corcoran Irrigation District |
| 5620 | Kern County Surveyor |
| 6619 | Terra Bella Irrigation District |
| 7518 | South San Joaquin Irrigation District |

Well Use--The use of water is indicated as follows:

| Code | Well Use |
|---|---|
| 1 | Domestic |
| 2 | Irrigation |
| 3 | Municipal |
| 4 | Industrial |
| 5 | Injection |
| 6 | Drainage |
| 7 | Domestic and Irrigation |
| 8 | Test |
| 9 | Stock |
| 0 | Unused |

Well depth--Well depths shown were reported by the owner, obtained from a driller's log, or measured at the time of the well canvass.

Data available--Under this heading, code numbers indicate the type of data that are available with respect to well logs, water analyses, and production records, as follows:

| Data | Code |
|---|---|
| Log record | |
| Log | 1 |
| Confidential log (Sec. 7076, Water Code) | 2 |
| Water Analyses | |
| Mineral | 1 |
| Sanitary | 2 |
| Heavy Metals | 3 |
| Mineral and Sanitary | 4 |
| Production record | |
| Available | 1 |
| Pump test available | 2 |

Period of record--The last two digits of the year the record began or ended are shown.

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| NORTH COASTAL REGION | | | | | | | | | |
| SMITH RIVER PLAIN | | | | 1-01.00 | | | | | |
| 16N/01W-02J01 H | | | 1 | 36 | | | | | 53 |
| 16N/01W-17K01 H | | | 0 | 40 | | | | | 53 |
| 16N/01W-22Q01 H | | | 1 | 22 | | | | | 52 |
| 16N/01W-22Q02 H | | | 1 | 33 | | | | | 58 |
| 17N/01W-02P01 H | | | 1 | 26 | | | | | 52 |
| 17N/01W-15M02 H | | | 0 | 30 | | | | | 53 |
| 18N/01W-26P01 H | | | 7 | 28 | | | | | 52 |
| BUTTE VALLEY | | | | 1-03.00 | | | | | |
| 45N/02W-03A01 M | | | 2 | 270 | 1 | | | | 51 |
| 46N/01E-06N01 M | | | 2 | 200 | 1 | | | | 52 |
| 46N/02W-25R01 M | | | 2 | 94 | 1 | | | | 52 |
| 46N/02W-25R02 M | | | 2 | 116 | 2 | 1 | | | 52 |
| 47N/01W-14B01 M | | | 8 | 50 | 1 | | | | 51 |
| 47N/01W-27B01 M | | | 8 | 40 | 1 | | | | 51 |
| 47N/02W-21D01 M | | | 8 | 81 | 1 | | | | 51 |
| 48N/01W-26N01 M | | | 0 | 375 | | | | | 53 |
| SHASTA VALLEY | | | | 1-04.00 | | | | | |
| 42N/05W-20J01 M | | | 1 | 40 | | | 4 | | 53 |
| 42N/06W-10J01 M | | | 1 | 110 | 1 | 2 | | | 53 |
| 43N/06W-22A01 M | | | 2 | 100 | 1 | | | | 52 |
| 44N/05W-34H01 M | | | 2 | 96 | 1 | 2 | | | 52 |
| 45N/05W-29B01 M | | | 1 | 25 | | 2 | | | 53 |
| 45N/06W-19E01 M | | | 1 | 425 | | 1 | | | 53 |
| SCOTT RIVER VALLEY | | | | 1-05.00 | | | | | |
| 42N/09W-02G01 M | | | 2 | 76 | 1 | | | | 53 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| SCOTT RIVER VALLEY | | | | 1-05.00 | | | | | |
| 42N/09W-02N01 M | | | 9 | 28 | 1 | | | | 53 |
| 42N/09W-08C03 M | | | 1 | 66 | | | | | 60 |
| 42N/09W-27N01 M | | | 0 | 19 | | | | | 53 |
| 43N/09W-02K02 M | | | 2 | 19 | | | | | 53 |
| 43N/09W-24F01 M | | | 2 | 205 | 1 | | 1 | | 53 |
| 44N/09W-28P01 M | | | 1 | 65 | 1 | | | | 53 |
| 44N/09W-34G01 M | | | 0 | 100 | 1 | | | | 53 |
| MAD RIVER VALLEY | | | | 1-08.00 | | | | | |
| 06N/01E-06H01 H | | | 0 | 27 | | | | | 51 |
| 06N/01E-19Q01 H | | | 1 | 108 | 1 | | | | 51 |
| 06N/01E-29P01 H | | | 4 | 46 | | | | | 52 |
| EUREKA PLAIN | | | | 1-09.00 | | | | | |
| 05N/01E-20Q01 H | | | 1 | 157 | 1 | | 1 | | 51 |
| EEL RIVER VALLEY | | | | 1-10.00 | | | | | |
| 02N/01W-08B01 H | | | 2 | 40 | | | | | 51 |
| 03N/01W-18D01 H | | | 1 | 24 | | | | | 51 |
| 03N/01W-34J01 H | | | 0 | 496 | 1 | | 1 | | 51 |
| 03N/02W-26R01 H | | | 2 | 30 | | | | | 51 |
| ROUND VALLEY | | | | 1-11.00 | | | | | |
| 22N/12W-04B01 M | | | 2 | 200 | 1 | | | | 51 |
| 22N/12W-18N01 M | | | 9 | 452 | | | | | 52 |
| 22N/12W-19M01 M | | | 1 | 303 | 1 | | 1 | | 51 |
| 22N/13W-01E01 M | | | 4 | 101 | | | 1 | | 57 |
| 23N/12W-31E01 M | | | 2 | 45 | 1 | | | | 57 |
| 23N/12W-31N01 M | | | 2 | 200 | 1 | | | | 51 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| LAYTONVILLE VALLEY | | | | 1-12.00 | | | | | |
| 21N/14W-30M01 M | | | 7 | 23 | 1 | | | 52 | |
| 21N/15W-11R02 M | | | 0 | 33 | | | | 52 | |
| 21N/15W-11R03 M | | | 1 | 44 | | | | 52 | 59 |
| 21N/15W-11R04 M | | | 1 | 76 | | | | 59 | |
| 21N/15W-12M01 M | | | 1 | 20 | | | | 59 | |
| 21N/15W-24A01 M | | | 0 | 28 | | 1 | | 52 | |
| 22N/15W-22E01 M | | | 7 | 78 | | 1 | | 52 | |
| LITTLE LAKE VALLEY | | | | 1-13.00 | | | | | |
| 18N/13W-07C01 M | | | 0 | 214 | | | | 58 | |
| 18N/13W-08L01 M | | | 1 | 19 | | | | 53 | |
| 18N/13W-08L02 M | | | 2 | 97 | 1 | 1 | | 46 | |
| 18N/13W-17J01 M | | | 1 | 40 | | | | 58 | |
| 18N/13W-18E01 M | | | 0 | 493 | | | | 58 | |
| 18N/13W-19B01 M | | | 2 | 454 | 1 | | | 54 | |
| POTTER VALLEY | | | | 1-14.00 | | | | | |
| 17N/11W-18J01 M | | | 1 | 36 | | | | 51 | |
| 17N/11W-29P01 M | | | 1 | 104 | | | | 51 | |
| 17N/11W-32J01 M | | | 1 | 12 | | | | 51 | |
| UKIAH VALLEY | | | | 1-15.00 | | | | | |
| 14N/12W-11N01 M | | | 1 | 30 | | 1 | | 51 | 58 |
| 15N/12W-08L01 M | | | 1 | 62 | | | | 51 | |
| 15N/12W-21M01 M | | | 7 | 46 | | | | 51 | |
| 15N/12W-28R02 M | | | 2 | 35 | | | | 51 | 58 |
| 15N/12W-35M01 M | | | 2 | 190 | | | | 51 | |
| SANEL VALLEY | | | | 1-16.00 | | | | | |
| 13N/11W-18E01 M | | | 7 | 52 | | | | 53 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| SANEL VALLEY | | | | 1-16.00 | | | | | |
| 13N/11W-19P01 M | | | 2 | 44 | | | | 53 | |
| 13N/11W-20G01 M | | | 1 | 135 | | | | 53 | |
| 13N/11W-29D01 M | | | 1 | 5 | | | | 53 | |
| ALEXANDER VALLEY | | | | 1-17.00 | | | | | |
| 10N/09W-18B01 M | | | 2 | 180 | 1 | | 1 | 50 | |
| 10N/09W-26L02 M | | | 1 | 40 | | | 1 | 50 | |
| 10N/09W-33C01 M | 10N/09W 33B01 | 5000 | 1 | 20 | | | | 50 | |
| 11N/10W-08P01 M | | | 1 | 30 | 1 | | | 51 | |
| 11N/10W-17P02 M | | | 2 | 36 | | | | 53 | |
| 11N/10W-19F02 M | | | 1 | 334 | | | | 52 | |
| SANTA ROSA VALLEY | | | | 1-18.00 | | | | | |
| SANTA ROSA AREA | | | | 1-18.01 | | | | | |
| 06N/07W-30M01 M | | | 7 | 104 | 1 | | 1 | 47 | |
| 06N/08W-07P02 M | | | 1 | 120 | | | | 45 | |
| 06N/08W-13R01 M | | | 1 | 250 | | | | 42 | |
| 06N/08W-15J01 M | | | 0 | 61 | | | | 42 | |
| 07N/07W-06R01 M | | | 7 | 133 | 2 | | | 51 | |
| 07N/08W-20K01 M | | | 2 | 626 | | | | 49 | |
| 07N/08W-31C01 M | | | 0 | 320 | | | | 50 | |
| 07N/09W-35D02 M | | | 1 | 167 | 1 | | 1 | 50 | |
| 08N/08W-19E01 M | | | 2 | 142 | 1 | | | 49 | |
| 08N/09W-36N01 M | | | 0 | 89 | | | | 49 | |
| HEALDSBURG AREA | | | | 1-18.02 | | | | | |
| 08N/09W-03P01 M | | | 1 | 110 | 2 | | | 50 | |
| 08N/09W-22L01 M | | | 1 | 44 | 1 | | | 51 | |
| 09N/09W-28N01 M | | | 2 | 53 | | | | 53 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| HEALDSBURG AREA | | | | 1-18.02 | | | | | |
| 09N/09W-34N01 M | | | 9 | 198 | | | | 49 | |
| 10N/10W-35Q01 M | | | 2 | 285 | | | | 54 | |
| LOWER RUSSIAN RIVER VALLEY | | | | 1-98.00 | | | | | |
| 07N/10W-06N01 M | 07N/10W-07D01 | 5000 | 3 | 120 | 1 | | | 58 | |
| 07N/11W-14E01 M | | | 1 | 47 | | 1 | | 51 | |
| 07N/11W-16M01 M | | | 0 | 40 | | | | 58 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| SAN FRANCISCO BAY REGION | | | | | | | | | |
| PETALUMA VALLEY | | | | 2-01.00 | | | | | |
| 03N/06W-01Q01 M | | | 1 | 225 | | 1 | | 50 | |
| 05N/07W-20B01 M | | | 1 | 600 | 1 | 1 | | 49 | 58 |
| 05N/07W-20B02 M | | | 9 | 158 | | | | 53 | |
| 05N/07W-21H01 M | | | 1 | 92 | | | | 59 | |
| 05N/07W-26R01 M | | | 1 | 428 | | | | 50 | |
| 05N/07W-35K01 M | | | 2 | 78 | | 6 | | 49 | |
| NAPA-SONOMA VALLEY | | | | 2-02.00 | | | | | |
| NAPA VALLEY | | | | 2-02.01 | | | | | |
| 04N/04W-13E01 M | | | 9 | 98 | | 1 | | 30 | |
| 05N/04W-11M01 M | | | 1 | 59 | 1 | | | 50 | |
| 06N/04W-17A01 M | | | 2 | 250 | 1 | | | 49 | |
| 07N/05W-09Q01 M | | | 2 | 333 | 1 | | | 49 | |
| 07N/05W-09Q02 M | 07N/05W 16B02 | 5000 | 0 | 232 | | | | 49 | |
| 07N/05W-09Q03 M | 07N/05W-16B03 | 5000 | 1 | 25 | | | | 49 | |
| 07N/05W-23D02 M | | | 2 | 129 | | 1 | | 49 | |
| 08N/06W-10Q01 M | | | 9 | 184 | 1 | 1 | | 49 | |
| SONOMA VALLEY | | | | 2-02.02 | | | | | |
| 05N/05W-08Q01 M | | | 2 | 500 | | | | 50 | |
| 05N/05W-17C01 M | | | 1 | 70 | | | | 50 | |
| 05N/05W-28N01 M | | | 2 | 130 | 1 | 1 | | 46 | |
| 05N/05W-29N01 M | | | 2 | 100 | | | | 51 | |
| 05N/06W-14C01 M | 05N/06W 14B01 | 5000 | 2 | 116 | | | | 50 | |
| SUISUN-FAIRFIELD VALLEY | | | | 2-03.00 | | | | | |
| 04N/02W-06A01 M | | | 0 | 39 | | | | 20 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| SUISUN-FAIRFIELD VALLEY | | | | 2-03.00 | | | | | |
| 04N/02W-09A01 M | | | 0 | 37 | | | | | 48 |
| 04N/03W-01D01 M | | | 1 | 67 | | | | | 18 |
| 05N/01E-36A01 M | | | 9 | 38 | | | | | 29 |
| 05N/01W-07E01 M | | | 9 | 33 | | | | | 48 |
| 05N/01W-28P01 M | | | 1 | 40 | | | 1 | | 49 |
| 05N/02W-17D02 M | | | 2 | 90 | | | | | 48 |
| 05N/02W-27J02 M | | | 0 | 60 | | | | | 49 |
| 05N/02W-29R01 M | | | 2 | 120 | | | | | 49 |
| 05N/02W-30J01 M | | | 2 | 220 | | | | | 49 |
| 05N/03W-26F02 M | | | 1 | 282 | | | | | 18 |
| YGNACIO VALLEY | | | | 2-06.00 | | | | | |
| 01N/01W-07K01 M | | | 1 | | | | 1 | | 58 |
| 01N/02W-11N01 M | | | 1 | 81 | 2 | | 1 | | 58 |
| 02N/02W-27R01 M | | | 1 | 131 | | | 1 | | 58 |
| 02N/02W-36E01 M | | | 1 | 40 | | | 1 | | 58 |
| SANTA CLARA VALLEY | | | | 2-09.00 | | | | | |
| SOUTH ALAMEDA COUNTY UPR AQUIFER | | | | 2-09.01 | | | | | |
| 03S/02W-08R05 M | | | 0 | 85 | | | 1 | | 51 |
| 03S/03W-24Q02 M | | | 9 | 80 | | | 1 | | 49 |
| 04S/01W-22P05 M | | | 2 | 180 | | | | | 48 |
| 04S/01W-29C04 M | | | 0 | 145 | | | 1 | | 50 |
| 04S/02W-24Q02 M | | | 2 | | | | | | 49 |
| 05S/01W-09Q01 M | | | 9 | 60 | | | 1 | | 50 |
| SOUTH ALAMEDA COUNTY LWR AQUIFER | | | | 2-09.01 | | | | | |
| 02S/03W-36R01 M | 02S/03W 36Q03 | 5100 | 2 | 601 | 2 | | 1 | | 59 |
| 03S/02W-07D01 M | | | 2 | | | | | | 49 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End | |
| SOUTH ALAMEDA COUNTY LWR AQUIFER | | | | 2-09.01 | | | | | | |
| 03S/02W-19A02 M | | | 0 | 400 | | | | 50 | | |
| 03S/03W-24J01 M | | | 7 | 511 | | 1 | | 49 | | |
| 04S/01W-18G01 M | | | 4 | 670 | | | | 58 | | |
| 04S/01W-30H04 M | | | 0 | 207 | | | | 50 | 59 | |
| 04S/02W-02Q01 M | | | 2 | 200 | | 1 | | 50 | | |
| 04S/02W-13C02 M | | | 2 | 180 | | 1 | | 49 | | |
| 04S/02W-35R02 M | | | 7 | 224 | 2 | 1 | | 58 | | |
| 04S/02W-36K01 M | | | 0 | 233 | | 1 | | 49 | | |
| 05S/01W-02C01 M | | | 2 | 500 | | 1 | | | | |
| 05S/01W-04F01 M | | | 0 | 97 | | | | 59 | | |
| 05S/01W-09M01 M | | | 2 | 297 | 1 | | | 49 | | |
| 05S/02W-02B01 M | | | 1 | 265 | | 1 | | 50 | 58 | |
| NORTH SANTA CLARA COUNTY | | | | 2-09.02 | | | | | | |
| 06S/01E-07E01 M | 05C/059 | 2400 | | 525 | | | | 36 | | |
| 06S/01E-21R01 M | 08D/342 A | 2400 | | 560 | 2 | | | 51 | | |
| 06S/01E-23P02 M | 08C/127 | 2400 | | 295 | | | | 36 | | |
| 06S/01E-30M01 M | 07E/084 | 2400 | | | | 1 | | 36 | | |
| 06S/01W-10P02 M | | | | 410 | | 1 | | 58 | | |
| 06S/01W-19K03 M | 04F/322 | 2400 | | | | | | 39 | | |
| 06S/01W-23E01 M | | | | 425 | | | | 58 | | |
| 06S/01W-32Q01 M | 05G/056 | 2400 | | 536 | | 1 | | 36 | | |
| 06S/02W-16R01 M | 02G/005 | 2400 | | | | | | 36 | | |
| 06S/02W-25C01 M | 04F/030 | 2400 | | 500 | | | | 36 | | |
| 06S/02W-35C01 M | 03G/020 | 2400 | | 480 | | | | 36 | | |
| 07S/01E-01K01 M | 09D/180 A | 2400 | | 400 | | | | 36 | | |
| 07S/01E-08L01 M | 08F/274 | 2400 | | 235 | | | | 36 | | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| NORTH SANTA CLARA COUNTY | | | | 2-09.02 | | | | | |
| 07S/01E-09D02 M | 08E/120 | 2400 | | | | 1 | | 36 | |
| 07S/01E-16C05 M | | | | 908 | | | | 58 | |
| 07S/01E-31A02 M | 09G/148 | 2400 | | | | | | 36 | |
| 07S/01E-31R01 M | 09G/147 A | 2400 | | 400 | | 1 | | 50 | |
| 07S/02E-07P01 M | 10D/403 | 2400 | | 525 | | | | 57 | |
| 07S/02E-17H01 M | 11D/304 | 2400 | | 400 | | | | 39 | |
| 07S/02E-33C01 M | 12E/398 | 2400 | | 61 | | | | 55 | |
| 07S/01W-13K01 M | 08F/108 | 2400 | | 200 | | 1 | | 36 | |
| 07S/01W-13K02 M | | | | 199 | | | | 58 | |
| 07S/01W-27M01 M | 07H/102 A | 2400 | | 400 | | | | 50 | |
| 07S/01W-35C01 M | 08H/117 | 2400 | | 430 | | | | 36 | |
| 07S/02W-03Q01 M | 04H/023 A | 2400 | | 404 | | | | 36 | |
| 07S/02W-04B01 M | 03H/013 | 2400 | | 450 | | | | 36 | |
| 07S/02W-22A01 M | 04I/037 | 2400 | | | | | | 36 | |
| 08S/01E-07H02 M | 09H/166 A | 2400 | | 350 | | | | 54 | |
| 08S/01E-13H01 M | 12G/257 | 2400 | | 110 | | | | 36 | |
| 08S/01E-21D01 M | 10H/198 | 2400 | | 60 | | | | 36 | |
| 08S/02E-20F03 M | 13G/297 | 2400 | | | | | | 40 | |
| 08S/02E-22D01 M | 13F/233 | 2400 | | | | 1 | | 36 | |
| 08S/01W-15B01 M | 08I/129 | 2400 | | 64 | | 1 | | 36 | |
| 09S/02E-01J01 M | 15G/238 B | 2400 | | 135 | | | | 36 | |
| 09S/02E-01M01 M | 15G/279 | 2400 | | 114 | | | | 37 | |
| LIVERMORE VALLEY | | | | 2-10.00 | | | | | |
| 02S/02E-25N01 M | 22E/003 D | 5100 | 0 | | | | | 48 | |
| 02S/01W-26C01 M | | | 2 | 360 | | | | 48 | |
| 03S/01E-02E01 M | | | 0 | | | | | 48 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| LIVERMORE VALLEY | | | | 2-10.00 | | | | | |
| 03S/01E-11H01 M | 31E/136 | 5100 | 7 | 303 | | | 1 | | 49 |
| 03S/01E-18G03 M | | | 2 | | | | 1 | | 48 |
| 03S/02E-02R01 M | 32E/014 | 5100 | 2 | 437 | 1 | 1 | | | 48 |
| 03S/02E-10H01 M | 32E/012 | 5100 | 2 | 376 | | | 1 | | 48 |
| HALF MOON BAY TERRACE | | | | 2-22.00 | | | | | |
| 05S/05W-18P01 M | | | 1 | | | | | | 53 |
| 05S/05W-20L01 M | | | 0 | | | | | | 53 |
| 05S/05W-29F03 M | | | 1 | | | 1 | | | 53 |
| 05S/05W-29N01 M | | | 2 | | | | 1 | | 53 |
| 05S/06W-11Q01 M | | | 2 | | | | 1 | | 53 |
| 06S/05W-08B01 M | | | 2 | 85 | | | | | 53 |
| SAN GREGORIO VALLEY | | | | 2-24.00 | | | | | |
| 07S/05W-13E01 M | | | 1 | 45 | | | | | 58 |
| 07S/05W-15C01 M | | | 2 | 85 | | | | | 58 |
| 07S/05W-15E01 M | | | 7 | | | | | | 53 |
| 07S/05W-15E02 M | | | 1 | | | | | | 53 |
| 07S/05W-15H02 M | | | 1 | | | | | | 60 |
| PESCADERO VALLEY | | | | 2-26.00 | | | | | |
| 08S/05W-09H01 M | | | 2 | | | | | | 53 |
| 08S/05W-11M01 M | | | 1 | 36 | | | | | 53 |
| 08S/05W-11P01 M | | | 1 | | | | | | 53 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| CENTRAL COASTAL REGION | | | | | | | | | |
| SOQUEL VALLEY | | | | 3-01.00 | | | | | |
| 11S/01W-09L01 M | | | 0 | | | | | 48 | |
| 11S/01W-15H01 M | | | 0 | | | | | 48 | |
| 11S/01W-21H01 M | | | 0 | | | | | 48 | 59 |
| WEST SANTA CRUZ TERRACE | | | | 3-26.00 | | | | | |
| 11S/02W-20C01 M | | | 2 | 500 | | | | 53 | 59 |
| 11S/02W-22K01 M | | | 2 | | | | | 54 | |
| PAJARO VALLEY | | | | 3-02.00 | | | | | |
| 12S/01E-24G01 M | | | 2 | 200 | | 1 | | 47 | |
| 12S/02E-16J01 M | | | 2 | | | | | 47 | |
| 12S/02E-17R01 M | | | 2 | | | 1 | | 47 | |
| 12S/02E-31K01 M | | | 2 | 319 | | 1 | | 47 | |
| 13S/02E-05B01 M | | | 1 | 225 | | 2 | | 58 | |
| 13S/02E-06R01 M | | | 2 | | | 1 | 1 | 47 | |
| GILROY-HOLLISTER VALLEY | | | | 3-03.00 | | | | | |
| SOUTH SANTA CLARA COUNTY | | | | 3-03.01 | | | | | |
| 09S/03E-27C02 M | 18G/374 | 2400 | 0 | 300 | | | | 43 | |
| 09S/03E-29B01 M | | | 0 | 170 | | | | 48 | |
| 10S/03E-13R01 M | | | 7 | | 1 | | | 58 | |
| 10S/03E-34L01 M | | | 2 | | 1 | 1 | | 48 | |
| 10S/04E-18G02 M | | | 7 | 184 | | 1 | | 48 | |
| 10S/04E-35E01 M | | | 2 | 447 | | 1 | | 48 | |
| 11S/03E-01B01 M | | | 2 | | | 1 | | 57 | |
| 11S/04E-03F01 M | | | 0 | | | | | 48 | 58 |
| 11S/04E-22M01 M | | | 2 | | | | | 57 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End | |
| SAN BENITO COUNTY | | | | 3-03.02 | | | | | | |
| 11S/05E-13D01 M | | | 2 | 125 | | | 2 | 37 | | |
| 11S/05E-26N02 M | | | 1 | 232 | 1 | | | 37 | | |
| 12S/04E-20C01 M | | | 2 | 736 | 1 | | | 49 | | |
| 12S/05E-12F01 M | | | 0 | 88 | | | | 51 | | |
| 12S/05E-28N01 M | | | 2 | 216 | 1 | | 1 | 24 | 58 | |
| 12S/05E-33A01 M | | | 2 | 150 | | | | 24 | | |
| 13S/05E-11Q01 M | | | 0 | 44 | | | | 24 | | |
| 13S/06E-19C01 M | | | 2 | 300 | 1 | | | 49 | 58 | |
| SALINAS VALLEY | | | | 3-04.00 | | | | | | |
| PRESSURE AREA 180 FOOT AQUIFER | | | | 3-04.01 | | | | | | |
| 14S/02E-03C01 M | 02B/001 | 2100 | 2 | | | | | 31 | | |
| 14S/02E-15L01 M | 02C/025 A | 2100 | 2 | 176 | | 1 | | 16 | | |
| 15S/02E-01Q01 M | 02D/023 | 2100 | 7 | 196 | 1 | 1 | | 31 | | |
| 15S/03E-16M01 M | 03D/040 | 2100 | 2 | | | 1 | | 31 | | |
| 15S/04E-33A01 M | 04D/056 | 2100 | 2 | 279 | 1 | | | 31 | | |
| 16S/04E-11D01 M | 04E/030 D | 2100 | 1 | | | | | 31 | | |
| PRESSURE AREA 400 FOOT AQUIFER | | | | 3-04.01 | | | | | | |
| 13S/02E-31Q01 M | 01B/011 A | 2100 | 2 | 500 | 1 | 1 | | 31 | | |
| 14S/03E-18J01 M | 02C/119 | 2100 | 2 | 513 | 1 | | | 31 | | |
| EAST SIDE AREA | | | | 3-04.02 | | | | | | |
| 14S/03E-15K01 M | 03C/020 | 2100 | 2 | 177 | 1 | | | 31 | | |
| 16S/05E-17R01 M | 05E/026 | 2100 | 2 | 299 | | 1 | | 16 | | |
| FOREBAY AREA | | | | 3-04.03 | | | | | | |
| 17S/05E-11C01 M | 06F/017 | 2100 | 2 | 238 | 1 | | | 31 | | |
| 18S/07E-18P01 M | 07G/042 | 2100 | 2 | 175 | | | | 31 | | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| ARROYO SECO CONE | | | | 3-04.04 | | | | | |
| 17S/06E-32E01 M | 06G/011 | 2100 | 2 | 129 | | | | 31 | |
| 18S/06E-15M01 M | 07G/029 | 2100 | 2 | 288 | 1 | | | 31 | |
| 19S/06E-11C01 M | 07H/036 | 2100 | 2 | 320 | | | | 44 | |
| UPPER VALLEY AREA | | | | 3-04.05 | | | | | |
| 19S/07E-10P01 M | 08H/031 | 2100 | 2 | 245 | | | | 31 | |
| 20S/08E-05R01 M | 09I/004 | 2100 | 2 | 372 | | | | 16 | |
| 21S/09E-06K01 M | 10J/001 | 2100 | 2 | | | | | 16 | |
| 21S/10E-32N01 M | 11K/002 | 2100 | 2 | | | | | 31 | |
| 22S/10E-16K01 M | 12K/003 | 2100 | 2 | | | 1 | | 31 | |
| CARMEL VALLEY | | | | 3-07.00 | | | | | |
| 16S/01E-21A01 M | | | 2 | | | 1 | | 52 | |
| 16S/01E-25B01 M | | | 7 | 60 | | 1 | 1 | 52 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| CENTRAL VALLEY REGION | | | | | | | | | |
| REDDING BASIN | | | | 5-06.00 | | | | | |
| 29N/03W-01A01 M | | | 1 | 200 | | | | | 56 |
| 29N/03W-04R01 M | | | 1 | 80 | | | | | 55 |
| 29N/04W-11G04 M | | | 3 | 520 | 2 | 1 | | | 57 |
| 29N/04W-30L01 M | | | 2 | 362 | | | | | 55 |
| 29N/05W-11A02 M | | | 2 | 360 | | | | | 57 |
| 30N/03W-06J01 M | | | 2 | 126 | | | | | 55 |
| 30N/03W-17N03 M | | | 2 | 36 | 2 | | | | 55 |
| 30N/04W-02J02 M | | | 2 | 196 | | | | | 55 |
| 30N/04W-06B03 M | | | 1 | 312 | | | | | 56 |
| 30N/04W-14C02 M | | | 0 | 236 | 2 | | | | 55 |
| 30N/05W-03Q01 M | | | 0 | 138 | | | | | 56 |
| 30N/05W-15R01 M | | | 0 | 500 | | 1 | | | 56 |
| 31N/03W-12E01 M | | | 7 | 230 | | 1 | | | 55 |
| 31N/03W-18B01 M | | | 2 | 210 | | | | | 55 |
| 31N/03W-29N01 M | | | 2 | 130 | 2 | | | | 55 |
| 31N/04W-11C03 M | | | 2 | 200 | | | | | 57 |
| 31N/04W-15K01 M | | | 2 | 352 | | | | | 56 |
| 31N/04W-21M01 M | | | 2 | 32 | | 1 | | | 56 |
| 32N/03W-32E02 M | | | 0 | 500 | | 1 | | | 55 |
| 32N/04W-25R01 M | | | 1 | 136 | | 1 | | | 56 |
| 32N/04W-34P01 M | | | 1 | 270 | | 1 | | | 56 |
| UPPER LAKE VALLEY | | | | 5-13.00 | | | | | |
| 15N/09W-07G01 M | | | 1 | 70 | | | | | 48 |
| 15N/10W-03D01 M | | | 1 | 90 | | | | | 48 |
| 16N/09W-31Q01 M | | | 2 | | | | | | 48 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| SCOTT VALLEY | | | | 5-14.00 | | | | | |
| 14N/10W-10Q01 M | | | 7 | | | | | | 48 |
| 14N/10W-14E02 M | | | 2 | 104 | | | | | 48 |
| 14N/10W-14F01 M | | | 2 | | | 1 | | | 58 |
| 14N/10W-22A01 M | | | 2 | 53 | | | | | 48 |
| KELSEYVILLE VALLEY | | | | 5-15.00 | | | | | |
| 13N/09W-02C02 M | | | 2 | | | | | | 48 |
| 13N/09W-14D01 M | | | 2 | | | | | | 48 |
| 13N/09W-20P01 M | | | 1 | 101 | | 1 | | | 48 |
| 14N/09W-32M01 M | | | 2 | 70 | | | 1 | | 48 |
| 14N/09W-33K01 M | | | 2 | | | | 1 | | 48 |
| LONG VALLEY | | | | 5-31.00 | | | | | |
| 14N/07W-06F01 M | | | 2 | 90 | | | | | 49 |
| HIGH VALLEY | | | | 5-16.00 | | | | | |
| 14N/07W-19M01 M | | | 0 | 28 | | | | | 50 |
| 14N/07W-19M02 M | | | 1 | | | | | | 59 |
| 14N/08W-24J01 M | | | 9 | 94 | | | | | 50 |
| BURNS VALLEY | | | | 5-17.00 | | | | | |
| 13N/07W-15Q01 M | | | 0 | 172 | | | | | 49 |
| 13N/07W-28R01 M | | | 0 | 40 | | | | | 50 |
| LOWER LAKE AREA | | | | 5-30.00 | | | | | |
| 12N/07W-03J01 M | | | 2 | 185 | | | | | 49 |
| 12N/07W-14C02 M | | | 1 | 20 | | | | | 49 |
| 12N/07W-23B01 M | | | 0 | 45 | | | | | 50 |
| COYOTE VALLEY | | | | 5-18.00 | | | | | |
| 11N/06W-19G01 M | | | 1 | 50 | | | | | 49 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| COLLAYOMI VALLEY | | | | 5-19.00 | | | | | |
| 10N/07W-01G01 M | | | 1 | 32 | | | | | 49 |
| 10N/07W-03A02 M | | | 3 | 108 | | | | | 59 |
| 11N/07W-33L01 M | | | 0 | 89 | | | | | 49 |
| 11N/07W-35E01 M | | | 1 | 151 | | | | | 50 |
| SACRAMENTO VALLEY | | | | 5-21.00 | | | | | |
| TEHAMA COUNTY | | | | 5-21.01 | | | | | |
| 23N/02W-22N02 M | | | 2 | 250 | | | 1 | | 29 |
| 23N/03W-05G01 M | | | 1 | | | 1 | | | 46 |
| 23N/03W-13C02 M | | | 7 | 62 | 1 | | | | 48 |
| 24N/01W-21M01 M | | | 1 | 47 | | | | | 29 |
| 24N/02W-02N01 M | | | 1 | 215 | | | | | 29 |
| 24N/02W-28G01 M | | | 8 | 38 | | | | | 47 |
| 24N/03W-03N02 M | | | 2 | 300 | 1 | | | | 48 |
| 24N/03W-35P03 M | | | 2 | 80 | | | | | 29 |
| 24N/04W-02N01 M | | | 1 | 110 | | | | | 46 |
| 25N/01W-31M01 M | | | 1 | 98 | | | | | 29 |
| 25N/02W-18D01 M | | | 8 | 21 | | | | | 47 |
| 25N/03W-09A01 M | | | 2 | 823 | | | | | 52 |
| 25N/03W-22L01 M | | | 2 | 323 | | | | | 27 |
| 26N/02W-14G01 M | | | 2 | 152 | | | 1 | | 48 |
| 26N/02W-34K01 M | | | 1 | | | | | | 29 |
| 26N/03W-04K01 M | | | 0 | 149 | | | | | 29 |
| 26N/03W-21P01 M | | | 2 | 247 | 1 | | 1 | | 52 |
| 26N/03W-34P01 M | | | 2 | 315 | | | 1 | | 21 |
| 27N/02W-29E01 M | | | 0 | 530 | | | | | 46 |
| 27N/02W-31P01 M | | | 1 | 34 | | 1 | | | 29 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| TEHAMA COUNTY | | | | 5-21.01 | | | | | |
| 27N/03W-32A04 M | | | 0 | | | | | | 46 |
| GLENN COUNTY | | | | 5-21.02 | | | | | |
| 18N/01W-03J01 M | | | 0 | 24 | | | | | 42 |
| 18N/03W-10L01 M | | | 0 | 65 | 1 | 1 | | | 29 |
| 18N/04W-11B01 M | | | 0 | 71 | | 1 | | | 37 |
| 19N/01E-08R01 M | | | 9 | 20 | | | | | 43 |
| 19N/01W-14K01 M | | | 0 | 20 | | | | | 29 |
| 19N/02W-13J01 M | | | 0 | 87 | | | | | 29 |
| 19N/02W-19D01 M | | | 0 | 100 | | | | | 41 |
| 19N/03W-18D01 M | | | 0 | 63 | | | | | 29 |
| 19N/04W-35C01 M | | | 1 | | | | | | 55 |
| 20N/02W-07A01 M | | | 8 | 14 | 1 | | | | 42 |
| 20N/02W-27J01 M | | | 1 | 80 | | | | | 41 |
| 20N/03W-29R01 M | | | 0 | 50 | | | | | 33 |
| 21N/01W-17F01 M | | | 0 | 27 | | 1 | | | 29 |
| 21N/01W-31E01 M | | | 1 | 62 | | | | | 29 |
| 21N/02W-02B01 M | | | 0 | 100 | | | | | 23 |
| 21N/02W-31E01 M | | | 0 | 160 | | | | | 29 |
| 21N/03W-02B01 M | | | 2 | 107 | | | | | 48 |
| 21N/03W-06Q01 M | | | 0 | 67 | | | | | 29 |
| 21N/04W-12B01 M | | | 0 | 79 | | | | | 51 |
| 22N/02W-16C01 M | | | 1 | | | | | | 29 |
| 22N/02W-31Q01 M | | | 9 | | | | | | 46 |
| 22N/03W-05F01 M | | | 1 | 66 | | | | | 46 |
| 22N/03W-21F01 M | | | 1 | 81 | | | | | 29 |
| 22N/04W-25B01 M | | | 2 | 334 | 1 | | 1 | | 51 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| BUTTE COUNTY | | | | 5-21.03 | | | | | |
| 17N/02E-08D01 M | | | 1 | 24 | | | | | 29 |
| 18N/01E-33N02 M | | | 0 | | | | | | 30 |
| 18N/01E-33N03 M | | | 0 | 60 | | | | | 47 |
| 18N/02E-16F01 M | | | 9 | 96 | | | | | 47 |
| 18N/03E-16E02 M | | | 0 | | | 1 | | | 41 |
| 18N/04E-28L01 M | | | 2 | 190 | | | 1 | | 47 |
| 19N/02E-10B09 M | | | 8 | 20 | | | | | 53 |
| 19N/03E-16P01 M | | | 2 | | | | | | 47 |
| 19N/03E-19M01 M | | | 7 | | | 1 | | | 53 |
| 19N/03E-30R01 M | | | 2 | 275 | | | 1 | | 48 |
| 20N/01E-27P01 M | | | 1 | | | | | | 48 |
| 20N/02E-29R01 M | | | 1 | 25 | 2 | 1 | | | 29 |
| 20N/03E-32D01 M | | | 1 | | | | | | 29 |
| 20N/01W-15A01 M | | | 9 | 56 | | | | | 29 |
| 21N/01E-33A01 M | | | 1 | 110 | | | | | 29 |
| 21N/02E-08E01 M | | | 0 | 33 | 1 | | | | 37 |
| 21N/02E-26Q01 M | | | 0 | 46 | | | | | 29 |
| 21N/01W-01E01 M | | | 1 | | | | | | 51 |
| 21N/01W-26K01 M | | | 1 | 51 | | | | | 29 |
| 22N/01E-21E01 M | | | | | | | | | 29 |
| 22N/02E-17E01 M | | | 2 | 200 | | | | | 53 |
| 22N/01W-08R01 M | | | 9 | 52 | | | | | 49 |
| 23N/01E-32P01 M | | | 0 | | | 1 | | | 48 |
| 23N/01W-10J02 M | | | 0 | 42 | | | | | 47 |
| 23N/01W-33A01 M | | | 2 | | | 1 | | 1 | 48 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| COLUSA COUNTY | | | | 5-21.04 | | | | | |
| 13N/01W-34P01 M | | | 8 | 57 | | | | 41 | |
| 13N/02W-21B01 M | | | 2 | 725 | 1 | | | 50 | |
| 13N/02W-22H01 M | | | 1 | 150 | | | | 48 | |
| 13N/02W-34R01 M | | | 9 | | | | | 50 | |
| 14N/01W-32R01 M | | | 8 | 20 | 1 | | | 41 | |
| 14N/02W-16N02 M | | | 2 | 308 | 1 | | 1 | 57 | |
| 14N/03W-12F01 M | | | 0 | 32 | | | | 49 | |
| 15N/01W-17N01 M | | | 8 | 19 | | | | 41 | |
| 15N/02W-18N01 M | | | 8 | 19 | 1 | | | 41 | |
| 15N/03W-32B01 M | | | 9 | 75 | | | | 53 | |
| 16N/01W-05K01 M | | | 1 | 84 | | | | 29 | |
| 16N/01W-20F01 M | | | 1 | | | 1 | | 29 | |
| 16N/02W-26L01 M | | | 0 | 111 | 1 | 1 | | 39 | |
| 16N/03W-01A01 M | | | 8 | 19 | 1 | | | 41 | |
| 16N/03W-35N02 M | | | 1 | 500 | | | | 57 | |
| 16N/04W-11A01 M | | | 2 | 335 | | | | 57 | |
| 16N/04W-35J01 M | | | 9 | 85 | | | | 57 | |
| 17N/01W-06R01 M | | | 2 | 271 | 1 | | | 58 | |
| 17N/02W-06E01 M | | | 0 | 206 | | | | 53 | |
| 17N/02W-11K01 M | | | 1 | | | | 1 | 29 | |
| 17N/03W-10C01 M | | | 1 | | | | | 41 | |
| 17N/04W-34G01 M | | | 0 | | | | | 48 | |
| 18N/01W-18Q01 M | | | 8 | 17 | 1 | | | 41 | |
| 18N/02W-15N01 M | | | 8 | 38 | | | | 41 | |
| SUTTER COUNTY | | | | 5-21.05 | | | | | |
| 11N/03E-15C01 M | | | 2 | 108 | | | | 47 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| SUTTER COUNTY | | | | 5-21.05 | | | | | |
| 11N/04E-01M01 M | | | 2 | | | | | 29 | |
| 11N/04E-33J01 M | | | 2 | | | 1 | | 48 | |
| 12N/01E-01A01 M | | | 1 | 75 | | | | 41 | |
| 12N/02E-20P01 M | | | 2 | 500 | 2 | | 1 | 57 | |
| 12N/02E-23P01 M | | | 1 | | | | | 29 | |
| 12N/03E-23N01 M | | | 2 | | | | | 47 | |
| 12N/04E-03R01 M | | | 0 | | | | | 56 | |
| 12N/04E-33L01 M | | | 1 | 28 | | | | 29 | |
| 13N/01E-01J01 M | | | 1 | | | 1 | | 29 | |
| 13N/02E-04J01 M | | | 8 | 12 | 1 | | | 41 | |
| 13N/02E-34M01 M | | | 4 | | | 1 | | 57 | |
| 13N/03E-14E01 M | | | 2 | 107 | | | | 29 | |
| 13N/03E-16A01 M | | | 2 | | | 1 | | 47 | |
| 13N/04E-22G01 M | | | 2 | | | | | 47 | |
| 13N/05E-07K01 M | | | 2 | 420 | 2 | | | 47 | |
| 14N/01E-08A06 M | | | 1 | 106 | | | | 29 | |
| 14N/01E-14G01 M | | | 2 | | | 1 | | 57 | |
| 14N/02E-13R01 M | | | 1 | 86 | | 1 | | 47 | |
| 14N/03E-05C01 M | | | 2 | 288 | 1 | 1 | | 47 | |
| 14N/03E-31B01 M | | | ? | | | 1 | | 47 | |
| 15N/01E-13A01 M | | | 2 | 260 | 1 | | | 47 | |
| 15N/01E-14F01 M | | | 1 | 182 | | 1 | | 29 | |
| 15N/02E-24B01 M | | | 2 | | | | | 47 | |
| 15N/02E-35D01 M | | | ? | 283 | 1 | 1 | | 47 | |
| 15N/03E-05D02 M | | | ? | 200 | 1 | | | 47 | |
| 15N/03E-34L01 M | | | ? | 210 | | 1 | | 47 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| SUTTER COUNTY | | | | 5-21.05 | | | | | |
| 15N/01W-25A01 M | | | 1 | 30 | | 1 | | 29 | |
| 16N/01E-31H01 M | | | 0 | 36 | | | | 32 | |
| 16N/02E-26Q01 M | | | 2 | 60 | | | | 57 | |
| 16N/03E-33J02 M | | | 2 | | 2 | | | 48 | |
| 17N/01E-25J01 M | | | 2 | | | | | 48 | |
| 17N/02E-34A01 M | | | 0 | | | | | 47 | |
| 17N/03E-30N01 M | | | 2 | | | | | 47 | |
| YUBA COUNTY | | | | 5-21.06 | | | | | |
| 13N/04E-07E01 M | | | 2 | | | 1 | | 47 | |
| 14N/03E-24B01 M | | | 2 | | | | 1 | 47 | |
| 14N/04E-13C01 M | | | 2 | 487 | 1 | 1 | | 48 | |
| 14N/04E-18C01 M | | | 2 | 190 | 1 | | | 47 | |
| 14N/05E-06B01 M | | | 2 | 210 | | | 1 | 48 | |
| 14N/05E-33Q01 M | | | 2 | 111 | | | | 29 | |
| 15N/04E-04R01 M | | | 2 | | 1 | | | 47 | |
| 15N/04E-20F01 M | | | 2 | 205 | 1 | | | 47 | |
| 15N/05E-19N01 M | | | 1 | | | | 1 | 52 | |
| 16N/03E-26F01 M | | | 2 | | | 1 | | 47 | |
| 16N/04E-08A01 M | | | 2 | | | | | 47 | |
| 16N/04E-34Q01 M | | | 1 | 30 | | | | 47 | |
| 17N/03E-35H02 M | | | 2 | 165 | 1 | | | 47 | |
| 17N/04E-27F01 M | | | 2 | | | | | 47 | |
| PLACER COUNTY | | | | 5-21.07 | | | | | |
| 11N/05E-34R03 M | | | 2 | | | | | 53 | |
| 11N/06E-11R01 M | | | 0 | | | | | 53 | |
| 12N/05E-23H01 M | | | 1 | 820 | | 1 | | 48 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| PLACER COUNTY | | | | 5-21.07 | | | | | |
| 13N/05E-34R03 M | | | 0 | 70 | | | 1 | 57 | |
| 13N/05E-35M01 M | | | 2 | 67 | | | | 31 | |
| 13N/06E-09N02 M | | | 0 | 52 | | | | 47 | |
| SACRAMENTO COUNTY | | | | 5-21.08 | | | | | |
| 05N/05E-03F01 M | | | 9 | 68 | | 1 | | 29 | |
| 05N/06E-36R01 M | | | 2 | | | | | 48 | |
| 05N/07E-27D01 M | | | 0 | 45 | | | | 29 | |
| 06N/05E-17E01 M | | | 2 | 200 | | 1 | | 52 | |
| 06N/06E-20D01 M | | | 1 | 154 | | | | 55 | |
| 06N/07E-28E01 M | | | 2 | | | | | 52 | |
| 06N/08E-15J01 M | | | 1 | 150 | | | | 53 | |
| 07N/05E-05L01 M | | | 2 | 180 | | | | 49 | |
| 07N/05E-32K01 M | | | 0 | 45 | | | | 34 | |
| 07N/06E-05C01 M | | | 1 | 66 | | | | 29 | |
| 07N/06E-06C01 M | | | 7 | 210 | | | | 50 | |
| 07N/06E-22R01 M | | | 1 | 97 | | 1 | | 50 | |
| 07N/07E-27P01 M | | | 1 | 99 | | 1 | | 29 | |
| 07N/08E-13A01 M | | | 9 | 40 | | | | 53 | |
| 08N/04E-27P01 M | | | 2 | | | | | 53 | |
| 08N/05E-03N01 M | | | 0 | 34 | | | | 53 | |
| 08N/05E-21H02 M | | | 1 | 72 | 2 | 1 | | 53 | |
| 08N/06E-05L01 M | | | 2 | | | 1 | | 29 | |
| 08N/06E-11C01 M | | | 1 | 531 | 1 | | 1 | 47 | |
| 08N/06E-20J01 M | | | 2 | | | 1 | | 29 | |
| 08N/07E-31H01 M | | | 9 | | | | | 50 | |
| 08N/08E-29K01 M | | | 1 | 256 | | | | 53 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| SACRAMENTO COUNTY | | | | 5-21.08 | | | | | |
| 09N/04E-01R01 M | | | 1 | 82 | 1 | 1 | | 53 | |
| 09N/05E-25J01 M | 09N/05E 25A | 6001 | 1 | 400 | 2 | | 1 | 50 | |
| 09N/05E-29A01 M | | | 1 | 94 | | | | 48 | |
| 09N/06E-17F01 M | | | 0 | 105 | | | | 29 | 58 |
| 09N/07E-12L01 M | | | 0 | 100 | | | | 53 | |
| 09N/07E-16Q01 M | | | 4 | 620 | 2 | 1 | | 29 | |
| 10N/04E-19D01 M | 10N/04E 19 | 6001 | 8 | 63 | | | | 42 | |
| YOLO COUNTY | | | | 5-21.09 | | | | | |
| 06N/03E-15C01 M | | | 1 | | | | | 53 | |
| 06N/03E-23P01 M | | | 0 | | | | | 53 | |
| 07N/03E-04Q01 M | | | 2 | 96 | | | | 53 | |
| 08N/01E-07B02 M | | | 9 | 115 | 1 | | | 52 | |
| 08N/01E-15B01 M | | | 9 | 116 | | | | 31 | |
| 08N/03E-19D01 M | | | 2 | 308 | | | | 49 | |
| 08N/03E-31N01 M | | | 0 | 98 | | 1 | | 51 | |
| 08N/01W-16R02 M | | | 2 | 174 | | | | 48 | |
| 09N/01E-08D01 M | | | 0 | | | | | 33 | |
| 09N/01E-22B01 M | | | 2 | 180 | | | | 51 | |
| 09N/02E-14N01 M | | | 0 | 130 | 1 | | | 52 | |
| 09N/03E-07D01 M | | | 1 | 177 | 1 | 1 | | 52 | |
| 09N/03E-30G01 M | | | 0 | | | | | 49 | |
| 09N/01W-35M01 M | | | 2 | 295 | 1 | | | 52 | |
| 10N/01E-14K01 M | | | 2 | 77 | 1 | | | 57 | |
| 10N/01E-33A01 M | | | 0 | | | | | 31 | |
| 10N/02E-02N01 M | | | 0 | 355 | 1 | | | 35 | |
| 10N/02E-18M01 M | | | 1 | 64 | 1 | | | 31 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| YOLO COUNTY | | | | 5-21.09 | | | | | |
| 10N/02E-21M02 M | | | 2 | 50 | | | | | 31 |
| 10N/02E-26Q01 M | | | 2 | 385 | 1 | 1 | 1 | | 52 |
| 10N/01W-09E01 M | | | 1 | | | | | | 31 |
| 10N/01W-29M01 M | | | 1 | 80 | | | | | 31 |
| 11N/01E-18B01 M | | | 2 | 140 | | | | | 56 |
| 11N/01E-25R01 M | | | 0 | | | 1 | | | 56 |
| 11N/02E-18F02 M | | | 2 | | | | | | 56 |
| 11N/02W-26J01 M | | | 2 | 200 | 1 | | | | 55 |
| 12N/01W-05M01 M | | | 2 | 677 | 1 | | | | 53 |
| 12N/01W-36K01 M | | | 0 | 580 | 1 | | | | 56 |
| CAPAY VALLEY | | | | 5-21.10 | | | | | |
| 10N/02W-16L01 M | | | 1 | 20 | | | 1 | | 53 |
| 11N/03W-04P01 M | | | 2 | 316 | | | 1 | | 55 |
| 11N/03W-26M03 M | | | 2 | 60 | | | 1 | | 53 |
| 12N/03W-19H01 M | | | 1 | | | | | | 53 |
| SOLANO COUNTY | | | | 5-21.11 | | | | | |
| 05N/02E-36N01 M | | | 4 | | | | | | 47 |
| 06N/01E-24L01 M | | | 2 | 108 | | | 1 | | 48 |
| 06N/02E-29N01 M | | | 2 | 105 | | | | | 29 |
| 06N/01W-11G01 M | | | 1 | 93 | | | | | 31 |
| 06N/01W-13R01 M | | | 1 | 60 | | | | | 29 |
| 07N/01E-12N02 M | | | 0 | 98 | 1 | | | | 49 |
| 07N/01E-33R01 M | | | 9 | 86 | | | | | 45 |
| 07N/02E-12C01 M | | | 1 | 140 | | | | | 29 |
| 07N/01W-13H01 M | | | 1 | 158 | | | | | 57 |
| 08N/01E-23Q01 M | | | 2 | 356 | 1 | | | | 48 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| SOLANO COUNTY | | | | 5-21.11 | | | | | |
| 08N/01E-32E01 M | | | 1 | | | | | | 48 |
| 08N/01E-33Q01 M | | | 9 | 58 | | | | | 31 |
| 08N/01E-33Q02 M | | | 9 | 58 | | | | | 58 |
| 08N/02E-22Q01 M | | | 2 | 289 | | | | | 49 |
| 08N/02E-32J01 M | | | 0 | 150 | | | | | 48 |
| 08N/01W-23B01 M | | | 2 | 175 | | | 1 | | 31 |
| 08N/01W-34A01 M | | | 2 | 172 | 1 | | | | 48 |
| SAN JOAQUIN VALLEY | | | | 5-22.00 | | | | | |
| MOKELUMNE RIVER AREA | | | | 5-22.01 | | | | | |
| 02N/06E-16L01 M | | | 2 | | | | | | 48 |
| 03N/05E-16A01 M | | | 1 | | | 1 | | | 47 |
| 03N/06E-29C01 M | | | 2 | | | | | | 48 |
| 03N/06E-35P01 M | | | 1 | | 2 | | | | 48 |
| 03N/07E-10L04 M | 030/710 K04 | 1201 | 1 | 190 | | | | | 35 |
| 03N/07E-20P02 M | | | 2 | | | | | | 48 |
| 03N/08E-08E01 M | | | 2 | 400 | | | | | 48 |
| 03N/08E-19C01 M | | | 7 | 375 | | | | | 48 |
| 04N/05E-22A01 M | | | 9 | | | | | | 48 |
| 04N/06E-12N01 M | | | 9 | 38 | | | | | 29 |
| 04N/07E-33H01 M | | | 2 | | | | | | 48 |
| 04N/08E-18D01 M | | | 7 | 220 | | | | | 48 |
| 05N/05E-33A01 M | | | 1 | | | | | | 48 |
| 05N/07E-34G01 M | | | 2 | | | | | | 48 |
| 05N/08E-22Q01 M | | | 0 | 200 | | | | | 34 |
| CALAVERAS RIVER AREA | | | | 5-22.02 | | | | | |
| 01N/06E-14C01 M | 030/2 | 4701 | 3 | 835 | | | 1 | | 31 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| CALAVERAS RIVER AREA | | | | 5-22.02 | | | | | |
| 01N/07E-07E01 M | 100/1 | 4701 | 3 | | | | 1 | 46 | |
| 02N/06E-34K01 M | 040/1 | 4701 | 3 | 535 | | 1 | 1 | 31 | |
| 02N/07E-01R02 M | | | 1 | | | | | 26 | |
| 02N/07E-12A01 M | | | 2 | | | | 2 | 36 | |
| 02N/07E-16L01 M | | | 2 | 260 | | | | 47 | |
| 02N/07E-33R01 M | | | 0 | | | | | 47 | |
| 02N/08E-12L01 M | | | 2 | | | | | 47 | |
| 02N/08E-21R01 M | | | 2 | | | | | 47 | |
| 02N/09E-05H01 M | | | 2 | | | | | 47 | |
| 02N/09E-07G02 M | | | 2 | | | | | 47 | |
| 03N/08E-32P01 M | | | 2 | | | | | 47 | |
| 03N/09E-25R01 M | | | 2 | | | | 1 | 48 | |
| FARMINGTON-COLLEGEVILLE AREA | | | | 5-22.03 | | | | | |
| 01N/06E-35A02 M | | | 2 | 150 | | | | 55 | |
| 01N/07E-13E01 M | | | 1 | 135 | | | | 49 | |
| 01N/08E-17D01 M | | | 2 | | | 1 | 1 | 49 | |
| 01N/08E-26A02 M | | | 7 | | | | | 49 | |
| 01N/09E-15B01 M | | | 2 | | | | | | |
| 01N/10E-31Q02 M | | | 2 | 70 | | | | 55 | |
| 01S/07E-10A01 M | | | 2 | | | 1 | | 49 | |
| 01S/08E-15A01 M | | | 2 | | | 1 | | 55 | |
| 01S/08E-19N01 M | | | 0 | | | | | 49 | |
| 01S/09E-09R01 M | | | 2 | | | 1 | | 49 | |
| TRACY AREA | | | | 5-22.04 | | | | | |
| 01S/05E-31R01 M | | | 1 | 190 | | | | 56 | |
| 01S/05E-35Q01 M | | | 3 | 600 | | | | 56 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| TRACY AREA | | | | 5-22.04 | | | | | |
| 01S/06E-31E01 M | | | 1 | 80 | | 1 | | 56 | |
| 02S/05E-16C01 M | | | 2 | 200 | | | | 56 | |
| 02S/05E-24N01 M | | | 2 | | | | | 58 | |
| 02S/06E-27E01 M | | | 1 | 40 | | | | 57 | |
| 02S/06E-31N01 M | | | 0 | 500 | | | | 56 | |
| 03S/06E-03F01 M | | | 1 | 58 | | | | 56 | |
| 03S/06E-09J01 M | | | 1 | 98 | | | | 40 | |
| SO SAN JOAQUIN IRRIGATION DIST | | | | 5-22.05 | | | | | |
| 01S/07E-15J01 M | 010/715 2 | 7518 | 0 | | | | | 49 | |
| 02S/09E-08H01 M | 020/908 1 | 7518 | 0 | | | | | 49 | |
| OAKDALE IRRIGATION DISTRICT | | | | 5-22.06 | | | | | |
| 01S/09E-36A01 M | 012 | 3520 | 2 | | | | | 40 | |
| 01S/10E-28J01 M | 026 | 3520 | 2 | | | | | 46 | |
| 02S/09E-26F01 M | 004 | 3520 | 2 | | | | | 45 | |
| 02S/10E-33J01 M | 063 | 3520 | 2 | | | | | 40 | |
| 02S/11E-31N01 M | 102 | 3520 | 2 | | | | | 40 | |
| 02S/12E-31K01 M | 112 | 3520 | 2 | | | | | 45 | |
| 03S/10E-15A01 M | 089 | 3520 | 2 | | | | | 44 | |
| 03S/11E-18D01 M | 109 | 3520 | 2 | | | | | 40 | |
| MODESTO IRRIGATION DISTRICT | | | | 5-22.07 | | | | | |
| 02S/08E-34A01 M | 049 | 3521 | 8 | 12 | | | | 55 | |
| 02S/09E-33A01 M | 088 | 3521 | 8 | 12 | | | | 55 | |
| 03S/07E-15A01 M | 002 | 3521 | 8 | 12 | | | | 53 | |
| 03S/08E-13A01 M | 071 | 3521 | 8 | 12 | | | | 18 | |
| 03S/08E-23A01 M | 064 | 3521 | 8 | 12 | | | | 53 | |
| 03S/09E-15A01 M | 096 | 3521 | 8 | 12 | | | | 53 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| MODESTO IRRIGATION DISTRICT | | | | 5-22.07 | | | | | |
| 04S/07E-02A01 M | 011 | 3521 | 8 | 12 | | | | | 53 |
| 04S/08E-03A01 M | 056 | 3521 | 8 | 12 | | | | | 53 |
| TURLOCK IRRIGATION DISTRICT | | | | 5-22.08 | | | | | |
| 04S/08E-27D01 M | 207 | 3524 | 0 | | | | | | 53 |
| 04S/09E-21A01 M | 253 | 3524 | 8 | | | | | | 53 |
| 04S/10E-21R01 M | 350 | 3524 | 8 | | | 2 | | | 53 |
| 04S/11E-29N01 M | 405 | 3524 | 8 | | | | | | 53 |
| 05S/08E-01N01 M | 218 | 3524 | 8 | | | | | | 53 |
| 05S/09E-14R01 M | 290 | 3524 | 8 | | | | | | 16 |
| 05S/09E-24N01 M | 291 | 3524 | 8 | | | | | | 16 |
| 05S/10E-21R01 M | 356 | 3524 | 8 | | | | | | 53 |
| 05S/11E-21N01 M | 418 | 3524 | 8 | | | | | | 53 |
| 06S/09E-15R01 M | 280 | 3524 | 8 | | | | | | 53 |
| 06S/10E-21A01 M | 361 | 3524 | 8 | | | | | | 53 |
| 06S/11E-08R01 M | 422 | 3524 | 8 | | | | | | 53 |
| MERCED IRRIGATION DISTRICT | | | | 5-22.09 | | | | | |
| 06S/11E-34R01 M | 306 | 3525 | 8 | | | | | | 53 |
| 06S/12E-21N01 M | 208 | 3525 | 8 | | | 2 | 1 | | 53 |
| 06S/13E-19N01 M | 509 | 3525 | 8 | | | | | | 56 |
| 06S/14E-32N01 M | 703 | 3525 | 8 | | | | | | 53 |
| 07S/10E-01N01 M | 102 | 3525 | 8 | | | | | | 53 |
| 07S/11E-13N01 M | 315 | 3525 | 8 | | | | | | 53 |
| 07S/12E-12R01 M | 513 | 3525 | 8 | | | | | | 34 |
| 07S/12E-21D01 M | 332 | 3525 | 8 | | | | | | 53 |
| 07S/13E-16N01 M | 613 | 3525 | 8 | | | | | | 53 |
| 07S/14E-16R01 M | 817 | 3525 | 8 | | | | | | 53 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| MERCED IRRIGATION DISTRICT | | | | 5-22.09 | | | | | |
| 07S/15E-20R01 M | 900 | 3525 | 8 | | | | | 53 | |
| 07S/15E-36N01 M | 917 | 3525 | 8 | | | | | 53 | |
| 08S/12E-01D01 M | 604 | 3525 | 8 | | | | | 53 | |
| 08S/13E-09R01 M | 1020 | 3525 | 8 | | | | | 53 | |
| 08S/14E-01A01 M | 905 | 3525 | 8 | | | | | 53 | |
| EL NIDO IRRIGATION DISTRICT | | | | 5-22.10 | | | | | |
| 09S/13E-14R01 M | 010 | 3527 | 2 | | | | | 56 | |
| 09S/14E-17K01 M | 004 | 3527 | 2 | | | | | 56 | |
| DELTA-MENDOTA AREA | | | | 5-22.11 | | | | | |
| 02S/04E-16H01 M | 02S/04E 16 | 6001 | 1 | 207 | | | | 51 | |
| 02S/04E-25J01 M | 02S/04E 25 | 6001 | 1 | | | | | 52 | |
| 02S/04E-28A01 M | 02S/04E 28 | 6001 | 1 | 294 | | 1 | | 51 | |
| 02S/04E-29Q01 M | 02S/04E 29 | 6001 | 0 | | | | | 56 | |
| 02S/05E-32A01 M | 02S/05E 32 | 6001 | 7 | | | | | 51 | |
| 03S/05E-08R01 M | 03S/05E 8A | 6001 | 1 | 214 | | | | 43 | |
| 03S/05E-08R02 M | 03S/05E 8F | 6001 | 1 | | | | | 55 | 58 |
| 03S/05E-25Q01 M | 03S/05E 25 | 6001 | 2 | 700 | | | | 48 | |
| 03S/05E-26K01 M | 03S/05E 26 | 6001 | 9 | 220 | | | | 44 | |
| 03S/06E-16Q01 M | 03S/06E 16 | 6001 | 2 | 785 | | | | 51 | |
| 03S/06E-18N01 M | 03S/06E 18 | 6001 | 1 | 119 | | | | 41 | |
| 03S/06E-25D01 M | 03S/06E 25A | 6001 | 0 | 71 | | | | 41 | |
| 04S/06E-04H01 M | 04S/06E 4A | 6001 | 2 | 474 | | | | 46 | |
| 04S/06E-09R01 M | 04S/06E 9 | 6001 | 1 | 200 | | | | 44 | |
| 04S/07E-27M01 M | 04S/07E 27A | 6001 | 0 | 300 | | | | 52 | |
| 04S/07E-31D01 M | 04S/07E 31 | 6001 | 2 | 425 | | | | 44 | |
| 05S/07E-05D01 M | 05S/07E 5C | 6001 | 1 | | | | | 47 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| DELTA-MENDOTA AREA | | | | 5-22.11 | | | | | |
| 05S/07E-13K01 M | 05S/07E 13A | 6001 | 4 | | | | | | 52 |
| 05S/07E-14D01 M | 05S/07E 14A | 6001 | 1 | 132 | | | | | 41 |
| 05S/07E-26P01 M | 05S/07E 26B | 6001 | 1 | 278 | | | | | 47 |
| 05S/08E-06K01 M | 05S/08E 6A | 6001 | 1 | 60 | | | | | 41 |
| 05S/08E-35H01 M | 05S/08E 35A | 6001 | 0 | | | | | | 48 |
| 06S/07E-12P01 M | 06S/07E 12 | 6001 | 1 | 80 | | | | | 47 |
| 06S/08E-12L01 M | 06S/08E 12A | 6001 | 1 | 108 | | | | | 42 |
| 06S/08E-16M01 M | 06S/08E 16B | 6001 | 2 | 634 | | | | | 45 |
| 06S/08E-27J01 M | 06S/08E 27B | 6001 | 1 | 187 | | | | | 50 |
| 06S/08E-29J01 M | 06S/08E 29A | 6001 | 2 | | | | | | 47 |
| 07S/08E-12E01 M | 07S/08E 12 | 6001 | 0 | 3000 | | | | | 42 |
| 07S/08E-22B01 M | 07S/08E 22B | 6001 | 7 | | | | | | 50 |
| 07S/08E-22L01 M | 07S/08E 22A | 6001 | 1 | 118 | | | | | 42 |
| 07S/09E-04R01 M | 07S/09E 4G | 6001 | 1 | 135 | | | | | 42 |
| 07S/09E-26N01 M | 07S/09E 26 | 6001 | 8 | 15 | | | | | 42 |
| 08S/08E-01N01 M | 08S/08E 1A | 6001 | 1 | 140 | | | | | 42 |
| 08S/08E-15J01 M | 08S/08E 15A | 6001 | 0 | 475 | | | | | 40 |
| 08S/09E-26H01 M | 08S/09E 26 | 6001 | 8 | 582 | | | | | 52 |
| 08S/09E-26H03 M | 08S/09E 26B | 6001 | 8 | 300 | | | | | 52 |
| 08S/10E-21L04 M | 08S/10E 21H | 6001 | 8 | 260 | | | | | 52 |
| 09S/08E-13D01 M | 09S/08E 13 | 6001 | 9 | | | | | | 40 |
| 09S/09E-18N01 M | 09S/09E 18 | 6001 | 0 | | | | | | 40 |
| 09S/09E-23L01 M | 09S/09E 23B | 6001 | 8 | 602 | | | | | 52 |
| 09S/10E-19B01 M | 09S/10E 19A | 6001 | 8 | | | | | | 52 |
| 09S/10E-23J01 M | 09S/10E 23 | 6001 | 7 | 781 | | | 1 | | 39 |
| 09S/11E-16H01 M | 09S/11E 16A | 6001 | 1 | 300 | | | | | 49 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End | |
| DELTA-MENDOTA AREA | | | | 5-22.11 | | | | | | |
| 09S/11E-20J01 M | 09S/11E 20C | 6001 | 8 | 800 | | | | 52 | | |
| 10S/09E-06A01 M | 10S/09E 6A | 6001 | 0 | 54 | | | | 51 | | |
| 10S/09E-08B01 M | 10S/09E 8 | 6001 | 9 | | | | | 45 | | |
| 10S/10E-02R01 M | 10S/10E 2 | 6001 | 1 | 42 | | | | 39 | | |
| 10S/10E-11R01 M | 10S/10E 11A | 6001 | 1 | 24 | | | | 39 | | |
| 10S/10E-31G01 M | 10S/10E 31 | 6001 | 2 | 300 | | | | 42 | | |
| 10S/11E-23D01 M | 10S/11E 23A | 6001 | 8 | 10 | | | | 48 | | |
| 10S/11E-27E02 M | 10S/11E 27B | 6001 | 1 | 472 | | | | 56 | | |
| 11S/10E-11J01 M | 11S/10E 11 | 6001 | 1 | 148 | | | | 39 | | |
| 11S/10E-22Q01 M | 11S/10E 22 | 6001 | 2 | 900 | | | | 49 | | |
| 11S/11E-02J02 M | 11S/11E 2A | 6001 | 8 | 300 | | | | 52 | | |
| 11S/11E-22K01 M | 11S/11E 22 | 6001 | 8 | 12 | | | | 48 | | |
| 11S/11E-22Q03 M | 11S/11E 22D | 6001 | 8 | 330 | | | | 52 | | |
| 11S/12E-31C01 M | 11S/12E 31 | 6001 | 2 | | | | | 51 | | |
| 12S/11E-09N01 M | 12S/11E 9 | 6001 | 0 | 1080 | | | | 44 | 58 | |
| 12S/11E-35Q01 M | 12S/11E 35 | 6001 | 0 | | | 1 | | 39 | | |
| 12S/12E-04D01 M | 12S/12E 4 | 6001 | 8 | 12 | | | | 48 | | |
| 12S/12E-16H05 M | | | 8 | 720 | | | | 58 | | |
| 12S/12E-20J01 M | 12S/12E 20A | 6001 | 8 | 428 | | | | 52 | | |
| 12S/12E-25D01 M | 12S/12E 25D | 6001 | 8 | 420 | | | | 52 | | |
| 12S/12E-25D02 M | 12S/12E 25E | 6001 | 8 | 305 | | | | 52 | | |
| 12S/13E-10N01 M | 12S/13E 10A | 6001 | 8 | 12 | | | | 48 | | |
| 12S/13E-27Q01 M | 12S/13E 27 | 6001 | 1 | 600 | | | | 44 | | |
| 12S/14E-30C01 M | 12S/14E 30A | 6001 | 0 | 221 | | | | 48 | | |
| 13S/11E-23E01 M | 13S/11E 23 | 6001 | 0 | | | | | 56 | 59 | |
| 13S/12E-05Q01 M | 13S/12E 5 | 6001 | 0 | 937 | | | | 55 | | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| DELTA-MENDOTA AREA | | | | 5-22.11 | | | | | |
| 13S/12E-22N01 M | 13S/12E 22A | 6001 | 1 | | | | 1 | 56 | |
| 13S/12E-34P01 M | 13S/12E 34 | 6001 | 0 | | | | | 39 | 58 |
| 13S/13E-10R01 M | 13S/13E 10B | 6001 | 2 | | | | | 50 | |
| 13S/13E-12A01 M | 13S/13E 12B | 6001 | 8 | 16 | | | | 50 | |
| 13S/13E-15R01 M | 13S/13E 15A | 6001 | 0 | | | | | 39 | |
| 13S/13E-33N01 M | 13S/13E 33 | 6001 | 0 | | | | | 56 | |
| 13S/14E-09J01 M | 13S/14E 9A | 6001 | 8 | 16 | | | | 50 | |
| 13S/14E-27D01 M | 13S/14E 27A | 6001 | 8 | 16 | | | | 50 | 59 |
| 13S/14E-32Q01 M | 13S/14E 32 | 6001 | 0 | | | | | 39 | |
| 13S/14E-35P01 M | 13S/14E 35 | 6001 | 2 | 1100 | | | | 39 | |
| 13S/15E-30N01 M | 13S/15E 30 | 6001 | 8 | 20 | | | | 48 | |
| CHOWCHILLA WATER DISTRICT | | | | 5-22.12 | | | | | |
| 09S/14E-25R01 M | 09S/14E 25B | 6001 | 2 | | | | | 22 | |
| 09S/15E-25J02 M | 09S/15E 25F | 6001 | 2 | | | | | 22 | |
| 09S/16E-11H01 M | 09S/16E 11 | 6001 | 1 | | | | | 22 | |
| 09S/16E-35D01 M | 09S/16E 35B | 6001 | 1 | | | | | 20 | |
| 09S/17E-21L01 M | 09S/17E 21A | 6001 | 1 | | | | | 22 | |
| 09S/17E-35J01 M | 09S/17E 35 | 6001 | 0 | | | | | 41 | |
| 09S/18E-33Q01 M | 09S/18E 33A | 6001 | 9 | | | | | 48 | |
| 10S/14E-26C01 M | 10S/14E 26 | 6001 | 2 | | | | | 39 | |
| 10S/15E-23K01 M | 10S/15E 23 | 6001 | 2 | | | | | 20 | |
| 10S/16E-29R01 M | 10S/16E 29A | 6001 | 2 | 106 | | | | 20 | |
| MADERA IRRIGATION DISTRICT | | | | 5-22.13 | | | | | |
| 10S/16E-35A02 M | 10S/16E 35 | 6001 | 1 | 80 | | | | 48 | |
| 10S/17E-27E01 M | 10S/17E 27B | 6001 | 0 | 99 | | | | 23 | |
| 10S/18E-20B01 M | 10S/18E 20B | 6001 | 9 | | | | | 20 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| MADERA IRRIGATION DISTRICT | | | | 5-22.13 | | | | | |
| 10S/19E-16D01 M | 10S/19E 16A | 6001 | 1 | | | | | | 50 |
| 11S/16E-22A02 M | 11S/16E 22C | 6001 | 2 | | | | | | 36 |
| 11S/17E-24D01 M | 11S/17E 24A | 6001 | 2 | | | | | | 28 |
| 11S/17E-27C01 M | 11S/17E 27 | 6001 | 2 | 114 | | | | | 28 |
| 11S/18E-20N01 M | 11S/18E 20A | 6001 | 2 | | | | | | 20 |
| 11S/19E-17Q01 M | 11S/19E 17 | 6001 | 0 | 78 | | | | | 45 |
| 11S/20E-22M01 M | 11S/20E 22 | 6001 | 1 | | | | | | 36 |
| 11S/21E-31D03 M | 11S/21E 31A | 6001 | 2 | | | | | | 52 |
| 12S/16E-23A01 M | 12S/16E 23A | 6001 | 2 | | | | | | 38 |
| 12S/17E-21H01 M | 12S/17E 21C | 6001 | 2 | 112 | | | | | 38 |
| 12S/18E-21G01 M | 12S/18E 21B | 6001 | 2 | | | | | | 20 |
| 12S/19E-28A01 M | 12S/19E 28D | 6001 | 2 | | | | | | 36 |
| WEST CHOWCHILLA-MADERA AREA | | | | 5-22.14 | | | | | |
| 10S/13E-14M01 M | 10S/13E 14 | 6001 | 0 | 38 | | | | | 51 |
| 10S/14E-01R01 M | 10S/14E 1A | 6001 | 2 | 52 | | | | | 22 |
| 11S/14E-33L01 M | 11S/14E 33 | 6001 | 2 | | | | | | 44 |
| 11S/15E-33E01 M | 11S/15E 33B | 6001 | 2 | | | | | | 50 |
| 12S/14E-28G01 M | 12S/14E 28 | 6001 | 1 | | | | | | 41 |
| 12S/15E-14L01 M | 12S/15E 14 | 6001 | 9 | 82 | | | | | 40 |
| FRESNO IRRIGATION DISTRICT | | | | 5-22.15 | | | | | |
| 12S/20E-14A01 M | 12S/20E 14B | 6001 | 2 | 164 | | | | | 37 |
| 12S/21E-34D01 M | 226 | 3631 | 2 | | | | | | 39 |
| 12S/22E-21E01 M | 12S/22E 21 | 6001 | 9 | 32 | | | | | 51 |
| 13S/17E-22B01 M | 327 | 3631 | 2 | | | | | | 44 |
| 13S/18E-16D01 M | 13S/18E 16A | 6001 | 2 | | | | | | 37 |
| 13S/19E-09Q01 M | 047 | 3631 | 1 | | | | | | 21 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| FRESNO IRRIGATION DISTRICT | | | | 5-22.15 | | | | | |
| 13S/20E-21J01 M | 25 | 3631 | 3 | 171 | 2 | | | | 30 |
| 13S/21E-23D01 M | 348/B | 3631 | 2 | | | | | | 39 |
| 13S/22E-21A01 M | 007/B | 3631 | 2 | | | | | | 50 |
| 13S/23E-31P01 M | 077/A | 3631 | 2 | | | | | | 36 |
| 14S/18E-08J01 M | 024/A | 3631 | 2 | | | | | | 21 |
| 14S/18E-25B01 M | 058/A | 3631 | 0 | | | | | | 27 |
| 14S/19E-20B01 M | 244/B | 3631 | 0 | | | | | | 40 |
| 14S/21E-14A01 M | 363 | 3631 | 2 | | | | | | 22 |
| 15S/20E-13E01 M | 211 | 3631 | 0 | | | | | | 38 |
| CITY OF FRESNO | | | | 5-22.16 | | | | | |
| 14S/20E-09L01 M | 09 | 3200 | 3 | 170 | 1 | | | | 30 |
| 14S/20E-10M01 M | 03 | 3200 | 3 | | | | | | 30 |
| FRESNO SLOUGH AREA | | | | 5-22.17 | | | | | |
| 13S/15E-28H01 M | 13S/15E 28C | 6001 | 0 | 256 | | | | | 40 |
| 13S/16E-25J01 M | 13S/16E 25 | 6001 | 0 | 118 | | | | | 36 |
| 14S/15E-28P01 M | 14S/15E 28 | 6001 | 2 | | | | | | 45 |
| 14S/16E-22N01 M | 14S/16E 22 | 6001 | 1 | | | | | | 46 |
| 14S/17E-25A01 M | 204/B | 3631 | 0 | | | | 1 | | 39 |
| 15S/16E-01L01 M | 15S/16E 1 | 6001 | 2 | 300 | | | | | 29 |
| 15S/16E-34E01 M | 15S/16E 34A | 6001 | 0 | 1000 | | | | | 29 |
| 15S/17E-22R01 M | 15S/17E 22 | 6001 | 2 | 190 | 1 | 1 | | | 21 |
| 15S/18E-16G01 M | 15S/18E 16 | 6001 | 2 | 267 | | | 1 | | 21 |
| 15S/19E-18B01 M | 333 | | 9 | | | | | | 44 |
| 16S/16E-10N01 M | 16S/16E 10 | 6001 | 2 | | | | | | 55 |
| 16S/17E-23N01 M | 16S/17E 23A | 6001 | 2 | 552 | | | 1 | | 26 |
| 16S/18E-27C01 M | | 3631 | 2 | | | | | | 50 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available: Log | Data Available: Water Anal. | Data Available: Prod. Record | Period of Record: Begin | Period of Record: End |
|---|---|---|---|---|---|---|---|---|---|
| FRESNO SLOUGH AREA | | | | 5-22.17 | | | | | |
| 16S/18E-31Q02 M | | | 2 | 417 | 1 | | | 26 | |
| 17S/17E-12H01 M | | | 2 | | | | | 50 | |
| 17S/18E-23A02 M | | | 2 | | | | | 35 | |
| CONSOLIDATED IRRIGATION DISTRICT | | | | 5-22.18 | | | | | |
| 14S/22E-22N01 M | 011 | 3636 | 8 | | | | | 46 | |
| 15S/19E-24N01 M | 071 | 3636 | 8 | | | | | 46 | |
| 15S/20E-28A01 M | 075 | 3636 | 8 | | | | | 46 | |
| 15S/21E-15D01 M | 002 | 3636 | 8 | | | | | 46 | |
| 15S/22E-16A01 M | 018 | 3636 | 8 | | | | | 46 | |
| 15S/22E-29D01 M | 026 | 3636 | 8 | | | | | 46 | |
| 16S/19E-14A01 M | 055 | 3636 | 8 | | | | | 46 | |
| 16S/20E-22N01 M | 049 | 3636 | 8 | | | | | 46 | |
| 16S/21E-22N01 M | 061 | 3636 | 8 | | | | | 46 | |
| 16S/22E-23R01 M | 034 | 3636 | 8 | | | | | 46 | |
| 17S/22E-03C01 M | 042 | 3636 | 8 | | | | | 46 | |
| ALTA IRRIGATION DISTRICT | | | | 5-22.19 | | | | | |
| 14S/23E-36R01 M | 012 | 4637 | 1 | | | | | 26 | |
| 14S/24E-31P01 M | 011B | 4637 | 0 | | | | | 45 | |
| 15S/23E-23A02 M | 031 | 4637 | 1 | | | | | 21 | |
| 15S/24E-22D01 M | 027C | 4637 | 0 | | | | | 34 | |
| 16S/23E-23E01 M | 080 | 4637 | 1 | | | | | 21 | |
| 16S/24E-21J01 M | 084 | 4637 | 2 | | | 2 | | 21 | |
| 16S/25E-29A01 M | 100D | 4637 | 0 | | | | | 31 | |
| 17S/22E-24R01 M | 159A | 4637 | 9 | | | | | 25 | |
| 17S/23E-23D01 M | 153 | 4637 | 8 | | | | | 21 | 58 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| ALTA IRRIGATION DISTRICT | | | | 5-22.19 | | | | | |
| 17S/24E-23P01 M | 146 | 4637 | 9 | | | | | 21 | 59 |
| 17S/25E-10C01 M | 123B | 4637 | 0 | | | | | 47 | |
| 17S/25E-18R01 M | 164 | 4637 | 9 | | | | | 26 | |
| LOWER KINGS RIVER AREA | | | | 5-22.20 | | | | | |
| 17S/19E-14J02 M | | | 1 | | | | | 39 | |
| 17S/20E-20B01 M | | | 9 | | | | | 36 | |
| 17S/21E-11G01 M | | | 9 | 20 | | | | 25 | |
| 18S/18E-12N02 M | 18S18E12 | 6001 | 0 | 211 | | | | 25 | |
| 18S/19E-26E01 M | | | 0 | 50 | | | | 47 | |
| 18S/20E-16A01 M | | | 2 | | | | | 47 | |
| 18S/21E-10R01 M | | | 2 | | | | | 47 | |
| 19S/19E-25A01 M | | | 0 | | | | | 44 | |
| 19S/20E-21A01 M | | | 0 | | | | | 48 | |
| 20S/20E-09C01 M | | | 1 | | | | | 47 | |
| 20S/21E-03A01 M | 20S21E03 | 6001 | 1 | 56 | | | | 25 | |
| 20S/21E-25L01 M | 20S21E25 | 6001 | 9 | | | | | 43 | |
| 21S/21E-04A01 M | | | 2 | | | | | 49 | |
| ORANGE COVE IRRIGATION DISTRICT | | | | 5-22.21 | | | | | |
| 14S/25E-30D01 M | 14S25E30 | 6001 | 0 | | | | | 46 | |
| 15S/25E-22N01 M | 15S25E22A | 6001 | 0 | 102 | | | | 45 | |
| STONE CORRAL IRRIGATION DISTRICT | | | | 5-22.22 | | | | | |
| 16S/26E-32P01 M | 16S26E32 | 6001 | 0 | 88 | | | | 38 | |
| 17S/26E-17P02 M | 17S26E17 | 6001 | 2 | 133 | | | | 46 | |
| IVANHOE IRRIGATION DISTRICT | | | | 5-22.23 | | | | | |
| 18S/25E-12Q01 M | | | 0 | | | | 1 | 24 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End | |
| KAWEAH DELTA WATER CONSERV DIST | | | | 5-22.24 | | | | | | |
| 17S/27E-34P01 M | 17S27E34 | 6001 | 1 | | | | | 39 | | |
| 18S/22E-29A01 M | | | 2 | | | | | 58 | | |
| 18S/22E-29N01 M | 18S22E29 | 6001 | 0 | | | | | 26 | 58 | |
| 18S/23E-34A01 M | | | 2 | | | | | 20 | | |
| 18S/24E-26A01 M | 18S24E26 | 6001 | 0 | 80 | | | | 35 | | |
| 18S/25E-33F01 M | 18S25E33B | 6001 | 0 | | | | | 32 | | |
| 18S/26E-27E01 M | 18S26E27B | 6001 | 1 | 68 | | | | 48 | | |
| 19S/22E-01N01 M | 19S22E01 | 6001 | 0 | 38 | | | | 28 | | |
| 19S/22E-36E01 M | 19S22E36 | 6001 | 9 | | | | | 39 | | |
| 19S/25E-25D01 M | | | 2 | | | | | 36 | | |
| 20S/22E-10C01 M | | | 2 | | | | | 33 | | |
| 20S/25E-17A01 M | 20S25E17 | 6001 | 0 | | | 1 | | 25 | 59 | |
| TULARE IRRIGATION DISTRICT | | | | 5-22.25 | | | | | | |
| 19S/23E-24G01 M | 19S23E24B | 6001 | 2 | | | 1 | | 53 | | |
| 19S/23E-32H01 M | 19S23E32B | 6001 | 2 | | | | | 49 | | |
| 19S/24E-16P01 M | 19S24E16A | 6001 | 2 | | | | | 53 | | |
| 20S/23E-09J01 M | 20S23E09 | 6001 | 2 | | | | | 29 | | |
| 20S/24E-23K01 M | 20S24E23 | 6001 | 1 | 123 | | | | 44 | | |
| EXETER IRRIGATION DISTRICT | | | | 5-22.26 | | | | | | |
| 18S/27E-29D01 M | 18S27E29 | 6001 | 0 | | | | | 37 | | |
| 19S/26E-23E01 M | 19S26E23A | 6001 | 2 | 365 | | 1 | | 38 | | |
| LINDSAY-STRATHMORE IRRIG DIST | | | | 5-22.27 | | | | | | |
| 19S/27E-29D01 M | 19S27E29 | 6001 | 2 | 200 | | | | 49 | | |
| 20S/27E-06B01 M | 20S27E06C | 6001 | 0 | | | | | 52 | | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| LINDSAY-STRATHMORE IRRIG DIST | | | | 5-22.27 | | | | | |
| 20S/27E-29J01 M | 20027529 | 6001 | 8 | 194 | | | | 36 | |
| LINDMORE IRRIGATION DISTRICT | | | | 5-22.28 | | | | | |
| 20S/26E-22C02 M | 20S26E22 | 6001 | 2 | 247 | | | | 24 | |
| PORTERVILLE IRRIGATION DISTRICT | | | | 5-22.29 | | | | | |
| 21S/27E-23N01 M | 21S27E23L | 6001 | 2 | 195 | | | | 24 | |
| 22S/27E-10R01 M | 22S27E10D | 6001 | 2 | 190 | | | | 24 | |
| LOWER TULE RIVER IRRIGATION DIST | | | | 5-22.30 | | | | | |
| 21S/23E-22J01 M | 21S23E22 | 6001 | 0 | 130 | | | | 35 | |
| 21S/24E-15H01 M | 21S24E15A | 6001 | 0 | 95 | | | | 30 | |
| 21S/25E-08H01 M | 21S25E08B | 6001 | 2 | | | | | 33 | |
| 21S/26E-10H01 M | 21S26E10 | 6001 | 2 | 300 | | | | 24 | |
| 22S/23E-15R01 M | 22S23E15 | 6001 | 9 | | | | | 25 | |
| 22S/24E-15A01 M | 22S24E15A | 6001 | 2 | 300 | | | | 35 | |
| 22S/25E-15A01 M | 22S25E15B | 6001 | 2 | 340 | | | | 37 | |
| 22S/26E-06A01 M | 22S26E06G | 6001 | 0 | | | | | 37 | |
| VANDALIA IRRIGATION DISTRICT | | | | 5-22.31 | | | | | |
| 22S/28E-18A01 M | 22S28E18A | 6001 | 2 | | | | | 39 | |
| SAUCELITO IRRIGATION DISTRICT | | | | 5-22.32 | | | | | |
| 22S/26E-15J01 M | 22S26E15C | 6001 | 7 | 460 | | | | 49 | |
| 22S/27E-32A01 M | 22S27E32 | 6001 | 0 | 645 | | | | 25 | 58 |
| 23S/26E-02R01 M | 23S26E02 | 6001 | 2 | | | | | 30 | |
| PIXLEY IRRIGATION DISTRICT | | | | 5-22.33 | | | | | |
| 23S/23E-02B01 M | 23S23E02A | 6001 | 9 | | | | | 40 | |
| 23S/24E-05A01 M | | | 0 | | | | | 26 | |
| 23S/25E-14C01 M | 23S25E14 | 6001 | 8 | 305 | | | | 35 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| PIXLEY IRRIGATION DISTRICT | | | | 5-22.33 | | | | | |
| 23S/25E-16N03 M | | | 8 | 430 | | | | | 59 |
| 23S/25E-16N04 M | | | 8 | 240 | | | | | 59 |
| 23S/25E-17Q03 M | | | 0 | 352 | | | | | 58 |
| ALPAUGH-ALLENSWORTH AREA | | | | 5-22.34 | | | | | |
| 23S/24E-36A01 M | 23S24E36 | 6001 | 9 | 90 | | | 1 | 45 | |
| 24S/23E-21B02 M | 24S23E21 | 6001 | 8 | 77 | | | | | 36 |
| 24S/24E-23Q01 M | 24S24E23 | 6001 | 9 | 60 | | | | | 26 |
| DELANO-EARLIMART IRRIG DIST | | | | 5-22.35 | | | | | |
| 23S/25E-27J02 M | 23S25E27 | 6001 | 8 | 366 | | | | | 30 |
| 23S/26E-29P01 M | 23S26E29A | 6001 | 2 | 270 | | | | | 44 |
| 23S/27E-28J01 M | 23S27E28 | 6001 | 2 | 900 | | | | | 25 |
| 24S/25E-10A01 M | 24S25E10G | 6001 | 2 | 522 | 1 | | | | 37 |
| 24S/25E-33J01 M | | | 2 | 500 | | | | | 37 |
| 24S/26E-05R01 M | 24S26E05A | 6001 | 2 | 427 | | | | | 31 |
| 24S/26E-20H01 M | 24S26E20L | 6001 | 2 | 1254 | 1 | | | | 35 |
| 24S/26E-29R01 M | | | 2 | 1300 | | | | | 54 |
| 24S/26E-29R02 M | | | 0 | 300 | | | | | 58 |
| 24S/26E-32G01 M | 24S26E32A | 6001 | 8 | 470 | | | | | 32 |
| 24S/26E-34F01 M | | | 2 | 1510 | | | | | 58 |
| 24S/27E-10E01 M | 24S27E10 | 6001 | 8 | 200 | | | | | 45 |
| 24S/27E-31P01 M | 24S27E31A | 6001 | 2 | 1050 | | 1 | | | 48 |
| 25S/26E-01A02 M | | | 2 | 892 | | | | | 58 |
| 25S/26E-10B03 M | 25S26E10A | 6001 | 8 | 375 | | | | | 46 |
| 25S/27E-22H01 M | 25S27E22 | 6001 | 9 | 700 | | | | | 48 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| SOUTH SAN JOAQUIN MUD | | | | 5-22.36 | | | | | |
| 25S/25E-06H01 M | 25S25E06A | 6001 | 8 | 112 | | | | | 42 |
| 25S/25E-35P01 M | 01D3501 | 1700 | 2 | 800 | | | | | 35 |
| 25S/26E-28H02 M | 25S26E28. | 6001 | 0 | 425 | | | | | 39 |
| 26S/26E-10R01 M | | | 2 | 1000 | | | | | 58 |
| 26S/26E-16P01 M | 02E1602 | 1700 | 2 | 500 | | | | | 33 |
| NORTH KERN WATER STORAGE DIST | | | | 5-22.37 | | | | | |
| 26S/25E-15R01 M | 02D1501 | 1700 | 2 | 810 | | | | | 49 |
| 26S/25E-31R01 M | 02D3101 | 1700 | 2 | 646 | | 1 | 1 | | 42 |
| 26S/26E-30P01 M | 02E3001 | 1700 | 2 | 1000 | 1 | | 1 | | 49 |
| 27S/25E-01A01 M | 27S25E01 | 6001 | 9 | 148 | | | | | 32 |
| 27S/25E-06F01 M | 03D0603 | 1700 | 2 | 700 | | | | | 38 |
| 27S/26E-06H02 M | 27S26E06 | 6001 | 8 | 387 | | | | | 38 |
| 27S/26E-20E01 M | 03E2003 | 1700 | 2 | 732 | | | | | 42 |
| 27S/27E-30H02 M | 27S27E30E | 6001 | 0 | | | | | | 49 |
| 28S/25E-13L01 M | 04D1304 | 1700 | 2 | 642 | | | | | 42 |
| 28S/26E-22L01 M | 04E2204 | 1700 | 2 | 700 | | | | | 38 |
| 28S/27E-21F01 M | 28S27E21 | 6001 | 0 | 478 | | | | | 47 |
| 28S/27E-30P01 M | 04F3003 | 1700 | 2 | 790 | | | | | 38 |
| SHAFTER-WASCO IRRIGATION DIST | | | | 5-22.38 | | | | | |
| 27S/24E-03E01 M | 03C0305 | 1700 | 2 | 570 | | 1 | | | 38 |
| 27S/24E-35C01 M | 03C3502 | 1700 | 2 | 709 | | 1 | 1 | | 49 |
| 27S/25E-28F01 M | 03D2802 | 1700 | 2 | 442 | | | | | 38 |
| 28S/24E-01R01 M | 04C0102 | 1700 | 2 | 350 | | | | | 38 |
| KERN RIVER DELTA AREA | | | | 5-22.40 | | | | | |
| 28S/25E-34J01 M | 04D3401 | 1700 | 1 | 378 | | | | | 38 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| KERN RIVER DELTA AREA | | | | 5-22.40 | | | | | |
| 28S/26E-29L01 M | 04E2902 | 1700 | 2 | 600 | | | | 56 | |
| 29S/25E-12M01 M | 05D1201 | 1700 | 2 | 140 | | | | 36 | |
| 29S/25E-33J01 M | 05D3301 | 1700 | 2 | | | | | 39 | 59 |
| 29S/26E-10L01 M | 29S26E10 | 6001 | 8 | 140 | | | | 38 | |
| 29S/27E-04J01 M | 05F0401 | 1700 | 2 | 725 | | | | 37 | |
| 29S/27E-26D01 M | 05F2601 | 1700 | 2 | | | 1 | | 24 | |
| 30S/24E-24Q01 M | 30S24E24 | 6001 | 0 | | | | | 47 | |
| 30S/25E-03H01 M | 06D0301 | 1700 | 2 | 703 | 2 | 1 | 1 | 50 | |
| 30S/25E-21L01 M | 06D2103 | 1700 | 0 | | | | | 40 | |
| 30S/26E-16J01 M | 06E1601 | 1700 | 9 | | | | | 36 | |
| 30S/26E-27A01 M | 06E2701 | 1700 | 2 | 700 | | | | 47 | |
| 30S/27E-03G01 M | 06F0302 | 1700 | 2 | 700 | | | | 47 | |
| 30S/27E-28A02 M | 30S27E28E | 6001 | 2 | | | | | 40 | |
| 30S/28E-32B01 M | 06G3201 | 1700 | 2 | 441 | | | | 40 | |
| 30S/28E-34R02 M | | | 0 | 200 | | | | 59 | |
| 31S/25E-25A02 M | 31S25E25A | 6001 | 2 | | | | | 49 | 59 |
| 31S/26E-01A01 M | 07E0101 | 1700 | 2 | | | | | 36 | |
| 31S/26E-35D01 M | 07E3501 | 1700 | 2 | | | | | 40 | |
| 31S/27E-04L01 M | 07F0401 | 1700 | 2 | 700 | | | 1 | 47 | |
| 31S/27E-28J01 M | 31S27E28D | 6001 | 2 | | | | | 40 | |
| 31S/28E-17P02 M | 07G1702 | 1700 | 7 | 157 | | 1 | | 40 | |
| 31S/28E-30M01 M | 07G3002 | 1700 | 2 | 800 | | | | 48 | |
| 32S/26E-36G01 M | 08E3605 | 1700 | 8 | 700 | | | | 47 | |
| 32S/27E-02B02 M | 32S27E02 | 6001 | 1 | 125 | | | | 36 | 58 |
| 32S/27E-18E01 M | 08F1802 | 1700 | 2 | 850 | | | | 51 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| KERN RIVER DELTA AREA | | | | 5-22.40 | | | | | |
| 32S/28E-04A01 M | 08G0402 | 1700 | 1 | 282 | | | | | 52 |
| EDISON-MARICOPA AREA | | | | 5-22.41 | | | | | |
| 29S/28E-26J01 M | | | 8 | 204 | | | | | 33 |
| 29S/29E-33N01 M | | | 0 | | | | | | 39 |
| 30S/28E-02R01 M | 30S28E02E | 6001 | 7 | 500 | | | | | 50 |
| 30S/29E-05F01 M | | | 2 | 498 | | | | | 37 |
| 30S/29E-26A01 M | | | 2 | 622 | | | | | 38 |
| 30S/29E-31H01 M | | | 0 | 328 | | | | | 59 |
| 30S/29E-31R01 M | | | 0 | 167 | | | | | 59 |
| 30S/30E-20R01 M | | | 1 | 480 | | | | | 29 |
| 31S/29E-09A01 M | | | 2 | | | | | | 33 |
| 31S/29E-29A01 M | | | 2 | 530 | | | | | 43 |
| 31S/30E-09R01 M | | | 7 | 600 | | | | | 42 |
| 31S/30E-21G01 M | | | 2 | 1004 | | | | | 52 |
| 32S/25E-35N02 M | | | 8 | 1650 | | | | | 52 |
| 32S/28E-23R01 M | 08G2301 | 1700 | 2 | 815 | | | | | 45 |
| 32S/29E-07P01 M | 08H0701 | 1700 | 2 | 1000 | | | | | 48 |
| 32S/29E-08R02 M | | | 0 | | | | | | 57 |
| 32S/29E-16R02 M | | | 0 | 400 | | | | | 59 |
| 32S/29E-21P01 M | 32S29E21 | 6001 | 8 | 340 | | | | | 37 |
| 11N/18W-06P01 S | | | 2 | 732 | 1 | | | | 49 |
| 11N/18W-28D01 S | | | 0 | 672 | | | | | 57 |
| 11N/19W-04H01 S | 10H0402 | 1700 | 2 | 1140 | 1 | | | | 48 |
| 11N/19W-24R01 S | 11N19W24 | 6001 | 8 | 830 | | | | | 39 |
| 11N/19W-28G01 S | | | 7 | 1094 | 1 | | | | 53 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| EDISON-MARICOPA AREA | | | | 5-22.41 | | | | | |
| 11N/20W-07Q01 S | 10G0702 | 1700 | 2 | 1243 | | 1 | 1 | 54 | |
| 11N/20W-18F01 S | 10G1801 | 1700 | 9 | 601 | 2 | | | 49 | |
| 11N/20W-24A01 S | 10G2401 | 1700 | 2 | 1007 | | 1 | 1 | 52 | |
| 11N/21W-05M01 S | 10E0503 | 1700 | 2 | 1000 | | | | 51 | |
| 11N/21W-14D02 S | 10F1401 | 1700 | 8 | 584 | | | | 43 | |
| 11N/22W-04H01 S | 10E0401 | 1700 | 2 | 1008 | | | | 51 | |
| 11N/23W-12P01 S | | | 2 | 1120 | | 1 | 1 | 56 | |
| 12N/19W-32E01 S | | | 8 | 1000 | | | | 47 | |
| 12N/20W-31R01 S | 12N20W31B | 6001 | 8 | 1208 | | | | 52 | |
| 12N/20W-36Q02 S | | | 8 | 1002 | | | | 56 | |
| 12N/21W-29N01 S | 09F2901 | 1700 | 2 | 1002 | | | | 49 | |
| 12N/22W-31E01 S | | | 2 | 1137 | | | | 56 | |
| 12N/22W-36R01 S | | | 2 | 1266 | | 1 | | 48 | |
| 12N/23W-26N01 S | | | 0 | 498 | | | | 59 | |
| 12N/23W-28P01 S | | | 0 | 702 | 1 | | | 56 | |
| BUENA VISTA WATER STORAGE DIST | | | | 5-22.42 | | | | | |
| 26S/22E-32R01 M | | | 2 | | | | | 53 | |
| 27S/22E-16B01 M | | | 2 | 800 | | | | 59 | |
| 27S/22E-21F02 M | 27S22E21A | 6001 | 8 | 700 | | | | 54 | |
| 27S/22E-32H01 M | | | 1 | | | | | 49 | |
| 28S/22E-10D02 M | 28S22E10 | 6001 | 2 | 420 | | | | 45 | |
| 28S/22E-36P01 M | C6 | 4640 | 7 | | | | | 38 | |
| 28S/23E-31R01 M | C4 | 4640 | 2 | | | | | 39 | |
| 29S/23E-08A01 M | 087 | 4640 | 2 | | | | | 38 | |
| 29S/23E-36R01 M | 29S23E36A | 6001 | 2 | 216 | | | | 49 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| BUENA VISTA WATER STORAGE DIST | | | | 5-22.42 | | | | | |
| 29S/24E-32Q01 M | D4 | 4640 | 2 | | | | | | 38 |
| 30S/23E-01C01 M | D9 | 4640 | 8 | | | | 1 | | 39 |
| 30S/24E-02C01 M | D1 | 4640 | 2 | | | | 1 | | 39 |
| SEMITROPIC WATER STORAGE DIST | | | | 5-22.43 | | | | | |
| 25S/22E-02E01 M | | | 0 | 625 | | | | | 58 |
| 25S/22E-02N02 M | | | 0 | 285 | | | | | 58 |
| 25S/22E-14G01 M | | | 9 | 500 | | | | | 48 |
| 25S/23E-03R01 M | 25S23E03 | 6001 | 2 | 480 | | | | | 35 |
| 25S/23E-30G01 M | | | 2 | 695 | | | | | 32 |
| 25S/24E-07R01 M | 25S24E07 | 6001 | 8 | 243 | | | | | 35 |
| 25S/24E-30H01 M | 01C3003 | 1700 | 2 | 700 | | | | | 33 |
| 26S/21E-14E01 M | | | 2 | 300 | 1 | | | | 55 |
| 26S/21E-14J01 M | | | 0 | 300 | | | | | 55 |
| 26S/22E-10G01 M | 26S22E10B | 6001 | 2 | 300 | | | | | 54 |
| 26S/22E-35E01 M | 26S22E35 | 6001 | 2 | | | | | | 52 |
| 26S/23E-02R01 M | 02B0202 | 1700 | 2 | 200 | | | | | 35 |
| 26S/23E-36F01 M | 02B3601 | 1700 | 2 | 502 | | | | | 40 |
| 26S/24E-23H01 M | 02C2301 | 1700 | 2 | 638 | | | | | 42 |
| 27S/22E-02Q01 M | 27S22E02 | 6001 | 7 | 159 | | | | | 45 |
| 27S/23E-06L01 M | A1 | 4640 | 7 | | | | | | 38 |
| 27S/23E-22G02 M | 27S23E22 | 6001 | 9 | | | | | | 45 |
| 28S/23E-11E01 M | | | 1 | | | | | | 45 |
| 28S/24E-31Q01 M | C2 | 4640 | 9 | | | | | | 39 |
| 29S/24E-14R01 M | 29S24E14 | 6001 | 2 | | | | | | 45 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| AVENAL-MCKITTRICK AREA | | | | 5-22.44 | | | | | |
| 22S/19E-18P02 M | | | 1 | 410 | | | | | 51 |
| 22S/19E-30A01 M | 22S19E30B | 6001 | 1 | 323 | | | | | 51 |
| 23S/18E-29E01 M | | | 4 | 426 | 1 | | | | 10 |
| 23S/18E-29E02 M | | | 4 | 364 | | | 1 | | 10 |
| 23S/19E-14R01 M | 23S19E14 | 6001 | 0 | 59 | | | | | 51 |
| 23S/19E-26M01 M | 23S19E26 | 6001 | 9 | | | | | | 51 |
| 24S/17E-11P01 M | | | 9 | | | | | | 59 |
| 24S/17E-23A01 M | | | 0 | 200 | | | | | 51 |
| 24S/17E-35B02 M | | | 9 | 192 | | | | | 50 |
| 24S/18E-11D01 M | | | 4 | | | | | | 51 |
| 24S/18E-30D01 M | | | 2 | 453 | | | 1 | | 46 |
| 24S/18E-33N01 M | | | 2 | 295 | | | 1 | | 51 |
| 24S/19E-02L01 M | | | 0 | 704 | | | 1 | | 55 |
| 24S/19E-12E01 M | | | 0 | | | | | | 55 |
| 24S/19E-30N01 M | | | 2 | | | | | | 55 |
| 25S/19E-15G01 M | | | 0 | | | | | | 53 |
| 25S/19E-20Q02 M | | | 4 | 400 | 1 | 1 | | | 49 |
| 25S/19E-25B01 M | | | 0 | | | | | | 51 |
| 25S/20E-04C01 M | | | 9 | 200 | | | | | 51 |
| 25S/20E-15Q01 M | | | 0 | | | | 1 | | 53 |
| 25S/20E-35B01 M | | | 9 | | | | | | 55 |
| 25S/21E-22H01 M | | | 0 | 615 | | | | | 59 |
| 25S/21E-30M01 M | | | 0 | 61 | | | | | 51 |
| 26S/17E-13L02 M | | | 2 | | | | | | 51 |
| 26S/18E-16H01 M | | | 0 | | | | | | 51 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| AVENAL-MCKITTRICK AREA | | | | 5-22.44 | | | | | |
| 26S/18E-19B02 M | | | 2 | | | 1 | | | 51 |
| 26S/18E-27F01 M | | | 0 | | | 1 | | | 55 |
| 26S/19E-12L01 M | | | 0 | 358 | | 1 | | | 51 |
| 26S/21E-06F03 M | | | 9 | 194 | | | | | 51 |
| 27S/18E-15R01 M | | | 9 | | | | | | 55 |
| 28S/21E-13E01 M | | | 0 | | 1 | | | | 55 |
| TULARE LAKE LOST HILLS AREA | | | | 5-22.45 | | | | | |
| 24S/21E-15J01 M | | | 8 | | | | | | 51 |
| 24S/22E-17R01 M | | | 8 | 1400 | | | | | 51 |
| 24S/22E-36R01 M | | | 9 | | | | | | 48 |
| CORCORAN IRRIGATION DISTRICT | | | | 5-22.46 | | | | | |
| 21S/22E-16Q01 M | | | 2 | | | | | | 45 |
| 21S/22E-24K01 M | | | 7 | | | | | | 36 |
| MENDOTA-HURON AREA | | | | 5-22.47 | | | | | |
| 14S/13E-15M01 M | | | 2 | 1594 | | | | | 52 |
| 14S/13E-26N01 M | | | 0 | 1410 | | | | | 52 |
| 14S/13E-28P01 M | | | 0 | 1789 | | | | | 58 |
| 14S/13E-29Q01 M | | | 2 | 1803 | | | 1 | | 50 |
| 14S/14E-05H01 M | | | 0 | 800 | | 1 | | | 58 |
| 14S/14E-17Q01 M | | | 8 | 1250 | | 1 | 1 | | 50 |
| 14S/14E-25M01 M | | | 0 | 217 | | | 1 | | 50 |
| 14S/14E-28E02 M | 14S14E28C | 6001 | 0 | | | | | | 48 |
| 14S/15E-18E02 M | | | 2 | 890 | | | | | 51 |
| 14S/15E-35N01 M | | | 2 | | | | | | 51 |
| 15S/13E-14N01 M | | | 0 | 1811 | | | | | 50 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| MENDOTA-HURON AREA | | | | 5-22.47 | | | | | |
| 15S/13E-26N01 M | | | 2 | | | | | 53 | |
| 15S/14E-06D01 M | | | 0 | 1006 | | | | 56 | |
| 15S/14E-07B02 M | 15S14E07 | 6001 | 0 | 850 | | | | 49 | |
| 15S/14E-11E01 M | | | 0 | | | | | 51 | |
| 15S/15E-19N01 M | | | 8 | 828 | | | | 50 | |
| 15S/15E-22Q01 M | 15S15E22 | 6001 | 2 | | | 1 | | 48 | |
| 15S/15E-35H01 M | | | 0 | 400 | | | | 52 | |
| 15S/16E-20R01 M | 15S16E20 | 6001 | 0 | 1250 | | | | 39 | |
| 15S/16E-34E01 M | | | 0 | 500 | | | | 50 | |
| 15S/17E-34L01 M | 15S17E34A | 6001 | 0 | 1081 | | | | 29 | |
| 16S/14E-03E01 M | | | 8 | 1252 | | | 1 | 50 | |
| 16S/14E-11B01 M | | | 0 | 1724 | | 1 | | 51 | |
| 16S/15E-02N02 M | | | 2 | 349 | | | | 44 | |
| 16S/15E-08Q01 M | | | 0 | 550 | | 1 | 1 | 55 | 59 |
| 16S/16E-18N01 M | | | 2 | 521 | | 1 | | 50 | |
| 16S/16E-28M01 M | | | 2 | 540 | | | 1 | 50 | |
| 17S/14E-13R01 M | | | 2 | 2090 | | | | 52 | |
| 17S/15E-14E01 M | | | 2 | 2176 | | 1 | 1 | 50 | 58 |
| 17S/15E-27K01 M | | | 0 | 2130 | | | 1 | 50 | |
| 17S/16E-02E01 M | | | 2 | 561 | | 1 | 1 | 53 | |
| 17S/16E-24R01 M | 17S16E24 | 6001 | 0 | 543 | | | | 42 | |
| 17S/16E-27Q01 M | | | 2 | 1748 | | 1 | 1 | 50 | |
| 17S/17E-08B02 M | | | 0 | 830 | | | | 53 | |
| 17S/17E-21N02 M | | | 0 | 1000 | | | 1 | 51 | |
| 17S/17E-26E03 M | | | 4 | 1530 | | | | 52 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| MENDOTA-HURON AREA | | | | 5-22.47 | | | | | |
| 18S/15E-13N01 M | | | 2 | 3284 | | | | 52 | |
| 18S/16E-07N01 M | | | 2 | 1896 | | | 1 | 50 | |
| 18S/16E-22Q01 M | | | 8 | 2024 | | | 1 | 50 | |
| 18S/16E-26F01 M | | | 2 | 1800 | | 1 | 1 | 50 | |
| 18S/17E-08R01 M | | | 2 | 1929 | | 1 | 1 | 50 | |
| 18S/17E-12N01 M | | | 2 | 1552 | | | 1 | 50 | |
| 18S/17E-29N01 M | | | 0 | 1830 | | | 1 | 50 | |
| 18S/18E-03N01 M | | | 2 | 626 | | | 1 | 50 | |
| 18S/18E-07N01 M | | | 2 | 1200 | | | 1 | 50 | |
| 18S/18E-24Q01 M | | | 9 | | | | | 50 | |
| 18S/18E-30N01 M | | | 2 | 1800 | | | 1 | 50 | |
| 18S/18E-31P01 M | | | 0 | 1977 | | 1 | | 58 | |
| 19S/16E-13N01 M | | | 2 | 2106 | | 1 | 1 | 50 | |
| 19S/16E-35Q01 M | | | 2 | | | | 1 | 50 | |
| 19S/17E-09N01 M | | | 2 | 1930 | | 1 | 1 | 50 | |
| 19S/17E-21N01 M | | | 2 | 2090 | | 1 | | 50 | 58 |
| 19S/17E-35N01 M | | | 0 | 2030 | | 1 | | 58 | |
| 19S/18E-15M01 M | | | 2 | 2110 | | | | 50 | |
| 19S/18E-20N01 M | | | 2 | 1999 | | | | 50 | |
| 19S/18E-27M01 M | 19S18E27B | 6001 | 0 | 2000 | | | | 45 | |
| 19S/18E-27N01 M | | | 0 | 2004 | | | | 50 | |
| 19S/18E-33Q01 M | | | 0 | 2017 | | | | 51 | |
| 20S/15E-17C01 M | | | 2 | | | 1 | | 51 | |
| 20S/15E-25D01 M | | | 2 | 364 | 1 | 1 | | 51 | |
| 20S/15E-32A01 M | | | 0 | 500 | | | | 51 | |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| MENDOTA-HURON AREA | | | | 5-22.47 | | | | | |
| 20S/16E-22J02 M | | | 0 | 600 | | | | | 51 |
| 20S/16E-31N01 M | | | 2 | 230 | | 1 | | | 50 |
| 20S/17E-01E01 M | | | 2 | 1865 | | | | | 50 |
| 20S/17E-17N01 M | | | 2 | 2152 | | | | | 50 |
| 20S/18E-11N01 M | | | 2 | 2010 | | | | | 50 |
| 20S/18E-11Q01 M | | | 0 | 1950 | | | | | 58 |
| 20S/18E-19D01 M | | | 2 | 2044 | 1 | | | | 50 |
| 20S/18E-36D01 M | 20S18E36 | 6001 | 0 | 1400 | | | | | 52 |
| 21S/15E-01E01 M | | | 2 | 225 | | 1 | | | 50 |
| 21S/15E-10C01 M | | | 2 | 1238 | | | | | 51 |
| 21S/16E-02N01 M | | | 2 | 427 | 2 | | 1 | | 53 |
| 21S/16E-07N01 M | | | 2 | 320 | | 1 | 1 | | 55 |
| 21S/16E-35D01 M | | | 2 | 443 | | | | | 50 |
| 21S/17E-05M01 M | | | 0 | 2066 | | | 1 | | 50 |
| 21S/17E-06N01 M | | | 2 | 522 | 1 | | | | 51 |
| 21S/17E-11E01 M | | | 2 | | | 1 | 1 | | 51 |
| 21S/17E-24G01 M | | | 2 | 1808 | | | 1 | | 57 |
| 21S/18E-02M01 M | | | 2 | 1257 | | | 1 | | 50 |
| 21S/18E-28M02 M | 21S18E28 | 6001 | 2 | 1000 | 1 | | | | 44 |
| 21S/18E-29N01 M | | | 2 | 900 | 1 | | | | 57 |
| 21S/19E-19C01 M | | | 2 | | | | | | 50 |
| 21S/19E-33N01 M | | | 2 | | | | | | 50 |
| 22S/16E-12F01 M | | | 2 | 4861 | | | | | 57 |
| TERRA BELLA IRRIGATION DISTRICT | | | | 5-22.50 | | | | | |
| 22S/27E-36N01 M | | | 0 | 696 | 2 | | | | 58 |

DESCRIPTION OF SELECTED WELLS

| State Well Number | Agency Well Number | Agency Supplying Number | Well Use | Well Depth in feet | Data Available | | | Period of Record | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | Log | Water Anal. | Prod. Record | Begin | End |
| TERRA BELLA IRRIGATION DISTRICT | | | | 5-22.50 | | | | | |
| 23S/27E-10H01 M | 23S27E10 | 6001 | 2 | 1590 | | | | | 34 |

# APPENDIX B

## RECORDS OF GROUND-WATER LEVELS AT SELECTED WELLS IN CENTRAL AND NORTHERN CALIFORNIA

RECORDS OF GROUND WATER LEVELS AT SELECTED WELLS
IN CENTRAL AND NORTHERN CALIFORNIA

———————— o ————————

Explanation of headings and symbols used in the columns of the appendix table.

———————— o ————————

State well number--Refer to explanation in Appendix A and to paragraph on "well numbering system" in text of Chapter 1.

R. P. elevation--The numbers in this column give the elevation in feet above mean sea level (U.S.G.S. datum) of the reference point from which the depth to the water surface in the well is measured. Commonly, the reference point is the top of the well casing. Description of the reference point is available in the complete well description on file with the Department of Water Resources.

Date--The date shown in the column is the date upon which the depth measurement given in the next column was made.

Dist. R. P. to water surface--This is the measured depth in feet from the reference point to the water surface in the well. Certain of the depth measurements in the column may be followed with an asterisk superscript to indicate a questionable measurement. Depth to ground water measurements may be questionable for such reasons as (a) well being pumped while undergoing measurement, (b) nearby pump operating, (c) casing leaking or wet, (d) well pumped recently, (e) air gauge measurement, (f) recharge operation at well or nearby. The specific reason for any asterisk on any

given measurement may be obtained through the Sacramento office of the Department of Water Resources.

When a measurement was attempted but could not be obtained, that is indicated by a square symbol in the column.

The words FLOW and DRY are shown in this column to indicate a flowing or dry well, respectively.

Water surface elevation--This is the elevation in feet above mean sea level (U.S.G.S. datum) of the water surface in the well. It was derived by machine computation by subtraction of the depth measurement from the reference point elevation.

Agency supplying data--Each number in this column is the code number for the agency from which the water level datum was obtained. Appendix A contains an explanation of code numbers.

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P Elev., in feet | Date | Dist. R P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| SMITH RIVER PLAIN | | | 1-01.00 | | |
| 16N/01W-02J01 H | 127.0 | 7-21-59 | 20.1 | 106.9 | 5000 |
| | | 8-25-59 | 22.8 | 104.2 | |
| | | 9-23-59 | 20.2 | 106.8 | |
| | | 10-28-59 | 18.1 | 108.9 | |
| | | 11-18-59 | 18.4 | 108.6 | |
| | | 12-16-59 | 18.1 | 108.9 | |
| | | 1-27-60 | 16.0 | 111.0 | |
| | | 2-17-60 | 15.3 | 111.7 | |
| | | 3-30-60 | 14.7 | 112.3 | |
| | | 4-26-60 | 14.9 | 112.1 | |
| | | 5-24-60 | 14.9 | 112.1 | |
| | | 6-21-60 | 18.4 | 108.6 | |
| 16N/01W-17K01 H | 49.0 | 7-21-59 | 21.1 | 27.9 | 5000 |
| | | 8-25-59 | 22.0 | 27.0 | |
| | | 9-23-59 | 23.0* | 26.0 | |
| | | 10-28-59 | 23.9 | 25.1 | |
| | | 11-18-59 | 24.3 | 24.7 | |
| | | 12-16-59 | 23.8 | 25.2 | |
| | | 1-27-60 | 25.0 | 24.0 | |
| | | 2-17-60 | 23.0 | 26.0 | |
| | | 3-30-60 | 17.6 | 31.4 | |
| | | 4-26-60 | 15.1 | 33.9 | |
| | | 5-24-60 | 14.4 | 34.6 | |
| | | 6-21-60 | 14.8 | 34.2 | |
| 16N/01W-22Q01 H | 39.0 | 7-21-59 | 13.5 | 25.5 | 5000 |
| | | 8-25-59 | ORY | | |
| | | 9-23-59 | DRY | | |
| | | 10-28-59 | DRY | | |
| | | 11-18-59 | ▫ | | |
| | | 12-16-59 | ▫ | | |
| | | 6-21-60 | ▫ | | |
| 16N/01W-22Q02 H | 39.5 | 7-21-59 | 16.4 | 23.1 | 5000 |
| | | 8-25-59 | 18.1 | 21.4 | |
| | | 9-23-59 | 19.4 | 20.1 | |
| | | 10-28-59 | 28.0* | 11.5 | |
| | | 11-18-59 | 24.7 | 14.8 | |
| | | 12-16-59 | 20.7 | 18.8 | |
| | | 1-27-60 | 16.6 | 22.9 | |
| | | 2-17-60 | 28.0* | 11.5 | |
| | | 3-30-60 | 18.2* | 21.3 | |
| | | 4-26-60 | 14.6 | 24.9 | |
| | | 5-24-60 | 11.3 | 28.2 | |
| | | 6-21-60 | ▫ | | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| SMITH RIVER PLAIN | | | 1-01.00 | | |
| 17N/01W-02P01 H | 31.2 | 7-21-59 | 22.2 | 9.0 | 5000 |
| | | 8-25-59 | 22.0 | 9.2 | |
| | | 9-23-59 | 22.3 | 8.9 | |
| | | 10-28-59 | 22.1 | 9.1 | |
| | | 11-18-59 | 22.3 | 8.9 | |
| | | 12-16-59 | 21.8 | 9.4 | |
| | | 1-27-60 | 18.3 | 12.9 | |
| | | 2-17-60 | 16.3 | 14.9 | |
| | | 3-30-60 | 11.1 | 20.1 | |
| | | 4-26-60 | 17.4 | 13.8 | |
| | | 5-24-60 | 15.7 | 15.5 | |
| | | 6-21-60 | 19.4* | 11.8 | |
| 17N/01W-15M02 H | 21.0 | 10-28-59 | 17.0 | 4.0 | 5001 |
| 18N/01W-26P01 H | 38.0 | 7-21-59 | ▫ | | 5000 |
| | | 8-25-59 | ▫ | | |
| | | 9-23-59 | 21.2 | 16.8 | |
| | | 10-28-59 | 19.1 | 18.9 | |
| | | 11-18-59 | 19.8 | 18.2 | |
| | | 12-16-59 | 19.1 | 18.9 | |
| | | 1-27-60 | 16.9 | 21.1 | |
| | | 2-17-60 | 14.6 | 23.4 | |
| | | 3-30-60 | 12.4 | 25.6 | |
| | | 4-26-60 | 16.5 | 21.5 | |
| | | 5-24-60 | 15.0 | 23.0 | |
| | | 6-21-60 | 18.0 | 20.0 | |
| BUTTE VALLEY | | | 1-03.00 | | |
| 45N/02W-03A01 M | 4262.6 | 10-21-59 | 28.5 | 4234.1 | 5001 |
| 46N/01E-06N01 M | 4242.4 | 7-22-59 | 29.6 | 4212.8 | 5000 |
| | | 8-27-59 | 28.4 | 4214.0 | |
| | | 9-24-59 | 24.0 | 4218.4 | |
| | | 10-29-59 | 22.2 | 4220.2 | |
| | | 11-19-59 | 21.5 | 4220.9 | |
| | | 12-17-59 | 20.8 | 4221.6 | |
| | | 1-28-60 | 20.4 | 4222.0 | |
| | | 2-18-60 | 20.1 | 4222.3 | |
| | | 3-30-60 | 19.9 | 4222.5 | |
| | | 4-28-60 | 20.0 | 4222.4 | |
| | | 5-26-60 | 21.4 | 4221.0 | |
| | | 6-23-60 | 28.3 | 4214.1 | |
| 46N/02W-25R01 M | 4257.3 | 10-21-59 | 28.4 | 4228.9 | 5001 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| BUTTE VALLEY | | | 1-03.00 | | |
| 46N/02W-25R02 M | 4256.2 | 7-22-59 | ▫ | | 5000 |
| | | 8-27-59 | 31.8 | 4224.4 | |
| | | 9-24-59 | 28.1 | 4228.1 | |
| | | 10-29-59 | 27.3 | 4228.9 | |
| | | 11-19-59 | 27.2 | 4229.0 | |
| | | 12-17-59 | 27.0 | 4229.2 | |
| | | 1-28-60 | 26.6 | 4229.6 | |
| | | 2-18-60 | 26.8 | 4229.4 | |
| | | 3-30-60 | 26.7 | 4229.5 | |
| | | 4-28-60 | 26.7 | 4229.5 | |
| | | 5-26-60 | 29.4 | 4226.8 | |
| | | 6-23-60 | 39.8* | 4216.4 | |
| 47N/01W-14B01 M | 4234.8 | 7-22-59 | 12.4 | 4222.4 | 5000 |
| | | 8-27-59 | 14.6 | 4220.2 | |
| | | 9-24-59 | 12.7 | 4222.1 | |
| | | 10-29-59 | 12.8 | 4222.0 | |
| | | 11-19-59 | 12.8 | 4222.0 | |
| | | 12-17-59 | 12.8 | 4222.0 | |
| | | 1-28-60 | 12.8 | 4222.0 | |
| | | 2-18-60 | 12.6 | 4222.2 | |
| | | 3-30-60 | 12.9 | 4221.9 | |
| | | 4-28-60 | 12.9 | 4221.9 | |
| | | 5-26-60 | 13.0 | 4221.8 | |
| | | 6-23-60 | 13.0 | 4221.8 | |
| 47N/01W-27B01 M | 4233.8 | 7-22-59 | 11.1 | 4222.7 | 5000 |
| | | 8-27-59 | 11.4 | 4222.4 | |
| | | 9-24-59 | 11.5 | 4222.3 | |
| | | 10-29-59 | 11.6 | 4222.2 | |
| | | 11-19-59 | 11.6 | 4222.2 | |
| | | 12-17-59 | 11.6 | 4222.2 | |
| | | 1-28-60 | ▫ | | |
| | | 2-18-60 | ▫ | | |
| | | 3-30-60 | ▫ | | |
| | | 4-28-60 | 11.4 | 4222.4 | |
| | | 5-26-60 | 11.5 | 4222.3 | |
| | | 6-23-60 | 11.6 | 4222.2 | |
| 47N/02W-21D01 M | 4237.3 | 10-21-59 | 5.4 | 4231.9 | 5001 |
| 48N/01W-26N01 M | 4244.2 | 7-22-59 | 17.0 | 4227.2 | 5000 |
| | | 8-27-59 | 17.6 | 4226.6 | |
| | | 9-24-59 | 17.6 | 4226.6 | |
| | | 10-29-59 | 18.4 | 4225.8 | |
| | | 11-19-59 | 18.5 | 4225.7 | |

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| BUTTE VALLEY | | | 1-03.00 | | |
| 48N/01W-26N01 M CONT. | 4244.2 | 12-17-59 | 18.4 | 4225.8 | 5000 |
| | | 1-28-60 | 18.2 | 4226.0 | |
| | | 2-18-60 | 17.7 | 4226.5 | |
| | | 3-30-60 | 18.2 | 4226.0 | |
| | | 4-28-60 | 18.1 | 4226.1 | |
| | | 5-26-60 | 18.1 | 4226.1 | |
| | | 6-23-60 | 18.9 | 4225.3 | |
| SHASTA VALLEY | | | 1-04.00 | | |
| 42N/05W-20J01 M | 2882.8 | 7-22-59 | 5.6 | 2877.2 | 5000 |
| | | 8-26-59 | 5.0 | 2877.8 | |
| | | 9-24-59 | 6.2 | 2876.6 | |
| | | 10-29-59 | 6.3 | 2876.5 | |
| | | 11-19-59 | 6.4 | 2876.4 | |
| | | 12-17-59 | 5.7 | 2877.1 | |
| | | 1-28-60 | 5.7 | 2877.1 | |
| | | 2-18-60 | 6.2* | 2876.6 | |
| | | 3-29-60 | 5.7 | 2877.1 | |
| | | 4-28-60 | 5.2 | 2877.6 | |
| | | 5-26-60 | 4.3 | 2878.5 | |
| | | 6-22-60 | 4.9 | 2877.9 | |
| 42N/06W-10J01 M | 2835.3 | 7-22-59 | 11.8 | 2823.5 | 5000 |
| | | 8-26-59 | 14.8 | 2820.5 | |
| | | 9-24-59 | 14.7 | 2820.6 | |
| | | 10-29-59 | 14.8 | 2820.5 | |
| | | 11-19-59 | 14.0 | 2821.3 | |
| | | 12-17-59 | 11.8 | 2823.5 | |
| | | 1-28-60 | 11.6 | 2823.7 | |
| | | 2-18-60 | 10.6 | 2824.7 | |
| | | 3-29-60 | 5.4 | 2829.9 | |
| | | 4-28-60 | 5.6 | 2829.7 | |
| | | 5-26-60 | 4.6 | 2830.7 | |
| | | 6-22-60 | 7.2 | 2828.1 | |
| 43N/06W-22A01 M | 2665.0 | 7-22-59 | 3.1 | 2661.9 | 5000 |
| | | 8-26-59 | 5.0 | 2660.0 | |
| | | 9-24-59 | 5.0 | 2660.0 | |
| | | 10-29-59 | 4.6* | 2660.4 | |
| | | 11-19-59 | 5.5 | 2659.5 | |
| | | 12-17-59 | 5.0 | 2660.0 | |
| | | 1-28-60 | 4.4 | 2660.6 | |
| | | 2-18-60 | 3.3 | 2661.7 | |
| | | 3-29-60 | 4.8 | 2660.2 | |
| | | 4-28-60 | 2.8 | 2662.2 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| SHASTA VALLEY | | | 1-04.00 | | |
| 43N/06W-22A01 M | 2665.0 | 5-25-60 | 2.7 | 2662.3 | 5000 |
| CONT. | | 6-22-60 | 4.1 | 2660.9 | |
| 44N/05W-34H01 M | 2637.0 | 7-22-59 | 24.9 | 2612.1 | 5000 |
| | | 8-26-59 | 24.9 | 2612.1 | |
| | | 9-24-59 | ▫ | | |
| | | 10-29-59 | 26.6 | 2610.4 | |
| | | 11-19-59 | 30.0 | 2607.0 | |
| | | 12-17-59 | 28.7 | 2608.3 | |
| | | 1-28-60 | 29.5 | 2607.5 | |
| | | 2-18-60 | 29.6 | 2607.4 | |
| | | 3-29-60 | 29.4 | 2607.6 | |
| | | 4-28-60 | 29.2 | 2607.8 | |
| | | 5-25-60 | 28.1 | 2608.9 | |
| | | 6-22-60 | ▫ | | |
| 45N/05W-29B01 M | 2635.0 | 7-22-59 | 17.2 | 2617.8 | 5000 |
| | | 8-26-59 | 16.5 | 2618.5 | |
| | | 9-24-59 | 16.1* | 2618.9 | |
| | | 10-29-59 | 17.3* | 2617.7 | |
| | | 11-19-59 | 17.7* | 2617.3 | |
| | | 12-17-59 | 18.9 | 2616.1 | |
| | | 1-28-60 | 20.2 | 2614.8 | |
| | | 2-18-60 | 20.2 | 2614.8 | |
| | | 3-29-60 | 20.8 | 2614.2 | |
| | | 4-28-60 | 21.4 | 2613.6 | |
| | | 5-25-60 | 20.5 | 2614.5 | |
| | | 6-23-60 | 21.2* | 2613.8 | |
| 45N/06W-19E01 M | 2539.0 | 7-22-59 | 20.7 | 2518.3 | 5000 |
| | | 8-26-59 | 23.1 | 2515.9 | |
| | | 9-24-59 | 21.8 | 2517.2 | |
| | | 10-29-59 | 22.9 | 2516.1 | |
| | | 11-19-59 | 21.1* | 2517.9 | |
| | | 12-17-59 | 23.1 | 2515.9 | |
| | | 1-28-60 | 21.9 | 2517.1 | |
| | | 2-18-60 | 19.8 | 2519.2 | |
| | | 3-29-60 | 19.4 | 2519.6 | |
| | | 4-28-60 | 18.5 | 2520.5 | |
| | | 5-25-60 | 19.9* | 2519.1 | |
| | | 6-23-60 | 26.0* | 2513.0 | |
| SCOTT RIVER VALLEY | | | 1-05.00 | | |
| 42N/09W-02G01 M | 2751.0 | 10-06-59 | 9.4 | 2741.6 | 5050 |
| | | 3-29-60 | 6.6 | 2744.4 | 5000 |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| SCOTT RIVER VALLEY | | | 1-05.00 | | |
| 42N/09W-02N01 M | 2742.0 | 7-22-59 | ▫ | | 5000 |
| 42N/09W-08C03 M | 2837.0 | 1-28-60 | 61.0 | 2776.0 | 5000 |
| | | 2-18-60 | 50.5 | 2786.5 | |
| | | 3-29-60 | 41.1 | 2795.9 | |
| | | 4-27-60 | 37.2 | 2799.8 | |
| | | 5-25-60 | 32.2 | 2804.8 | |
| | | 6-22-60 | 33.2 | 2803.8 | |
| 42N/09W-27N01 M | 2931.1 | 7-22-59 | 7.5 | 2923.6 | 5000 |
| | | 8-26-59 | 9.7 | 2921.4 | |
| | | 9-23-59 | 10.9 | 2920.2 | |
| | | 10-28-59 | 8.8 | 2922.3 | |
| | | 11-19-59 | 7.8 | 2923.3 | |
| | | 12-17-59 | 7.4 | 2923.7 | |
| | | 1-28-60 | 5.9 | 2925.2 | |
| | | 2-18-60 | 3.2 | 2927.9 | |
| | | 3-29-60 | 5.7 | 2925.4 | |
| | | 4-27-60 | 3.9 | 2927.2 | |
| | | 5-25-60 | 2.4 | 2928.7 | |
| | | 6-22-60 | 3.2 | 2927.9 | |
| 43N/09W-02K02 M | 2720.5 | 7-22-59 | 8.6 | 2711.9 | 5000 |
| | | 8-26-59 | 9.7 | 2710.8 | |
| | | 9-23-59 | 10.2 | 2710.3 | |
| | | 10-28-59 | ▫ | | |
| | | 11-19-59 | 9.6 | 2710.9 | |
| | | 12-17-59 | 12.9 | 2707.6 | |
| | | 1-28-60 | 14.8 | 2705.7 | |
| | | 2-18-60 | 9.9 | 2710.6 | |
| | | 3-29-60 | 7.5 | 2713.0 | |
| | | 4-27-60 | 7.9 | 2712.6 | |
| | | 5-25-60 | 7.8 | 2712.7 | |
| | | 6-22-60 | 8.2 | 2712.3 | |
| 43N/09W-24F01 M | 2737.0 | 7-22-59 | ▫ | | 5000 |
| | | 8-26-59 | ▫ | | |
| | | 9-23-59 | ▫ | | |
| | | 10-28-59 | 18.1 | 2718.9 | |
| | | 11-19-59 | 17.1 | 2719.9 | |
| | | 12-17-59 | 16.3 | 2720.7 | |
| | | 1-28-60 | 15.2 | 2721.8 | |
| | | 2-18-60 | 10.8 | 2726.2 | |
| | | 3-29-60 | 12.1 | 2724.9 | |
| | | 4-27-60 | ▫ | | |
| | | 5-25-60 | 8.5 | 2728.5 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| SCOTT RIVER VALLEY | | | 1-05.00 | | |
| 43N/09W-24F01 M | 2737.0 | 6-22-60 | ▫ | | 5000 |
| 44N/09W-28P01 M | 2711.5 | 7-22-59 | 10.2 | 2701.3 | 5000 |
| | | 8-26-59 | 17.4 | 2694.1 | |
| | | 9-23-59 | 19.2 | 2692.3 | |
| | | 10-28-59 | 24.7 | 2686.8 | |
| | | 11-19-59 | 26.3 | 2685.2 | |
| | | 12-17-59 | 27.2 | 2684.3 | |
| | | 1-28-60 | 27.2 | 2684.3 | |
| | | 2-18-60 | 18.3 | 2693.2 | |
| | | 3-29-60 | 11.7 | 2699.8 | |
| | | 4-27-60 | 10.0 | 2701.5 | |
| | | 5-25-60 | 8.6 | 2702.9 | |
| | | 6-22-60 | 9.0 | 2702.5 | |
| 44N/09W-34G01 M | 2721.8 | 10-06-59 | 15.2 | 2706.6 | 5050 |
| | | 3-29-60 | 14.4 | 2707.4 | 5000 |
| MAD RIVER VALLEY | | | 1-08.00 | | |
| 6N/01E-06H01 H | 153.0 | 7-21-59 | 14.1 | 138.9 | 5000 |
| | | 8-25-59 | 17.3 | 135.7 | |
| | | 9-23-59 | 17.2 | 135.8 | |
| | | 10-27-59 | 17.0 | 136.0 | |
| | | 11-17-59 | 17.4 | 135.6 | |
| | | 12-16-59 | 17.2 | 135.8 | |
| | | 1-27-60 | 10.8 | 142.2 | |
| | | 2-17-60 | 4.7 | 148.3 | |
| | | 3-30-60 | 3.4 | 149.6 | |
| | | 4-26-60 | 4.6 | 148.4 | |
| | | 5-24-60 | 3.5 | 149.5 | |
| | | 6-21-60 | 7.3 | 145.7 | |
| 6N/01E-19Q01 H | 21.0 | 10-27-59 | 15.2 | 5.8 | 5001 |
| 6N/01E-29P01 H | 17.0 | 7-21-59 | 14.3 | 2.7 | 5000 |
| | | 8-25-59 | 15.7 | 1.3 | |
| | | 9-23-59 | 13.4 | 3.6 | |
| | | 10-27-59 | 14.0 | 3.0 | |
| | | 11-17-59 | 12.8 | 4.2 | |
| | | 12-16-59 | 13.9 | 3.1 | |
| | | 1-27-60 | 11.0 | 6.0 | |
| | | 2-17-60 | 9.9 | 7.1 | |
| | | 3-30-60 | 9.6 | 7.4 | |
| | | 4-26-60 | 9.5 | 7.5 | |
| | | 5-24-60 | 9.7 | 7.3 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| MAD RIVER VALLEY | | | 1-08.00 | | |
| 6N/01E-29P01 H | 17.0 | 6-21-60 | 10.1 | 6.9 | 5000 |
| EUREKA PLAIN | | | 1-09.00 | | |
| 5N/01E-20001 H | 22.0 | 10-27-59 | FLOW | | 5001 |
| EEL RIVER VALLEY | | | 1-10.00 | | |
| 2N/01W-08B01 H | 29.0 | 8-17-59 | 25.3 | 3.7 | 5001 |
| | | 10-27-59 | 21.6 | 7.4 | |
| 3N/01W-18D01 H | 25.0 | 7-21-59 | 3.4 | 21.6 | 5000 |
| | | 8-25-59 | 3.7 | 21.3 | |
| | | 9-23-59 | 3.9 | 21.1 | |
| | | 10-27-59 | 4.1 | 20.9 | |
| | | 11-17-59 | 4.4 | 20.6 | |
| | | 12-15-59 | 4.5 | 20.5 | |
| | | 1-27-60 | 4.8 | 20.2 | |
| | | 2-17-60 | 4.6 | 20.4 | |
| | | 3-29-60 | 4.2 | 20.8 | |
| | | 4-26-60 | 3.7 | 21.3 | |
| | | 5-24-60 | 3.1 | 21.9 | |
| | | 6-21-60 | 3.2 | 21.8 | |
| 3N/01W-34J01 H | 61.0 | 7-21-59 | 36.0 | 25.0 | 5000 |
| | | 8-25-59 | 36.7 | 24.3 | |
| | | 9-23-59 | 36.7 | 24.3 | |
| | | 10-27-59 | 36.9 | 24.1 | |
| | | 11-17-59 | 37.1 | 23.9 | |
| | | 12-15-59 | 37.0 | 24.0 | |
| | | 1-26-60 | 35.7 | 25.3 | |
| | | 2-16-60 | 32.4 | 28.6 | |
| | | 3-29-60 | 32.6 | 28.4 | |
| | | 4-26-60 | 33.1 | 27.9 | |
| | | 5-24-60 | 33.7 | 27.3 | |
| | | 6-21-60 | 34.2 | 26.8 | |
| 3N/02W-26R01 H | 22.0 | 7-21-59 | ▫ | | 5000 |
| | | 8-25-59 | 14.3* | 7.7 | |
| | | 9-23-59 | 11.7 | 10.3 | |
| | | 10-27-59 | 11.1 | 10.9 | |
| | | 11-17-59 | 11.0 | 11.0 | |
| | | 12-15-59 | 10.8 | 11.2 | |
| | | 1-27-60 | 10.2 | 11.8 | |
| | | 2-17-60 | 4.7 | 17.3 | |
| | | 3-29-60 | 7.6 | 14.4 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| EEL RIVER VALLEY | | | 1-10.00 | | |
| 3N/02W-26R01 H | 22.0 | 4-26-60 | 8.6 | 13.4 | 5000 |
| CONT. | | 5-24-60 | 9.6 | 12.4 | |
| | | 6-21-60 | 9.7 | 12.3 | |
| ROUND VALLEY | | | 1-11.00 | | |
| 22N/12W-04B01 M | 1352.0 | 7-20-59 | 11.2 | 1340.8 | 5000 |
| | | 8-25-59 | 14.0 | 1338.0 | |
| | | 9-22-59 | 15.6 | 1336.4 | |
| | | 10-23-59 | 17.3 | 1334.7 | 5001 |
| | | 10-27-59 | 17.6 | 1334.4 | 5000 |
| | | 11-17-59 | 18.1 | 1333.9 | |
| | | 12-15-59 | 18.7 | 1333.3 | |
| | | 1-26-60 | 16.2 | 1335.8 | |
| | | 2-16-60 | 6.3 | 1345.7 | |
| | | 3-29-60 | 6.6 | 1345.4 | |
| | | 4-26-60 | 6.9 | 1345.1 | |
| | | 5-05-60 | 7.2 | 1344.8 | 5001 |
| | | 5-23-60 | 7.9 | 1344.1 | 5000 |
| | | 6-20-60 | 8.0 | 1344.0 | |
| 22N/12W-18N01 M | 1403.0 | 7-20-59 | ¤ | | 5000 |
| | | 8-25-59 | 32.7 | 1370.3 | |
| | | 9-22-59 | 36.4 | 1366.6 | |
| | | 10-27-59 | 39.0 | 1364.0 | |
| | | 11-17-59 | 40.1 | 1362.9 | |
| | | 12-15-59 | 40.3 | 1362.7 | |
| | | 1-26-60 | 38.4 | 1364.6 | |
| | | 2-16-60 | 9.3 | 1393.7 | |
| | | 3-29-60 | 8.0 | 1395.0 | |
| | | 4-25-60 | 9.9 | 1393.1 | |
| | | 4-26-60 | 10.0 | 1393.0 | 5001 |
| | | 5-23-60 | 12.9 | 1390.1 | 5000 |
| | | 6-20-60 | 22.0* | 1381.0 | |
| 22N/12W-19M01 M | 1410.5 | 10-21-59 | 33.8* | 1376.7 | 5001 |
| | | 4-26-60 | 7.9 | 1402.6 | |
| 22N/13W-01E01 M | 1415.5 | 10-22-59 | 32.3 | 1383.2 | 5001 |
| 23N/12W-31N01 M | 1389.5 | 7-20-59 | .4 | 1389.1 | 5000 |
| | | 8-25-59 | 5.3 | 1384.2 | |
| | | 9-22-59 | 7.1 | 1382.4 | |
| | | 10-22-59 | 8.0 | 1381.5 | 5001 |
| | | 10-27-59 | 8.1 | 1381.4 | 5000 |
| | | 11-17-59 | 8.6 | 1380.9 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| ROUND VALLEY | | | 1-11.00 | | |
| 23N/12W-31N01 M | 1389.5 | 12-15-59 | 9.2 | 1380.3 | 5000 |
| CONT. | | 1-26-60 | 2.8 | 1386.7 | |
| | | 2-16-60 | ¤ | | |
| | | 3-29-60 | ¤ | | |
| | | 4-26-60 | FLOW | | |
| | | 4-27-60 | FLOW | | 5001 |
| | | 5-23-60 | FLOW | | 5000 |
| | | 6-20-60 | FLOW | | |
| LAYTONVILLE VALLEY | | | 1-12.00 | | |
| 21N/14W-30M01 M | 1689.5 | 7-20-59 | 16.1 | 1673.4 | 5000 |
| | | 8-25-59 | 21.5 | 1668.0 | |
| | | 9-22-59 | 18.2 | 1671.3 | |
| | | 10-27-59 | 18.6 | 1670.9 | |
| | | 11-17-59 | 19.8 | 1669.7 | |
| | | 12-15-59 | 18.9 | 1670.6 | |
| | | 1-26-60 | 14.2 | 1675.3 | |
| | | 2-16-60 | 8.6 | 1680.9 | |
| | | 3-29-60 | 7.5 | 1682.0 | |
| | | 4-26-60 | 8.0 | 1681.5 | |
| | | 5-24-60 | 8.8 | 1680.7 | |
| | | 6-21-60 | 11.2 | 1678.3 | |
| 21N/15W-11R02 M | 1645.0 | 9-30-59 | 14.9* | 1630.1 | 5050 |
| | | 3-04-60 | .6 | 1644.4 | |
| 21N/15W-11R03 M | 1661.5 | 7-20-59 | 32.7 | 1628.8 | 5000 |
| | | 8-25-59 | 37.4* | 1624.1 | |
| | | 9-22-59 | 40.3 | 1621.2 | |
| | | 10-27-59 | ¤ | | |
| | | 11-17-59 | ¤ | | |
| 21N/15W-11R04 M | 1666.0 | 12-15-59 | 54.0 | 1612.0 | 5000 |
| | | 1-26-60 | 44.9 | 1621.1 | |
| | | 2-16-60 | 58.4* | 1607.6 | |
| | | 3-29-60 | 38.2* | 1627.8 | |
| | | 4-26-60 | 48.2* | 1617.8 | |
| | | 5-24-60 | ¤ | | |
| | | 6-21-60 | ¤ | | |
| 21N/15W-12M01 M | 1540.5 | 11-17-59 | 17.1 | 1523.4 | 5000 |
| | | 12-15-59 | 16.7 | 1523.8 | |
| | | 1-26-60 | 3.2 | 1537.3 | |
| | | 2-16-60 | 1.3 | 1539.2 | |
| | | 3-29-60 | 1.5 | 1539.0 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| LAYTONVILLE VALLEY | | | 1-12.00 | | |
| 21N/15W-12M01 M CONT. | 1540.5 | 4-26-60 | 1.9 | 1538.6 | 5000 |
| | | 5-24-60 | 1.3 | 1539.2 | |
| | | 6-21-60 | 10.7 | 1529.8 | |
| 21N/15W-24A01 M | 1653.5 | 7-20-59 | 6.7 | 1646.8 | 5000 |
| | | 8-25-59 | 7.7 | 1645.8 | |
| | | 9-22-59 | 6.3 | 1647.2 | |
| | | 10-27-59 | 8.2 | 1645.3 | |
| | | 11-17-59 | 8.1 | 1645.4 | |
| | | 12-15-59 | 9.0 | 1644.5 | |
| | | 1-26-60 | 1.1 | 1652.4 | |
| | | 2-16-60 | 2.5 | 1651.0 | |
| | | 3-29-60 | 1.7 | 1651.8 | |
| | | 4-26-60 | 3.0 | 1650.5 | |
| | | 5-24-60 | .7 | 1652.8 | |
| | | 6-21-60 | 4.8 | 1648.7 | |
| 22N/15W-22E01 M | 1476.5 | 9-30-59 | ▫ | | 5050 |
| | | 3-04-60 | 2.3 | 1474.2 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| LITTLE LAKE VALLEY | | | 1-13.00 | | |
| 18N/13W-07C01 M | 1327.0 | 7-20-59 | ▫ | | 5000 |
| | | 8-24-59 | 21.6 | 1305.4 | |
| | | 9-22-59 | 19.7 | 1307.3 | |
| | | 10-27-59 | 17.6 | 1309.4 | |
| | | 11-17-59 | 17.0 | 1310.0 | |
| | | 12-15-59 | 16.0 | 1311.0 | |
| | | 1-26-60 | ▫ | | |
| | | 2-16-60 | ▫ | | |
| | | 3-28-60 | 9.3 | 1317.7 | |
| | | 4-25-60 | 9.6 | 1317.4 | |
| | | 5-23-60 | ▫ | | |
| | | 6-20-60 | 11.8 | 1315.2 | |
| 18N/13W-08L01 M | 1342.0 | 7-20-59 | 9.9 | 1332.1 | 5000 |
| | | 8-24-59 | 10.9 | 1331.1 | |
| | | 9-22-59 | 11.0 | 1331.0 | |
| | | 10-27-59 | 11.0 | 1331.0 | |
| | | 11-17-59 | 11.1 | 1330.9 | |
| | | 12-15-59 | 11.6 | 1330.4 | |
| | | 1-26-60 | 8.0 | 1334.0 | |
| | | 2-16-60 | 2.4 | 1339.6 | |
| | | 3-28-60 | 2.6 | 1339.4 | |
| | | 4-25-60 | 4.1 | 1337.9 | |
| | | 5-23-60 | 4.7 | 1337.3 | |
| | | 6-20-60 | 5.4 | 1336.6 | |
| 18N/13W-08L02 M | 1339.0 | 9-29-59 | 17.4 | 1321.6 | 5050 |
| | | 3-03-60 | 9.1 | 1329.9 | |
| 18N/13W-17J01 M | 1350.6 | 7-20-59 | 14.8 | 1335.8 | 5000 |
| | | 8-24-59 | 20.7 | 1329.9 | |
| | | 9-22-59 | 21.1 | 1329.5 | |
| | | 9-29-59 | 16.6 | 1334.0 | 5050 |
| | | 10-27-59 | 17.0 | 1333.6 | 5000 |
| | | 11-17-59 | 17.2 | 1333.4 | |
| | | 12-15-59 | 17.0 | 1333.6 | |
| | | 1-26-60 | 16.6 | 1334.0 | |
| | | 2-16-60 | 10.2 | 1340.4 | |
| | | 3-03-60 | 8.9 | 1341.7 | 5050 |
| | | 3-28-60 | 7.4 | 1343.2 | 5000 |
| | | 4-25-60 | 7.7 | 1342.9 | |
| | | 5-23-60 | 8.3 | 1342.3 | |
| | | 6-20-60 | 9.8 | 1340.8 | |
| 18N/13W-18E01 M | 1351.6 | 7-20-59 | 31.2 | 1320.4 | 5000 |
| | | 8-24-59 | 34.3 | 1317.3 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| LITTLE LAKE VALLEY | | | 1-13.00 | | |
| 18N/13W-18E01 M | 1351.6 | 9-22-59 | 33.7 | 1317.9 | 5000 |
| CONT. | | 9-29-59 | 36.9 | 1314.7 | 5050 |
| | | 10-27-59 | 32.8 | 1318.8 | 5000 |
| | | 11-17-59 | 32.5 | 1319.1 | |
| | | 12-15-59 | 33.0 | 1318.6 | |
| | | 1-26-60 | 29.8 | 1321.8 | |
| | | 2-16-60 | 28.8 | 1322.8 | |
| | | 3-03-60 | 28.1 | 1323.5 | 5050 |
| | | 3-28-60 | 27.8 | 1323.8 | 5000 |
| | | 4-25-60 | 27.6 | 1324.0 | |
| | | 5-23-60 | 28.1 | 1323.5 | |
| | | 6-20-60 | 28.3 | 1323.3 | |
| 18N/13W-19B01 M | 1361.5 | 9-29-59 | 63.3 | 1298.2 | 5050 |
| | | 3-03-60 | 35.2 | 1326.3 | |
| POTTER VALLEY | | | 1-14.00 | | |
| 17N/11W-18J01 M | 956.0 | 7-20-59 | 2.2 | 953.8 | 5000 |
| | | 8-24-59 | 1.7 | 954.3 | |
| | | 9-22-59 | 1.2 | 954.8 | |
| | | 10-26-59 | 1.8 | 954.2 | |
| | | 11-16-59 | 1.8 | 954.2 | |
| | | 12-15-59 | 1.7 | 954.3 | |
| | | 1-25-60 | .8 | 955.2 | |
| | | 2-15-60 | .2 | 955.8 | |
| | | 3-28-60 | .5 | 955.5 | |
| | | 4-25-60 | .7 | 955.3 | |
| | | 5-23-60 | 1.0 | 955.0 | |
| | | 6-20-60 | 1.5 | 954.5 | |
| 17N/11W-29P01 M | 941.0 | 7-20-59 | 24.9 | 916.1 | 5000 |
| | | 8-24-59 | 28.5 | 912.5 | |
| | | 9-22-59 | 21.1 | 919.9 | |
| | | 10-26-59 | 22.7 | 918.3 | |
| | | 11-16-59 | 22.6 | 918.4 | |
| | | 12-15-59 | 22.5 | 918.5 | |
| | | 1-25-60 | 22.2 | 918.8 | |
| | | 2-15-60 | 20.2 | 920.8 | |
| | | 3-29-60 | 20.4 | 920.6 | |
| | | 4-25-60 | 21.0 | 920.0 | |
| | | 5-23-60 | 21.4 | 919.6 | |
| | | 6-20-60 | 21.8 | 919.2 | |
| 17N/11W-32J01 M | 896.5 | 7-20-59 | 3.1 | 893.4 | 5000 |
| | | 8-24-59 | 3.9 | 892.6 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| POTTER VALLEY | | | 1-14.00 | | |
| 17N/11W-32J01 M | 896.5 | 9-22-59 | 3.5 | 893.0 | 5000 |
| CONT. | | 10-26-59 | 5.3 | 891.2 | |
| | | 11-16-59 | 6.4* | 890.1 | |
| | | 12-15-59 | 6.7 | 889.8 | |
| | | 1-25-60 | 2.3 | 894.2 | |
| | | 2-15-60 | 1.9 | 894.6 | |
| | | 3-28-60 | 2.5 | 894.0 | |
| | | 4-25-60 | 4.3* | 892.2 | |
| | | 5-23-60 | 2.0 | 894.5 | |
| | | 6-20-60 | 2.9 | 893.6 | |
| UKIAH VALLEY | | | 1-15.00 | | |
| 15N/12W-08L01 M | 666.0 | 7-09-59 | 26.3 | 639.7 | 5000 |
| | | 8-12-59 | 36.1* | 629.9 | |
| | | 9-02-59 | 29.0 | 637.0 | |
| | | 10-10-59 | 30.0 | 636.0 | |
| | | 11-07-59 | 31.5 | 634.5 | |
| | | 12-05-59 | 31.6 | 634.4 | |
| | | 1-09-60 | 31.2* | 634.8 | |
| | | 2-10-60 | 18.7 | 647.3 | |
| | | 3-03-60 | 15.6 | 650.4 | |
| | | 4-06-60 | 15.9 | 650.1 | |
| | | 5-06-60 | 20.3 | 645.7 | |
| | | 6-02-60 | 25.4* | 640.6 | |
| 15N/12W-21M01 M | 590.5 | 7-09-59 | ¤ | | 5000 |
| | | 8-12-59 | ¤ | | |
| | | 9-02-59 | 12.4* | 578.1 | |
| | | 10-10-59 | 31.1* | 559.4 | |
| | | 11-07-59 | 13.6 | 576.9 | |
| | | 12-05-59 | 14.2* | 576.3 | |
| | | 1-09-60 | 13.5* | 577.0 | |
| | | 2-10-60 | .5 | 590.0 | |
| | | 3-03-60 | 2.2 | 588.3 | |
| | | 4-06-60 | 2.1 | 588.4 | |
| | | 5-06-60 | 2.9 | 587.6 | |
| | | 6-02-60 | 3.8 | 586.7 | |
| 15N/12W-35M01 M | 600.0 | 7-09-59 | 7.8 | 592.2 | 5000 |
| | | 8-12-59 | 8.9 | 591.1 | |
| | | 9-02-59 | 23.0* | 577.0 | |
| | | 10-10-59 | 34.2* | 565.8 | |
| | | 11-07-59 | 22.5* | 577.5 | |
| | | 12-05-59 | 34.7* | 565.3 | |
| | | 1-09-60 | 24.8 | 575.2 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| UKIAH VALLEY | | | 1-15.00 | | |
| 15N/12W-35M01 M CONT. | 600.0 | 2-10-60 | 5.6 | 594.4 | 5000 |
| | | 3-03-60 | 5.1 | 594.9 | |
| | | 4-06-60 | 4.8 | 595.2 | |
| | | 5-06-60 | 4.8* | 595.2 | |
| | | 6-02-60 | 8.0* | 592.0 | |
| SANEL VALLEY | | | 1-16.00 | | |
| 13N/11W-18E01 M | 490.5 | 7-09-59 | ▫ | | 5000 |
| | | 8-11-59 | ▫ | | |
| | | 9-02-59 | 12.4* | 478.1 | |
| | | 10-10-59 | 12.4* | 478.1 | |
| | | 11-07-59 | 11.8* | 478.7 | |
| | | 12-05-59 | 8.0* | 482.5 | |
| | | 1-09-60 | 12.2 | 478.3 | |
| | | 2-09-60 | 2.3* | 488.2 | |
| | | 3-03-60 | 9.3 | 481.2 | |
| | | 4-06-60 | 10.2 | 480.3 | |
| | | 5-06-60 | 11.1 | 479.4 | |
| | | 6-02-60 | 11.7* | 478.8 | |
| 13N/11W-19P01 M | 488.5 | 7-09-59 | 16.2 | 472.3 | 5000 |
| | | 8-11-59 | 18.6 | 469.9 | |
| | | 9-02-59 | 19.0 | 469.5 | |
| | | 10-10-59 | 18.9 | 469.6 | |
| | | 11-07-59 | 18.6 | 469.9 | |
| | | 12-05-59 | 18.4 | 470.1 | |
| | | 1-09-60 | 18.9 | 469.6 | |
| | | 2-09-60 | 1.8 | 486.7 | |
| | | 3-03-60 | 9.2 | 479.3 | |
| | | 4-06-60 | 9.0 | 479.5 | |
| | | 5-06-60 | 9.4 | 479.1 | |
| | | 6-02-60 | 9.8 | 478.7 | |
| 13N/11W-20G01 M | 517.0 | 7-09-59 | 11.0 | 506.0 | 5000 |
| | | 8-11-59 | 14.1 | 502.9 | |
| | | 9-02-59 | 14.5 | 502.5 | |
| | | 10-10-59 | 14.3 | 502.7 | |
| | | 11-07-59 | 15.0 | 502.0 | |
| | | 12-05-59 | 18.6 | 498.4 | |
| | | 1-09-60 | 16.2 | 500.8 | |
| | | 2-08-60 | 4.3 | 512.7 | |
| | | 3-03-60 | 5.9 | 511.1 | |
| | | 4-06-60 | 6.3 | 510.7 | |
| | | 5-06-60 | 6.5 | 510.5 | |
| | | 6-02-60 | 6.4 | 510.6 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| ALEXANDER VALLEY | | | 1-17.00 | | |
| 10N/09W-18B01 M | 231.0 | 7-09-59 | ▫ | | 5000 |
| | | 8-11-59 | ▫ | | |
| | | 9-02-59 | 22.4 | 208.6 | |
| | | 10-10-59 | 59.5* | 171.5 | |
| | | 11-07-59 | ▫ | | |
| | | 12-05-59 | 21.4 | 209.6 | |
| | | 1-09-60 | 21.5 | 209.5 | |
| | | 2-09-60 | 11.7 | 219.3 | |
| | | 3-03-60 | 17.3 | 213.7 | |
| | | 4-06-60 | 16.9 | 214.1 | |
| | | 5-05-60 | 18.5 | 212.5 | |
| | | 6-02-60 | ▫ | | |
| 10N/09W-26L02 M | 205.9 | 7-09-59 | 13.6 | 192.3 | 5000 |
| | | 8-11-59 | 18.7* | 187.2 | |
| | | 9-02-59 | 21.6 | 184.3 | |
| | | 10-10-59 | 21.2* | 184.7 | |
| | | 11-07-59 | 23.4* | 182.5 | |
| | | 12-05-59 | 26.4* | 179.5 | |
| | | 1-09-60 | 21.9* | 184.0 | |
| | | 2-09-60 | 6.0 | 199.9 | |
| | | 3-03-60 | 5.5 | 200.4 | |
| | | 4-06-60 | 3.1 | 202.8 | |
| | | 5-05-60 | 3.9 | 202.0 | |
| | | 6-02-60 | 7.0 | 198.9 | |
| 10N/09W-33C01 M | 182.5 | 7-09-59 | 10.7 | 171.8 | 5000 |
| | | 8-11-59 | 10.7 | 171.8 | |
| | | 9-02-59 | 10.4 | 172.1 | |
| | | 10-10-59 | 9.8 | 172.7 | |
| | | 11-07-59 | 10.2 | 172.3 | |
| | | 12-05-59 | 9.9 | 172.6 | |
| | | 1-09-60 | 10.0 | 172.5 | |
| | | 2-09-60 | 3.1 | 179.4 | |
| | | 3-03-60 | 8.0 | 174.5 | |
| | | 4-06-60 | 7.2 | 175.3 | |
| | | 5-05-60 | 8.8 | 173.7 | |
| | | 6-02-60 | 9.4 | 173.1 | |
| 11N/10W-08P01 M | 306.0 | 7-09-59 | 13.2 | 292.8 | 5000 |
| | | 8-11-59 | 13.7* | 292.3 | |
| | | 9-02-59 | 13.1 | 292.9 | |
| | | 10-10-59 | 12.8 | 293.2 | |
| | | 11-07-59 | 12.7 | 293.3 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| ALEXANDER VALLEY | | | 1-17.00 | | |
| 11N/10W-08P01 M | 306.0 | 12-05-59 | 12.4 | 293.6 | 5000 |
| CONT. | | 1-09-60 | 12.8 | 293.2 | |
| | | 2-08-60 | 6.7 | 299.3 | |
| | | 3-03-60 | 9.2 | 296.8 | |
| | | 4-06-60 | 9.7 | 296.3 | |
| | | 5-05-60 | 11.2 | 294.8 | |
| | | 6-02-60 | 12.5* | 293.5 | |
| 11N/10W-17P02 M | 292.5 | 7-09-59 | 9.8 | 282.7 | 5000 |
| | | 8-11-59 | 9.9 | 282.6 | |
| | | 9-02-59 | 10.0 | 282.5 | |
| | | 10-10-59 | 9.6 | 282.9 | |
| | | 11-07-59 | 9.5 | 283.0 | |
| | | 12-05-59 | 8.3 | 284.2 | |
| | | 1-09-60 | 9.5 | 283.0 | |
| | | 2-09-60 | 2.6 | 289.9 | |
| | | 3-03-60 | 7.2 | 285.3 | |
| | | 4-06-60 | 7.2 | 285.3 | |
| | | 5-05-60 | 8.3 | 284.2 | |
| | | 6-02-60 | 8.9 | 283.6 | |
| 11N/10W-19F02 M | 347.5 | 7-09-59 | 11.8 | 335.7 | 5000 |
| | | 8-11-59 | 13.9 | 333.6 | |
| | | 9-02-59 | 14.8 | 332.7 | |
| | | 10-10-59 | 15.1 | 332.4 | |
| | | 11-07-59 | 15.6 | 331.9 | |
| | | 12-05-59 | 15.6 | 331.9 | |
| | | 1-09-60 | 15.0 | 332.5 | |
| | | 2-09-60 | 5.2 | 342.3 | |
| | | 3-03-60 | 5.2 | 342.3 | |
| | | 4-06-60 | 4.8 | 342.7 | |
| | | 5-05-60 | 5.5 | 342.0 | |
| | | 6-02-60 | 6.9 | 340.6 | |
| SANTA ROSA VALLEY | | | 1-18.00 | | |
| SANTA ROSA AREA | | | 1-18.01 | | |
| 6N/07W-30M01 M | 121.5 | 10-01-59 | 26.7 | 94.8 | 5050 |
| | | 3-01-60 | 18.2 | 103.3 | |
| 6N/08W-07P02 M | 96.3 | 7-08-59 | 33.9 | 62.4 | 5000 |
| | | 8-11-59 | 28.6 | 67.7 | |
| | | 9-01-59 | 32.2 | 64.1 | |
| | | 10-10-59 | 32.9 | 63.4 | |
| | | 11-07-59 | 28.9 | 67.4 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| SANTA ROSA AREA | | | 1-18.01 | | |
| 6N/08W-07P02 M | 96.3 | 12-05-59 | 30.6 | 65.7 | 5000 |
| CONT. | | 1-09-60 | 31.0 | 65.3 | |
| | | 2-08-60 | 20.4 | 75.9 | |
| | | 3-02-60 | 18.3 | 78.0 | |
| | | 4-06-60 | 18.8 | 77.5 | |
| | | 5-05-60 | 16.6 | 79.7 | |
| | | 6-01-60 | 41.9* | 54.4 | |
| 6N/08W-13R01 M | 116.2 | 7-08-59 | 22.2 | 94.0 | 5000 |
| | | 8-10-59 | 24.6* | 91.6 | |
| | | 9-01-59 | 26.1* | 90.1 | |
| | | 10-10-59 | 23.5 | 92.7 | |
| | | 11-07-59 | 23.0 | 93.2 | |
| | | 12-05-59 | 22.3 | 93.9 | |
| | | 1-09-60 | 21.6 | 94.6 | |
| | | 2-08-60 | 20.7* | 95.5 | |
| | | 3-02-60 | 17.6 | 98.6 | |
| | | 4-05-60 | 15.3 | 100.9 | |
| | | 5-05-60 | 14.9 | 101.3 | |
| | | 6-01-60 | 19.0* | 97.2 | |
| 6N/08W-15J01 M | 95.0 | 10-01-59 | 7.5 | 87.5 | 5050 |
| | | 3-01-60 | 7.0 | 88.0 | |
| 7N/07W-06R01 M | 276.0 | 10-01-59 | 16.0 | 260.0 | 5050 |
| | | 3-01-60 | 12.0 | 264.0 | |
| 7N/08W-20K01 M | 99.1 | 7-08-59 | □ | | 5000 |
| | | 8-11-59 | 16.8 | 82.3 | |
| | | 9-01-59 | 17.5 | 81.6 | |
| | | 10-10-59 | 15.5 | 83.6 | |
| | | 11-07-59 | 17.5 | 81.6 | |
| | | 12-05-59 | 16.9 | 82.2 | |
| | | 1-09-60 | 16.2 | 82.9 | |
| | | 2-08-60 | □ | | |
| | | 3-02-60 | 11.3 | 87.8 | |
| | | 4-06-60 | 9.0 | 90.1 | |
| | | 5-05-60 | 9.1 | 90.0 | |
| | | 6-01-60 | 10.0 | 89.1 | |
| 7N/08W-31C01 M | 85.0 | 10-01-59 | 27.3 | 57.7 | 5050 |
| | | 2-29-60 | 17.7 | 67.3 | |
| 7N/09W-35D02 M | 136.0 | 10-02-59 | 31.4 | 104.6 | 5050 |
| | | 2-29-60 | 30.2 | 105.8 | |
| 8N/08W-19E01 M | 106.0 | 9-30-59 | 14.7 | 91.3 | 5050 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev., in feet | Date | Dist RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| SANTA ROSA AREA | | | 1-18.01 | | |
| 8N/08W-19E01 M | 106.0 | 2-29-60 | □ | | 5050 |
| 8N/09W-36N01 M | 90.2 | 7-08-59 | 30.2 | 60.0 | 5000 |
| | | 8-11-59 | 29.0 | 61.2 | |
| | | 9-01-59 | 11.6 | 78.6 | |
| | | 10-10-59 | 12.3 | 77.9 | |
| | | 11-07-59 | 12.2 | 78.0 | |
| | | 12-05-59 | 12.9 | 77.3 | |
| | | 1-09-60 | 13.0 | 77.2 | |
| | | 2-09-60 | 9.0 | 81.2 | |
| | | 3-02-60 | 6.2 | 84.0 | |
| | | 4-06-60 | 5.7 | 84.5 | |
| | | 5-05-60 | 6.6 | 83.6 | |
| | | 6-01-60 | 7.4 | 82.8 | |
| HEALDSBURG AREA | | | 1-18.02 | | |
| 8N/09W-03P01 M | 78.0 | 7-08-59 | 7.4 | 70.6 | 5000 |
| | | 8-11-59 | 7.8 | 70.2 | |
| | | 9-02-59 | 8.0 | 70.0 | |
| | | 10-10-59 | 7.9 | 70.1 | |
| | | 11-07-59 | 8.0 | 70.0 | |
| | | 12-05-59 | 7.8 | 70.2 | |
| | | 1-09-60 | 21.4 | 56.6 | |
| | | 2-09-60 | 5.6 | 72.4 | |
| | | 3-03-60 | □ | | |
| | | 4-05-60 | 28.2* | 49.8 | |
| | | 5-05-60 | 17.8* | 60.2 | |
| | | 6-02-60 | 6.8 | 71.2 | |
| 8N/09W-22L01 M | 67.0 | 7-08-59 | □ | | 5000 |
| | | 8-11-59 | 27.1 | 39.9 | |
| | | 9-02-59 | 27.9 | 39.1 | |
| | | 10-10-59 | 37.9* | 29.1 | |
| | | 11-07-59 | 36.4* | 30.6 | |
| | | 12-05-59 | 26.9 | 40.1 | |
| | | 1-09-60 | 26.6 | 40.4 | |
| | | 2-09-60 | 22.0 | 45.0 | |
| | | 3-03-60 | 24.0 | 43.0 | |
| | | 4-06-60 | 23.2 | 43.8 | |
| | | 5-05-60 | 31.1* | 35.9 | |
| | | 6-02-60 | 24.6 | 42.4 | |
| 9N/09W-28N01 M | 91.0 | 7-09-59 | 19.3 | 71.7 | 5000 |
| | | 8-11-59 | 21.3 | 69.7 | |
| | | 9-02-59 | 23.1* | 67.9 | |

| State Well Number | RP Elev., in feet | Date | Dist. R.P to Water Surface. in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| HEALDSBURG AREA | | | 1-18.02 | | |
| 9N/09W-28N01 M CONT. | 91.0 | 10-10-59 | 21.5 | 69.5 | 5000 |
| | | 11-07-59 | 21.9 | 69.1 | |
| | | 12-05-59 | 22.5 | 68.5 | |
| | | 1-09-60 | 16.3 | 74.7 | |
| | | 2-09-60 | 8.6 | 82.4 | |
| | | 3-03-60 | 14.3 | 76.7 | |
| | | 4-06-60 | 14.2 | 76.8 | |
| | | 5-05-60 | 14.8 | 76.2 | |
| | | 6-02-60 | 15.2 | 75.8 | |
| 9N/09W-34N01 M | 87.3 | 7-08-59 | 23.4 | 63.9 | 5000 |
| | | 8-11-59 | 30.5 | 56.8 | |
| | | 9-02-59 | □ | | |
| | | 10-10-59 | 31.6* | 55.7 | |
| | | 11-07-59 | 29.5* | 57.8 | |
| | | 12-05-59 | 23.0 | 64.3 | |
| | | 1-09-60 | 23.0 | 64.3 | |
| | | 2-09-60 | 12.6 | 74.7 | |
| | | 3-03-60 | 20.5 | 66.8 | |
| | | 4-06-60 | 20.2 | 67.1 | |
| | | 5-05-60 | □ | | |
| | | 6-02-60 | □ | | |
| 10N/10W-35001 M | 143.0 | 7-09-59 | 6.1 | 136.9 | 5000 |
| | | 8-11-59 | 6.8 | 136.2 | |
| | | 9-02-59 | 7.4 | 135.6 | |
| | | 10-10-59 | 7.8 | 135.2 | |
| | | 11-07-59 | 7.9 | 135.1 | |
| | | 12-05-59 | 8.2 | 134.8 | |
| | | 1-09-60 | 8.4 | 134.6 | |
| | | 2-09-60 | □ | | |
| | | 3-03-60 | 3.1 | 139.9 | |
| | | 4-06-60 | 3.2 | 139.8 | |
| | | 5-05-60 | 4.0 | 139.0 | |
| | | 6-02-60 | 4.7 | 138.3 | |
| LOWER RUSSIAN RIVER VALLEY | | | 1-98.00 | | |
| 7N/10W-06N1 M | 25.2 | 7-08-59 | 21.2 | 4.0 | 5000 |
| | | 8-11-59 | 21.3 | 3.9 | |
| | | 9-02-59 | 21.2 | 4.0 | |
| | | 10-10-59 | 21.1 | 4.1 | |
| | | 11-07-59 | 20.9 | 4.3 | |
| | | 12-05-59 | 21.4 | 3.8 | |
| | | 1-09-60 | 20.9 | 4.3 | |
| | | 2-08-60 | □ | | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P Elev., in feet | Date | Dist. R P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | 10000 |
| LOWER RUSSIAN RIVER VALLEY | | | 1-98.00 | | |
| 7N/10W-07D01 M CONT. | 25.2 | 3-02-60 | 19.4 | 5.8 | 5000 |
| | | 4-06-60 | 18.8 | 6.4 | |
| | | 5-05-60 | 19.6 | 5.6 | |
| | | 6-02-60 | 20.3 | 4.9 | |
| 7N/11W-14E01 M | 29.2 | 7-08-59 | 23.3 | 5.9 | 5000 |
| | | 8-11-59 | 23.3 | 5.9 | |
| | | 9-02-59 | 23.2 | 6.0 | |
| | | 10-10-59 | 23.0 | 6.2 | |
| | | 11-07-59 | 23.0 | 6.2 | |
| | | 12-05-59 | 19.2 | 10.0 | |
| | | 1-09-60 | 19.9 | 9.3 | |
| | | 2-08-60 | ¤ | | |
| | | 3-02-60 | 21.8 | 7.4 | |
| | | 4-06-60 | 21.2 | 8.0 | |
| | | 5-05-60 | 22.4 | 6.8 | |
| | | 6-02-60 | 22.9 | 6.3 | |
| 7N/11W-16M01 M | 11.5 | 7-08-59 | 14.0 | - 2.5 | 5000 |
| | | 8-11-59 | 13.9 | - 2.4 | |
| | | 9-02-59 | 13.7 | - 2.2 | |
| | | 10-10-59 | 13.3 | - 1.8 | |
| | | 11-07-59 | 13.3 | - 1.8 | |
| | | 12-05-59 | 8.7 | 2.8 | |
| | | 1-09-60 | 10.0 | 1.5 | |
| | | 2-08-60 | ¤ | | |
| | | 3-02-60 | 13.9 | - 2.4 | |
| | | 4-06-60 | 13.6 | - 2.1 | |
| | | 5-05-60 | 14.7 | - 3.2 | |
| | | 6-02-60 | 13.8 | - 2.3 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| PETALUMA VALLEY | | | 2-01.00 | | |
| 3N/06W-01Q01 M | 3.0 | 10-02-59 | 1.9 | 1.1 | 5050 |
| | | 3-01-60 | 1.7 | 1.3 | |
| 5N/07W-20B02 M | 42.0 | 7-08-59 | 87.2 | - 45.2 | 5000 |
| | | 8-10-59 | 85.0 | - 43.0 | |
| | | 9-01-59 | 87.1 | - 45.1 | |
| | | 10-10-59 | 83.4 | - 41.4 | |
| | | 11-07-59 | 81.9 | - 39.9 | |
| | | 12-05-59 | 84.8 | - 42.8 | |
| | | 1-09-60 | 77.6 | - 35.6 | |
| | | 2-08-60 | 79.8 | - 37.8 | |
| | | 3-02-60 | 77.6 | - 35.6 | |
| | | 4-05-60 | 73.6 | - 31.6 | |
| | | 5-05-60 | 76.1 | - 34.1 | |
| | | 6-01-60 | 76.6 | - 34.6 | |
| 5N/07W-21H01 M | 65.5 | 11-07-59 | 45.6 | 19.9 | 5000 |
| | | 12-05-59 | 46.3 | 19.2 | |
| | | 1-09-60 | 46.7 | 18.8 | |
| | | 2-08-60 | 46.2 | 19.3 | |
| | | 3-02-60 | 42.8 | 22.7 | |
| | | 4-05-60 | 43.1 | 22.4 | |
| | | 5-05-60 | ¤ | | |
| | | 6-01-60 | 42.9 | 22.6 | |
| 5N/07W-26R01 M | 53.9 | 10-01-59 | 28.8 | 25.1 | 5050 |
| | | 11-07-59 | 30.5 | 23.4 | 5000 |
| | | 12-05-59 | 31.0 | 22.9 | |
| | | 1-09-60 | 30.8 | 23.1 | |
| | | 2-08-60 | 29.6 | 24.3 | |
| | | 3-01-60 | 28.4 | 25.5 | 5050 |
| | | 3-02-60 | 28.3 | 25.6 | 5000 |
| | | 4-05-60 | 26.8 | 27.1 | |
| | | 5-05-60 | 27.6 | 26.3 | |
| | | 6-01-60 | 27.1 | 26.8 | |
| 5N/07W-35K01 M | 18.8 | 10-01-59 | 20.0 | - 1.2 | 5050 |
| | | 10-02-59 | 20.0 | - 1.2 | |
| | | 11-07-59 | 21.0 | - 2.2 | 5000 |
| | | 12-05-59 | 20.9 | - 2.1 | |
| | | 1-08-60 | 19.1 | - 0.3 | |
| | | 2-08-60 | 15.3 | 3.5 | |
| | | 3-01-60 | 14.2 | 4.6 | 5050 |
| | | 3-02-60 | 13.9 | 4.9 | 5000 |
| | | 4-05-60 | 11.8 | 7.0 | |
| | | 5-05-60 | 13.5 | 5.3 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev., in feet | Date | Dist RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| PETALUMA VALLEY | | | 2-01.00 | | |
| 5N/07W-35K01 M | 18.8 | 6-01-60 | 16.1* | 2.7 | 5000 |
| NAPA-SONOMA VALLEY | | | 2-02.00 | | |
| NAPA VALLEY | | | 2-02.01 | | |
| 4N/04W-13E01 M | 41.6 | 7-07-59 | 14.3 | 27.3 | 5000 |
| | | 8-10-59 | 14.6 | 27.0 | |
| | | 9-01-59 | 15.3 | 26.3 | |
| | | 10-09-59 | 14.5 | 27.1 | |
| | | 11-06-59 | 14.7 | 26.9 | |
| | | 12-04-59 | 15.2 | 26.4 | |
| | | 1-08-60 | 14.6 | 27.0 | |
| | | 2-08-60 | 14.1 | 27.5 | |
| | | 3-02-60 | 13.7 | 27.9 | |
| | | 4-05-60 | 13.3 | 28.3 | |
| | | 5-04-60 | 13.4 | 28.2 | |
| | | 6-01-60 | 14.0 | 27.6 | |
| 5N/04W-11M01 M | 13.3 | 7-07-59 | 9.5 | 3.8 | 5000 |
| | | 8-10-59 | 9.4 | 3.9 | |
| | | 9-01-59 | 9.7 | 3.6 | |
| | | 10-09-59 | 8.9 | 4.4 | |
| | | 11-06-59 | 8.6 | 4.7 | |
| | | 12-04-59 | 9.5 | 3.8 | |
| | | 1-08-60 | 9.0 | 4.3 | |
| | | 2-08-60 | ▫ | | |
| | | 3-02-60 | 7.9 | 5.4 | |
| | | 4-05-60 | 7.4 | 5.9 | |
| | | 5-04-60 | 7.9 | 5.4 | |
| | | 6-01-60 | 8.7 | 4.6 | |
| 6N/04W-17A01 M | 67.5 | 7-08-59 | 16.3 | 51.2 | 5000 |
| | | 8-10-59 | 17.1 | 50.4 | |
| | | 9-01-59 | 19.6 | 47.9 | |
| | | 10-09-59 | 16.7 | 50.8 | |
| | | 11-06-59 | 16.6 | 50.9 | |
| | | 12-04-59 | 17.9 | 49.6 | |
| | | 1-08-60 | 17.0 | 50.5 | |
| | | 2-08-60 | 14.0 | 53.5 | |
| | | 3-02-60 | 11.3 | 56.2 | |
| | | 4-05-60 | 9.6 | 57.9 | |
| | | 5-04-60 | 9.8 | 57.7 | |
| | | 6-01-60 | 11.5 | 56.0 | |
| 7N/05W-09Q01 M | 155.8 | 9-30-59 | 13.2 | 142.6 | 5050 |

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| NAPA VALLEY | | | 2-02.01 | | |
| 7N/05W-09001 M | 155.8 | 2-29-60 | 4.1 | 151.7 | 5050 |
| 7N/05W-09002 M | 155.5 | 7-08-59 | 21.4 | 134.1 | 5000 |
| | | 8-10-59 | 20.4 | 135.1 | |
| | | 9-01-59 | 17.7 | 137.8 | |
| | | 9-30-59 | 18.0 | 137.5 | 5050 |
| | | 10-09-59 | 16.5 | 139.0 | 5000 |
| | | 11-06-59 | 16.4 | 139.1 | |
| | | 12-04-59 | 15.9 | 139.6 | |
| | | 1-08-60 | 15.0 | 140.5 | |
| | | 2-08-60 | 8.1 | 147.4 | |
| | | 2-29-60 | 6.3 | 149.2 | 5050 |
| | | 3-02-60 | 8.0 | 147.5 | 5000 |
| | | 4-05-60 | 6.9 | 148.6 | |
| | | 5-04-60 | 7.4 | 148.1 | |
| | | 6-01-60 | 18.8* | 136.7 | |
| 7N/05W-09003 M | 155.2 | 9-30-59 | ▫ | | 5050 |
| | | 2-29-60 | 2.0 | 153.2 | |
| 7N/05W-23D02 M | 127.5 | 9-30-59 | 5.8 | 121.7 | 5050 |
| | | 2-29-60 | 1.6 | 125.9 | |
| 8N/06W-10Q01 M | 290.6 | 7-08-59 | 7.5 | 283.1 | 5000 |
| | | 8-10-59 | 9.7 | 280.9 | |
| | | 9-01-59 | 10.5 | 280.1 | |
| | | 10-09-59 | 9.8 | 280.8 | |
| | | 11-06-59 | 11.0 | 279.6 | |
| | | 12-04-59 | 6.3 | 284.3 | |
| | | 1-08-60 | 8.9 | 281.7 | |
| | | 2-08-60 | 1.8 | 288.8 | |
| | | 3-02-60 | 2.4 | 288.2 | |
| | | 4-05-60 | 2.1 | 288.5 | |
| | | 5-04-60 | 2.9 | 287.7 | |
| | | 6-01-60 | 4.3 | 286.3 | |
| SONOMA VALLEY | | | 2-02.02 | | |
| 5N/05W-08Q01 M | 107.5 | 7-08-59 | 16.0 | 91.5 | 5000 |
| | | 8-10-59 | 25.9 | 81.6 | |
| | | 9-01-59 | ▫ | | |
| | | 10-09-59 | 28.8 | 78.7 | |
| | | 11-06-59 | 30.0 | 77.5 | |
| | | 12-04-59 | 29.7 | 77.8 | |
| | | 1-08-60 | 16.3 | 91.2 | |
| | | 2-08-60 | 9.7 | 97.8 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| SONOMA VALLEY | | | 2-02.02 | | |
| 5N/05W-08Q01 M CONT. | 107.5 | 3-02-60 | 10.1 | 97.4 | 5000 |
| | | 4-05-60 | 10.0 | 97.5 | |
| | | 5-04-60 | 12.0 | 95.5 | |
| | | 6-01-60 | 12.6 | 94.9 | |
| 5N/05W-17C01 M | 85.6 | 10-01-59 | 14.9 | 70.7 | 5050 |
| | | 3-01-60 | 12.4 | 73.2 | |
| 5N/05W-28N01 M | 11.4 | 10-01-59 | 17.1 | - 5.7 | 5050 |
| | | 3-01-60 | 16.9 | - 5.5 | |
| 5N/05W-29N01 M | 16.1 | 7-08-59 | 15.5 | 0.6 | 5000 |
| | | 8-10-59 | 14.1* | 2.0 | |
| | | 9-01-59 | 15.9 | 0.2 | |
| | | 10-09-59 | 13.8 | 2.3 | |
| | | 11-06-59 | 14.1 | 2.0 | |
| | | 12-04-59 | 14.1 | 2.0 | |
| | | 1-08-60 | 13.6 | 2.5 | |
| | | 2-08-60 | 10.7 | 5.4 | |
| | | 3-02-60 | 9.9 | 6.2 | |
| | | 4-05-60 | 9.8 | 6.3 | |
| | | 5-04-60 | 10.2 | 5.9 | |
| | | 6-01-60 | 11.3 | 4.8 | |
| 5N/06W-14C01 M | 112.5 | 7-08-59 | 53.9 | 58.6 | 5000 |
| | | 8-10-59 | 56.3 | 56.2 | |
| | | 9-01-59 | 60.2 | 52.3 | |
| | | 10-09-59 | 58.2 | 54.3 | |
| | | 11-06-59 | 59.1 | 53.4 | |
| | | 12-04-59 | 59.6 | 52.9 | |
| | | 1-08-60 | 59.5 | 53.0 | |
| | | 2-08-60 | 57.6 | 54.9 | |
| | | 3-02-60 | 56.6 | 55.9 | |
| | | 4-05-60 | 52.8 | 59.7 | |
| | | 5-04-60 | 50.1 | 62.4 | |
| | | 6-01-60 | 50.2 | 62.3 | |
| SUISUN-FAIRFIELD VALLEY | | | 2-03.00 | | |
| 4N/02W-06A01 M | 37.3 | 10-07-59 | 32.0 | 5.3 | 5050 |
| | | 3-10-60 | 25.4 | 11.9 | 5109 |
| 4N/02W-09A01 M | 7.5 | 10-07-59 | 8.6 | - 1.1 | 5050 |
| | | 3-10-60 | 7.9 | - 0.4 | 5109 |
| 4N/03W-01D01 M | 37.2 | 10-07-59 | 14.0 | 23.2 | 5050 |

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| SUISUN-FAIRFIELD VALLEY | | | 2-03.00 | | |
| 4N/03W-01D01 M | 37.2 | 3-10-60 | 10.2 | 27.0 | 5109 |
| 5N/01E-36A01 M | 24.0 | 10-08-59 | 11.5 | 12.5 | 5050 |
| | | 3-10-60 | 9.1 | 14.9 | 5109 |
| | | 6-27-60 | 14.1* | 9.9 | 5050 |
| 5N/01W-07E01 M | 115.6 | 10-07-59 | ◻ | | 5050 |
| | | 3-10-60 | 13.9 | 101.7 | 5109 |
| 5N/01W-28P01 M | 15.0 | 10-07-59 | 10.1 | 4.9 | 5050 |
| | | 3-10-60 | 8.2 | 6.8 | 5109 |
| 5N/02W-17D02 M | 101.4 | 10-07-59 | 17.8 | 83.6 | 5050 |
| | | 3-10-60 | 9.3 | 92.1 | 5109 |
| 5N/02W-27J02 M | 24.0 | 10-07-59 | 31.9 | - 7.9 | 5050 |
| | | 1-08-60 | 29.3 | - 5.3 | 5000 |
| | | 2-08-60 | 26.0 | - 2.0 | |
| | | 3-02-60 | 30.1 | - 6.1 | |
| | | 3-10-60 | 30.4 | - 6.4 | 5109 |
| | | 4-05-60 | 30.8 | - 6.8 | 5000 |
| | | 5-04-60 | 31.2 | - 7.2 | |
| | | 6-01-60 | 32.0 | - 8.0 | |
| 5N/02W-29R01 M | 46.5 | 7-07-59 | 128.3 | - 81.8 | 5000 |
| | | 8-10-59 | 90.9 | - 44.4 | |
| | | 9-01-59 | 111.5* | - 65.0 | |
| | | 10-09-59 | 91.6 | - 45.1 | |
| | | 11-07-59 | 62.7* | - 16.2 | |
| | | 12-04-59 | 57.4 | - 10.9 | |
| | | 1-08-60 | 54.9 | - 8.4 | |
| | | 2-08-60 | 52.7 | - 6.2 | |
| | | 3-02-60 | 50.9 | - 4.4 | |
| | | 3-10-60 | 50.8 | - 4.3 | 5109 |
| | | 4-05-60 | 49.7 | - 3.2 | 5000 |
| | | 5-04-60 | ◻ | | |
| | | 6-01-60 | ◻ | | |
| 5N/02W-30J01 M | 66.0 | 10-07-59 | 39.5 | 26.5 | 5050 |
| | | 11-06-59 | 40.2 | 25.8 | 5000 |
| | | 12-04-59 | 41.3 | 24.7 | |
| | | 1-08-60 | 42.1 | 23.9 | |
| | | 2-08-60 | 41.2 | 24.8 | |
| | | 3-02-60 | 39.5 | 26.5 | |
| | | 3-10-60 | 39.0 | 27.0 | 5109 |
| | | 4-05-60 | 37.9 | 28.1 | 5000 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| SUISUN-FAIRFIELD VALLEY | | | 2-03.00 | | |
| 5N/02W-30J01 M | 66.0 | 5-04-60 | 36.6 | 29.4 | 5000 |
| CONT. | | 6-01-60 | ▫ | | |
| 5N/03W-26F02 M | 111.6 | 10-07-59 | 15.2 | 96.4 | 5050 |
| | | 3-10-60 | 6.2 | 105.4 | 5109 |
| YGNACIO VALLEY | | | 2-06.00 | | |
| 1N/01W-07K01 M | 83.8 | 7-07-59 | 9.7 | 74.1 | 5050 |
| | | 8-06-59 | 10.3 | 73.5 | |
| | | 9-01-59 | 10.5 | 73.3 | |
| | | 10-02-59 | 9.8 | 74.0 | |
| | | 11-30-59 | 12.5 | 71.3 | |
| | | 12-29-59 | 11.2 | 72.6 | |
| | | 1-25-60 | 8.7 | 75.1 | |
| | | 3-18-60 | 8.0 | 75.8 | |
| | | 3-28-60 | 8.2 | 75.6 | |
| | | 4-27-60 | 8.6 | 75.2 | |
| | | 5-24-60 | ▫ | | |
| | | 6-29-60 | 9.2 | 74.6 | |
| 1N/02W-11N01 M | 63.0 | 10-02-59 | 15.0 | 48.0 | 5050 |
| | | 3-18-60 | 13.0 | 50.0 | |
| 2N/02W-27R01 M | 15.0 | 7-07-59 | ▫ | | 5050 |
| | | 8-06-59 | ▫ | | |
| | | 9-01-59 | 6.2 | 8.8 | |
| | | 10-02-59 | ▫ | | |
| | | 11-30-59 | 9.6 | 5.4 | |
| | | 12-29-59 | ▫ | | |
| | | 1-25-60 | 3.3 | 11.7 | |
| | | 3-18-60 | 2.1 | 12.9 | |
| | | 3-28-60 | 2.4 | 12.6 | |
| | | 4-27-60 | 2.5 | 12.5 | |
| | | 5-24-60 | 2.8 | 12.2 | |
| | | 6-29-60 | 3.2 | 11.8 | |
| 2N/02W-36E01 M | 48.5 | 10-02-59 | 17.2 | 31.3 | 5050 |
| | | 3-18-60 | 16.3 | 32.2 | |
| SANTA CLARA VALLEY | | | 2-09.00 | | |
| SOUTH ALAMEDA COUNTY UPR AQUIFER | | | 2-09.01 | | |
| 3S/02W-08R05 M | 64.0 | 11-12-59 | 30.2 | 33.8 | 5100 |
| | | 3-23-60 | 28.9 | 35.1 | |

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| SOUTH ALAMEDA COUNTY UPR AQUIFER | | | 2-09.01 | | |
| 3S/03W-24Q02 M | 9.0 | 11-23-59 | 11.3 | - 2.3 | 5100 |
| | | 3-23-60 | 9.8 | - 0.8 | |
| 4S/01W-22P05 M | 81.0 | 11-10-59 | 49.3 | 31.7 | 5100 |
| | | 3-25-60 | 43.0 | 38.0 | |
| 4S/01W-29C04 M | 54.9 | 7-24-59 | 88.8 | - 33.9 | 5500 |
| | | 8-21-59 | 92.0 | - 37.1 | |
| | | 9-18-59 | 92.2 | - 37.3 | |
| | | 10-22-59 | 93.0 | - 38.1 | |
| | | 11-20-59 | 92.8 | - 37.9 | |
| | | 12-18-59 | 91.5 | - 36.6 | |
| | | 1-22-60 | 89.7 | - 34.8 | |
| | | 2-19-60 | 82.0 | - 27.1 | |
| | | 3-18-60 | 79.0 | - 24.1 | |
| | | 4-22-60 | 85.3 | - 30.4 | |
| | | 5-20-60 | 88.0 | - 33.1 | |
| | | 6-17-60 | 91.8 | - 36.9 | |
| 4S/02W-24Q02 M | 31.4 | 11-18-59 | 66.1 | - 34.7 | 5100 |
| | | 3-29-60 | 61.4 | - 30.0 | |
| 5S/01W-09Q01 M | 20.0 | 11-13-59 | 36.8 | - 16.8 | 5100 |
| | | 3-24-60 | 39.6 | - 19.6 | |
| SOUTH ALAMEDA COUNTY LWR AQUIFER | | | 2-09.01 | | |
| 2S/03W-36R01 M | 43.0 | 11-23-59 | 77.6 | - 34.6 | 5050 |
| | | 3-23-60 | ▫ | | |
| | | 4-27-60 | 86.5 | - 43.5 | |
| | | 5-24-60 | 85.6 | - 42.6 | |
| | | 6-29-60 | ▫ | | |
| 3S/02W-07D01 M | 33.0 | 11-20-59 | 69.6 | - 36.6 | 5100 |
| | | 3-22-60 | 59.0 | - 26.0 | |
| 3S/02W-19A02 M | 31.0 | 11-16-59 | 29.9 | 1.1 | 5100 |
| | | 3-21-60 | 21.3 | 9.7 | |
| | | 5-27-60 | ▫ | | 5050 |
| | | 6-29-60 | 22.5 | 8.5 | |
| 3S/03W-24J01 M | 12.0 | 11-23-59 | 101.4 | - 89.4 | 5100 |
| | | 3-23-60 | 81.3 | - 69.3 | |
| 4S/01W-18G01 M | 41.7 | 7-24-59 | 79.5 | - 37.8 | 5500 |
| | | 8-21-59 | 83.0 | - 41.3 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist. R P to Water Surface, in feet | | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | | 20000 |
| SOUTH ALAMEDA COUNTY LWR AQUIFER | | 2-09.01 | | | | |
| 4S/01W-18G01 M CONT. | 41.7 | 8-28-59 | 83.4 | - | 41.7 | 5500 |
| | | 9-18-59 | 83.5 | - | 41.8 | |
| | | 9-25-59 | 82.7 | - | 41.0 | |
| | | 10-22-59 | 83.6 | - | 41.9 | |
| | | 10-30-59 | 84.0 | - | 42.3 | |
| | | 11-20-59 | 83.0 | - | 41.3 | |
| | | 11-27-59 | 83.0 | - | 41.3 | |
| | | 12-18-59 | 81.4 | - | 39.7 | |
| | | 12-30-59 | 81.0 | - | 39.3 | |
| | | 1-22-60 | 80.0 | - | 38.3 | |
| | | 1-29-60 | 79.8 | - | 38.1 | |
| | | 2-19-60 | 77.2 | - | 35.5 | |
| | | 2-26-60 | 75.4 | - | 33.7 | |
| | | 3-18-60 | 72.9 | - | 31.2 | |
| | | 3-25-60 | 73.3 | - | 31.6 | |
| | | 4-22-60 | 76.1 | - | 34.4 | |
| | | 4-29-60 | 77.2 | - | 35.5 | |
| | | 5-20-60 | 78.0 | - | 36.3 | |
| | | 5-27-60 | 84.9 | - | 43.2 | |
| | | 6-17-60 | 81.7 | - | 40.0 | |
| 4S/02W-02Q01 M | 24.0 | 11-19-59 | 108.2 | - | 84.2 | 5050 |
| | | 3-29-60 | 76.0 | - | 52.0 | |
| 4S/02W-13C02 M | 38.4 | 7-24-59 | 65.0 | - | 26.6 | 5500 |
| | | 8-21-59 | ¤ | | | |
| | | 9-18-59 | 66.9 | - | 28.5 | |
| | | 10-22-59 | 62.3 | - | 23.9 | |
| | | 11-20-59 | 66.9 | - | 28.5 | |
| | | 12-18-59 | 69.6 | - | 31.2 | |
| | | 1-22-60 | 59.2 | - | 20.8 | |
| | | 2-19-60 | 53.9 | - | 15.5 | |
| | | 3-18-60 | 51.1 | - | 12.7 | |
| | | 4-22-60 | 66.1 | - | 27.7 | |
| | | 5-20-60 | 66.2 | - | 27.8 | |
| | | 6-17-60 | ¤ | | | |
| 4S/02W-35R02 M | 17.2 | 7-24-59 | 90.7 | - | 73.5 | 5500 |
| | | 8-21-59 | 91.6 | - | 74.4 | |
| | | 9-18-59 | 86.9 | - | 69.7 | |
| | | 10-22-59 | 82.6 | - | 65.4 | |
| | | 11-20-59 | 74.2 | - | 57.0 | |
| | | 12-18-59 | 72.3 | - | 55.1 | |
| | | 1-22-60 | 61.6 | - | 44.4 | |
| | | 2-19-60 | 56.2 | - | 39.0 | |
| | | 3-18-60 | 56.0 | - | 38.8 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | | 20000 |
| SOUTH ALAMEDA COUNTY LWR AQUIFER | | 2-09.01 | | | | |
| 4S/02W-35R02 M CONT. | 17.2 | 4-22-60 | 75.0 | - | 57.8 | 5500 |
| | | 5-20-60 | 78.7 | - | 61.5 | |
| | | 6-17-60 | 91.8 | - | 74.6 | |
| 4S/02W-36K01 M | 25.0 | 7-24-59 | 99.0 | - | 74.0 | 5500 |
| | | 8-21-59 | 97.8 | - | 72.8 | |
| | | 8-28-59 | 96.8 | - | 71.8 | |
| | | 9-18-59 | 96.7 | - | 71.7 | |
| | | 9-25-59 | 89.0 | - | 64.0 | |
| | | 10-22-59 | 90.9 | - | 65.9 | |
| | | 10-30-59 | 88.3 | - | 63.3 | |
| | | 11-20-59 | 84.1 | - | 59.1 | |
| | | 11-27-59 | 82.0 | - | 57.0 | |
| | | 12-18-59 | 81.9 | - | 56.9 | |
| | | 12-31-59 | 76.9 | - | 51.9 | |
| | | 1-22-60 | 72.1 | - | 47.1 | |
| | | 1-29-60 | 71.0 | - | 46.0 | |
| | | 2-19-60 | 66.0 | - | 41.0 | |
| | | 2-26-60 | 64.7 | - | 39.7 | |
| | | 3-18-60 | 64.5 | - | 39.5 | |
| | | 3-25-60 | 66.8 | - | 41.8 | |
| | | 4-22-60 | 84.6 | - | 59.6 | |
| | | 4-29-60 | 78.2 | - | 53.2 | |
| | | 5-20-60 | 87.6 | - | 62.6 | |
| | | 5-27-60 | 89.0 | - | 64.0 | |
| | | 6-17-60 | 99.6 | - | 74.6 | |
| 5S/01W-02C01 M | 152.9 | 7-24-59 | ¤ | | | 5500 |
| | | 8-21-59 | ¤ | | | |
| | | 8-28-59 | 152.4 | | 0.5 | |
| | | 9-18-59 | ¤ | | | |
| | | 9-25-59 | 140.7 | | 12.2 | |
| | | 10-22-59 | 139.8 | | 13.1 | |
| | | 11-20-59 | 139.8 | | 13.1 | |
| | | 12-18-59 | 139.7 | | 13.2 | |
| | | 12-30-59 | 139.5 | | 13.4 | |
| | | 1-22-60 | ¤ | | | |
| | | 1-29-60 | 138.4 | | 14.5 | |
| | | 2-19-60 | 136.1 | | 16.8 | |
| | | 3-18-60 | 132.9 | | 20.0 | |
| | | 4-22-60 | 146.7 | | 6.2 | |
| | | 5-20-60 | 136.1 | | 16.8 | |
| | | 6-17-60 | 138.4 | | 14.5 | |
| 5S/01W-04F01 M | 42.0 | 7-24-59 | 60.9 | - | 18.9 | 5500 |
| | | 8-21-59 | 62.2 | - | 20.2 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| SOUTH ALAMEDA COUNTY LWR AQUIFER | | 2-09.01 | | | |
| 5S/01W-04F01 M | 42.0 | 8-28-59 | 62.5 | - 20.5 | 5500 |
| CONT. | | 9-18-59 | 63.2 | - 21.2 | |
| | | 10-22-59 | 64.9 | - 22.9 | |
| | | 11-20-59 | 64.4 | - 22.4 | |
| | | 11-27-59 | 64.7 | - 22.7 | |
| | | 12-18-59 | 65.2 | - 23.2 | |
| | | 1-22-60 | 64.9 | - 22.9 | |
| | | 2-19-60 | 65.5 | - 23.5 | |
| | | 3-18-60 | 65.1 | - 23.1 | |
| | | 3-25-60 | 75.0 | - 33.0 | 5100 |
| | | 4-22-60 | 65.0 | - 23.0 | 5500 |
| | | 5-20-60 | 65.4 | - 23.4 | |
| | | 6-17-60 | 65.3 | - 23.3 | |
| 5S/01W-09M01 M | 15.7 | 11-13-59 | 82.8 | - 67.1 | 5100 |
| | | 3-29-60 | 57.0 | - 41.3 | |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 6S/01E-07E01 M | 16.0 | 7-07-59 | 108.0 | - 92.0 | 2400 |
| | | 8-11-59 | 109.7 | - 93.7 | |
| | | 9-11-59 | 106.4 | - 90.4 | |
| | | 10-07-59 | 92.0 | - 76.0 | |
| | | 11-06-59 | 79.9 | - 63.9 | |
| | | 12-10-59 | 67.5 | - 51.5 | |
| | | 1-18-60 | 55.8 | - 39.8 | |
| | | 2-23-60 | 48.4 | - 32.4 | |
| | | 3-21-60 | 60.8 | - 44.8 | |
| | | 3-23-60 | 64.1 | - 48.1 | |
| | | 4-14-60 | 76.3 | - 60.3 | |
| | | 5-18-60 | 98.2 | - 82.2 | |
| | | 6-17-60 | 119.7 | - 103.7 | |
| 6S/01E-21R01 M | 142.0 | 7-07-59 | 211.2 | - 69.2 | 2400 |
| | | 8-11-59 | 213.3 | - 71.3 | |
| | | 9-10-59 | 214.8 | - 72.8 | |
| | | 10-06-59 | 209.0 | - 67.0 | |
| | | 11-05-59 | □ | | |
| | | 12-10-59 | 200.7 | - 58.7 | |
| | | 1-15-60 | 192.0 | - 50.0 | |
| | | 2-23-60 | 172.9 | - 30.9 | |
| | | 3-22-60 | 179.4 | - 37.4 | |
| | | 4-18-60 | 192.6 | - 50.6 | |
| | | 5-17-60 | □ | | |
| | | 6-16-60 | 217.3 | - 75.3 | |
| 6S/01E-23P02 M | 245.0 | 7-06-59 | 188.0 | 57.0 | 2400 |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 6S/01E-23P02 M | 245.0 | 8-10-59 | 162.8 | 82.2 | 2400 |
| CONT. | | 9-10-59 | 164.2 | 80.8 | |
| | | 10-06-59 | 165.7 | 79.3 | |
| | | 11-05-59 | 165.6 | 79.4 | |
| | | 12-09-59 | 165.8 | 79.2 | |
| | | 1-15-60 | 166.4 | 78.6 | |
| | | 2-19-60 | 166.4 | 78.6 | |
| | | 3-21-60 | 163.0 | 82.0 | |
| | | 4-15-60 | 162.8 | 82.2 | |
| | | 5-13-60 | 162.2 | 82.8 | |
| | | 6-15-60 | 164.2 | 80.8 | |
| 6S/01E-30M01 M | 54.5 | 7-08-59 | 121.4 | - 66.9 | 2400 |
| | | 8-11-59 | 124.7 | - 70.2 | |
| | | 9-11-59 | 120.0 | - 65.5 | |
| | | 10-07-59 | 110.8 | - 56.3 | |
| | | 11-06-59 | 98.7 | - 44.2 | |
| | | 12-11-59 | 87.0 | - 32.5 | |
| | | 1-18-60 | 74.9 | - 20.4 | |
| | | 2-20-60 | 68.0 | - 13.5 | |
| | | 3-24-60 | □ | | |
| | | 4-19-60 | 98.6 | - 44.1 | |
| | | 5-18-60 | 111.2 | - 56.7 | |
| | | 6-20-60 | 129.7 | - 75.2 | |
| 6S/01W-10P02 M | 10.0 | 7-23-59 | 134.6 | - 124.6 | 5000 |
| | | 8-10-59 | □ | | |
| | | 9-17-59 | 109.9 | - 99.9 | |
| | | 10-15-59 | 97.3 | - 87.3 | |
| | | 11-12-59 | 76.2 | - 66.2 | |
| | | 12-10-59 | 69.8 | - 59.8 | |
| | | 1-04-60 | 59.1 | - 49.1 | |
| | | 2-29-60 | 46.8 | - 36.8 | |
| | | 3-28-60 | 55.6 | - 45.6 | |
| | | 4-25-60 | 97.8 | - 87.8 | |
| | | 5-23-60 | 86.8 | - 76.8 | |
| | | 6-20-60 | 122.1 | - 112.1 | |
| 6S/01W-19K03 M | 30.0 | 7-09-59 | 139.8 | - 109.8 | 2400 |
| | | 8-12-59 | 138.5 | - 108.5 | |
| | | 9-14-59 | 126.0 | - 96.0 | |
| | | 10-08-59 | 115.9 | - 85.9 | |
| | | 11-09-59 | 110.8 | - 80.8 | |
| | | 12-14-59 | 102.5 | - 72.5 | |
| | | 1-19-60 | 94.2 | - 64.2 | |
| | | 2-24-60 | 89.8 | - 59.8 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| NORTH SANTA CLARA COUNTY | | | 2-09.02 | | |
| 6S/01W-19K03 M CONT. | 30.0 | 3-25-60 | ¤ | | 2400 |
| | | 4-22-60 | ¤ | | |
| | | 5-20-60 | ¤ | | |
| | | 6-21-60 | ¤ | | |
| 6S/01W-23E01 M | 24.0 | 7-23-59 | 139.6 | - 115.6 | 5000 |
| | | 8-10-59 | ¤ | | |
| | | 9-17-59 | 124.5 | - 100.5 | |
| | | 10-15-59 | 108.5 | - 84.5 | |
| | | 10-27-59 | 85.5 | - 61.5 | |
| | | 11-12-59 | 90.3 | - 66.3 | |
| | | 11-25-59 | 67.3 | - 43.3 | |
| | | 12-10-59 | 77.9 | - 53.9 | |
| | | 12-18-59 | 58.3 | - 34.3 | |
| | | 1-04-60 | 67.4 | - 43.4 | |
| | | 2-29-60 | 56.2 | - 32.2 | |
| | | 3-28-60 | 70.7 | - 46.7 | |
| | | 4-25-60 | 108.5 | - 84.5 | |
| | | 5-23-60 | 99.6 | - 75.6 | |
| | | 6-20-60 | 137.4 | - 113.4 | |
| 6S/01W-32Q01 M | 81.0 | 7-09-59 | 173.2 | - 92.2 | 2400 |
| | | 8-13-59 | 175.4 | - 94.4 | |
| | | 9-14-59 | 173.8 | - 92.8 | |
| | | 10-08-59 | 160.9 | - 79.9 | |
| | | 11-10-59 | 154.8 | - 73.8 | |
| | | 12-15-59 | ¤ | | |
| | | 1-19-60 | ¤ | | |
| | | 2-24-60 | ¤ | | |
| | | 3-29-60 | ¤ | | |
| | | 4-25-60 | ¤ | | |
| | | 5-20-60 | ¤ | | |
| | | 6-22-60 | 172.6 | - 91.6 | |
| 6S/02W-16R01 M | 52.5 | 7-10-59 | 140.0 | - 87.5 | 2400 |
| | | 8-13-59 | ¤ | | |
| | | 9-15-59 | 132.2 | - 79.7 | |
| | | 10-09-59 | 124.1 | - 71.6 | |
| | | 11-10-59 | ¤ | | |
| | | 12-15-59 | 119.8 | - 67.3 | |
| | | 1-26-60 | 112.1 | - 59.6 | |
| | | 2-25-60 | 109.7 | - 57.2 | |
| | | 3-31-60 | 119.4 | - 66.9 | |
| | | 4-26-60 | 120.2 | - 67.7 | |
| | | 5-24-60 | 123.5 | - 71.0 | |
| | | 6-23-60 | 136.9 | - 84.4 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| NORTH SANTA CLARA COUNTY | | | 2-09.02 | | |
| 6S/02W-25C01 M | 82.5 | 7-09-59 | 138.2 | - 55.7 | 2400 |
| | | 8-13-59 | 140.0 | - 57.5 | |
| | | 9-14-59 | 138.3 | - 55.8 | |
| | | 10-08-59 | ¤ | | |
| | | 11-09-59 | 138.2 | - 55.7 | |
| | | 12-14-59 | 126.0 | - 43.5 | |
| | | 1-19-60 | 122.8 | - 40.3 | |
| | | 2-24-60 | 117.6 | - 35.1 | |
| | | 3-21-60 | 118.6 | - 36.1 | |
| | | 3-28-60 | 122.2 | - 39.7 | |
| | | 4-22-60 | 128.4 | - 45.9 | |
| | | 5-20-60 | ¤ | | |
| | | 6-21-60 | ¤ | | |
| 6S/02W-35C01 M | 148.0 | 7-09-59 | 230.0 | - 82.0 | 2400 |
| | | 8-13-59 | ¤ | | |
| | | 9-15-59 | 245.8 | - 97.8 | |
| | | 10-08-59 | 237.6 | - 89.6 | |
| | | 11-10-59 | 232.2 | - 84.2 | |
| | | 12-15-59 | 213.5 | - 65.5 | |
| | | 1-19-60 | 202.4 | - 54.4 | |
| | | 2-25-60 | 202.3 | - 54.3 | |
| | | 3-30-60 | ¤ | | |
| | | 4-25-60 | ¤ | | |
| | | 5-23-60 | ¤ | | |
| | | 6-23-60 | 251.7 | - 103.7 | |
| 7S/01E-01K01 M | 181.0 | 7-06-59 | 215.8 | - 34.8 | 2400 |
| | | 8-10-59 | 215.7 | - 34.7 | |
| | | 9-04-59 | 214.8 | - 33.8 | |
| | | 10-05-59 | 198.7 | - 17.7 | |
| | | 11-04-59 | 214.0 | - 33.0 | |
| | | 12-09-59 | 209.2 | - 28.2 | |
| | | 1-13-60 | 203.9 | - 22.9 | |
| | | 2-19-60 | 206.8 | - 25.8 | |
| | | 3-21-60 | 206.1 | - 25.1 | |
| | | 4-14-60 | 210.8 | - 29.8 | |
| | | 5-13-60 | 207.9 | - 26.9 | |
| | | 6-15-60 | 211.5 | - 30.5 | |
| 7S/01E-08L01 M | 89.0 | 7-13-59 | 122.0 | - 33.0 | 2400 |
| | | 8-13-59 | 134.8 | - 45.8 | |
| | | 9-01-59 | 134.8 | - 45.8 | |
| | | 10-14-59 | 126.5 | - 37.5 | |
| | | 11-13-59 | 120.8 | - 31.8 | |
| | | 12-16-59 | 114.7 | - 25.7 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 7S/01E-08L01 M CONT. | 89.0 | 1-14-60 | 109.2 | - 20.2 | 2400 |
| | | 2-17-60 | 97.0 | - 8.0 | |
| | | 3-16-60 | 92.2 | - 3.2 | |
| | | 4-15-60 | 105.2 | - 16.2 | |
| | | 5-17-60 | 110.1 | - 21.1 | |
| | | 6-17-60 | 125.6 | - 36.6 | |
| 7S/01E-09D02 M | 99.0 | 7-13-59 | 148.0 | - 49.0 | 2400 |
| | | 7-23-59 | 148.0 | - 49.0 | 5000 |
| | | 8-10-59 | ▫ | | |
| | | 8-17-59 | 155.0 | - 56.0 | 2400 |
| | | 9-16-59 | 152.0 | - 53.0 | |
| | | 9-17-59 | 161.0 | - 62.0 | 5000 |
| | | 10-15-59 | 142.0 | - 43.0 | |
| | | 10-27-59 | 131.0 | - 32.0 | |
| | | 11-12-59 | 130.5 | - 31.5 | |
| | | 11-13-59 | 146.0 | - 47.0 | 2400 |
| | | 11-25-59 | 118.0 | - 19.0 | 5000 |
| | | 12-10-59 | 135.0 | - 36.0 | |
| | | 12-17-59 | 141.0 | - 42.0 | 2400 |
| | | 12-18-59 | 119.0 | - 20.0 | 5000 |
| | | 1-04-60 | 128.0 | - 29.0 | |
| | | 1-27-60 | 136.0 | - 37.0 | 2400 |
| | | 2-26-60 | 125.0 | - 26.0 | |
| | | 2-29-60 | 111.0 | - 12.0 | 5000 |
| | | 3-28-60 | 119.0 | - 20.0 | |
| | | 3-31-60 | 121.0 | - 22.0 | 2400 |
| | | 4-25-60 | 133.0 | - 34.0 | 5000 |
| | | 4-28-60 | 138.0 | - 39.0 | 2400 |
| | | 5-23-60 | 135.0 | - 36.0 | 5000 |
| | | 6-01-60 | 150.0 | - 51.0 | 2400 |
| | | 6-20-60 | 152.0 | - 53.0 | 5000 |
| 7S/01E-16C05 M | 106.0 | 7-23-59 | 191.6 | - 85.6 | 5000 |
| | | 8-10-59 | ▫ | | |
| | | 9-17-59 | 199.2 | - 93.2 | |
| | | 10-15-59 | 189.6 | - 83.6 | |
| | | 11-12-59 | 173.4 | - 67.4 | |
| | | 12-10-59 | 160.0 | - 54.0 | |
| | | 1-04-60 | 142.2 | - 36.2 | |
| | | 2-29-60 | 134.7 | - 28.7 | |
| | | 3-28-60 | 143.0 | - 37.0 | |
| | | 4-25-60 | 158.2 | - 52.2 | |
| | | 5-23-60 | 176.6 | - 70.6 | |
| | | 6-20-60 | 204.2 | - 98.2 | |
| 7S/01E-31A02 M | 153.4 | 7-31-59 | 140.1 | 13.3 | 2400 |

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 7S/01E-31A02 M CONT. | 153.4 | 8-28-59 | 136.7 | 16.7 | 2400 |
| | | 9-25-59 | 148.7 | 4.7 | |
| | | 10-27-59 | 150.0 | 3.4 | |
| | | 12-01-59 | 154.2 | - 0.8 | |
| | | 1-05-60 | 153.5 | - 0.1 | |
| | | 2-09-60 | 141.0 | 12.4 | |
| | | 3-07-60 | 135.8 | 17.6 | |
| | | 4-05-60 | ▫ | | |
| | | 5-04-60 | 140.6 | 11.8 | |
| | | 6-02-60 | 156.8 | - 3.4 | |
| 7S/01E-31R01 M | 160.0 | 7-31-59 | 118.5 | 41.5 | 2400 |
| | | 8-28-59 | 123.0 | 37.0 | |
| | | 9-28-59 | 110.8 | 49.2 | |
| | | 10-27-59 | 116.0 | 44.0 | |
| | | 12-01-59 | 111.1 | 48.9 | |
| | | 1-05-60 | 109.3 | 50.7 | |
| | | 2-10-60 | 107.3 | 52.7 | |
| | | 3-08-60 | 106.9 | 53.1 | |
| | | 3-28-60 | 101.6 | 58.4 | |
| | | 4-06-60 | 121.4 | 38.6 | |
| | | 5-05-60 | 116.7 | 43.3 | |
| | | 6-02-60 | 136.0 | 24.0 | |
| | | 6-28-60 | 136.0 | 24.0 | |
| 7S/02E-07P01 M | 130.0 | 7-06-59 | 147.2 | - 17.2 | 2400 |
| | | 8-10-59 | 147.4 | - 17.4 | |
| | | 9-10-59 | 146.8 | - 16.8 | |
| | | 10-05-59 | 147.7 | - 17.7 | |
| | | 11-04-59 | 143.0 | - 13.0 | |
| | | 12-09-59 | 137.9 | - 7.9 | |
| | | 1-13-60 | 137.5 | - 7.5 | |
| | | 2-19-60 | 143.0 | - 13.0 | |
| | | 3-21-60 | 137.0 | - 7.0 | |
| | | 3-22-60 | 146.4 | - 16.4 | |
| | | 4-15-60 | 137.5 | - 7.5 | |
| | | 5-13-60 | ▫ | | |
| | | 6-15-60 | 146.9 | - 16.9 | |
| 7S/02E-17H01 M | 350.0 | 7-02-59 | 98.7 | 251.3 | 2400 |
| | | 8-07-59 | ▫ | | |
| | | 9-04-59 | 95.0 | 255.0 | |
| | | 10-05-59 | 94.8 | 255.2 | |
| | | 11-04-59 | 96.1 | 253.9 | |
| | | 12-08-59 | 101.3 | 248.7 | |
| | | 1-13-60 | ▫ | | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| NORTH SANTA CLARA COUNTY | | | 2-09.02 | | |
| 7S/02E-17H01 M CONT. | 350.0 | 2-18-60 | 98.5 | 251.5 | 2400 |
| | | 3-18-60 | 92.9 | 257.1 | |
| | | 4-14-60 | 98.9 | 251.1 | |
| | | 5-12-60 | 99.8 | 250.2 | |
| | | 6-14-60 | ▫ | | |
| 7S/02E-33C01 M | 470.0 | 7-02-59 | ▫ | | 2400 |
| | | 8-07-59 | ▫ | | |
| | | 9-04-59 | ▫ | | |
| | | 10-05-59 | 19.8 | 450.2 | |
| | | 11-04-59 | 20.4 | 449.6 | |
| | | 12-08-59 | 20.3 | 449.7 | |
| | | 1-12-60 | 20.8 | 449.2 | |
| | | 2-18-60 | ▫ | | |
| | | 3-18-60 | 19.4 | 450.6 | |
| | | 4-14-60 | 20.7 | 449.3 | |
| | | 5-12-60 | 19.1 | 450.9 | |
| | | 6-14-60 | 20.5 | 449.5 | |
| 7S/01W-13K01 M | 128.0 | 8-17-59 | 194.0 | - 66.0 | 2400 |
| | | 9-16-59 | 209.0 | - 81.0 | |
| | | 10-15-59 | 215.0 | - 87.0 | |
| | | 11-13-59 | 187.0 | - 59.0 | |
| | | 12-17-59 | 177.0 | - 49.0 | |
| | | 1-27-60 | 169.0 | - 41.0 | |
| | | 2-26-60 | 166.0 | - 38.0 | |
| | | 3-31-60 | 165.0 | - 37.0 | |
| | | 4-28-60 | 184.0 | - 56.0 | |
| | | 6-01-60 | 214.0 | - 86.0 | |
| 7S/01W-13K02 M | 125.0 | 7-23-59 | 145.0 | - 20.0 | 5000 |
| | | 8-10-59 | ▫ | | |
| | | 9-17-59 | 154.4 | - 29.4 | |
| | | 10-15-59 | ▫ | | |
| | | 11-12-59 | 153.4 | - 28.4 | |
| | | 12-10-59 | 151.7 | - 26.7 | |
| | | 1-04-60 | 148.9 | - 23.9 | |
| | | 2-29-60 | 142.1 | - 17.1 | |
| | | 3-28-60 | 142.8 | - 17.8 | |
| | | 4-25-60 | 146.9 | - 21.9 | |
| | | 5-23-60 | 151.0 | - 26.0 | |
| | | 6-20-60 | 158.2 | - 33.2 | |
| 7S/01W-27M01 M | 203.5 | 7-30-59 | 216.4 | - 12.9 | 2400 |
| | | 8-27-59 | 227.0 | - 23.5 | |
| | | 9-25-59 | 220.7 | - 17.2 | |

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| NORTH SANTA CLARA COUNTY | | | 2-09.02 | | |
| 7S/01W-27M01 M CONT. | 203.5 | 10-26-59 | 213.6 | - 10.1 | 2400 |
| | | 11-30-59 | 212.8 | - 9.3 | |
| | | 1-04-60 | 211.9 | - 8.4 | |
| | | 2-09-60 | 220.0 | - 16.5 | |
| | | 3-07-60 | 216.4 | - 12.9 | |
| | | 4-05-60 | 226.7 | - 23.2 | |
| | | 5-02-60 | 228.8 | - 25.3 | |
| | | 6-01-60 | ▫ | | |
| | | 6-27-60 | ▫ | | |
| 7S/01W-35C01 M | 196.0 | 7-30-59 | 187.0 | 9.0 | 2400 |
| | | 8-16-59 | 203.0 | - 7.0 | |
| | | 10-14-59 | 210.0 | - 14.0 | |
| | | 11-12-59 | 219.0 | - 23.0 | |
| | | 2-09-60 | 218.0 | - 22.0 | |
| | | 3-07-60 | 217.0 | - 21.0 | |
| | | 4-07-60 | 208.0 | - 12.0 | |
| | | 5-03-60 | 209.0 | - 13.0 | |
| | | 6-03-60 | 217.0 | - 21.0 | |
| 7S/02W-03Q01 M | 217.5 | 7-13-59 | 335.0 | - 117.5 | 2400 |
| | | 8-14-59 | ▫ | | |
| | | 9-16-59 | 278.0 | - 60.5 | |
| | | 10-15-59 | ▫ | | |
| | | 11-10-59 | ▫ | | |
| | | 12-16-59 | ▫ | | |
| | | 1-26-60 | ▫ | | |
| | | 2-25-60 | 298.0 | - 80.5 | |
| | | 4-07-60 | 322.0 | - 104.5 | |
| | | 5-24-60 | ▫ | | |
| | | 6-06-60 | 342.0 | - 124.5 | |
| 7S/02W-04B01 M | 218.5 | 4-26-60 | 222.8 | - 4.3 | 2400 |
| | | 5-24-60 | 217.6 | 0.9 | |
| | | 6-23-60 | 211.6 | 6.9 | |
| 7S/02W-22A01 M | 340.0 | 7-10-59 | 22.7 | 317.3 | 2400 |
| | | 8-14-59 | 22.3 | 317.7 | |
| | | 9-16-59 | ▫ | | |
| | | 10-14-59 | 24.6 | 315.4 | |
| | | 11-12-59 | 25.9 | 314.1 | |
| | | 12-16-59 | 26.5 | 313.5 | |
| | | 1-26-60 | 28.4 | 311.6 | |
| | | 2-26-60 | 31.1 | 308.9 | |
| | | 3-31-60 | 21.8 | 318.2 | |
| | | 4-27-60 | 22.0 | 318.0 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| NORTH SANTA CLARA COUNTY | | | 2-09.02 | | |
| 7S/02W-22A01 M | 340.0 | 5-25-60 | ▫ | | 2400 |
| CONT. | | 6-24-60 | 20.9 | 319.1 | |
| 8S/01E-07H02 M | 208.0 | 8-03-59 | 83.6 | 124.4 | 2400 |
| | | 8-31-59 | 83.8 | 124.2 | |
| | | 9-28-59 | 85.7 | 122.3 | |
| | | 10-27-59 | 86.6 | 121.4 | |
| | | 12-01-59 | 90.8 | 117.2 | |
| | | 1-06-60 | 88.4 | 119.6 | |
| | | 2-11-60 | 87.6 | 120.4 | |
| | | 3-09-60 | 82.7 | 125.3 | |
| | | 4-06-60 | 100.3 | 107.7 | |
| | | 5-05-60 | 96.4 | 111.6 | |
| | | 6-02-60 | 99.2 | 108.8 | |
| | | 6-29-60 | 101.9 | 106.1 | |
| 8S/01E-13H01 M | 185.6 | 8-03-59 | 21.1 | 164.5 | 2400 |
| | | 8-31-59 | 18.0 | 167.6 | |
| | | 9-29-59 | 13.9 | 171.7 | |
| | | 10-29-59 | 16.2 | 169.4 | |
| | | 12-02-59 | 14.5 | 171.1 | |
| | | 1-07-60 | 12.0 | 173.6 | |
| | | 2-12-60 | 11.0 | 174.6 | |
| | | 3-10-60 | 11.3 | 174.3 | |
| | | 4-08-60 | 16.1 | 169.5 | |
| | | 5-06-60 | 18.2 | 167.4 | |
| | | 6-07-60 | 26.7 | 158.9 | |
| | | 6-30-60 | 25.5 | 160.1 | |
| 8S/01E-21D01 M | 221.5 | 8-03-59 | 13.0 | 208.5 | 2400 |
| | | 8-31-59 | 13.8 | 207.7 | |
| | | 9-28-59 | 13.3 | 208.2 | |
| | | 10-28-59 | 14.6 | 206.9 | |
| | | 12-02-59 | 16.5 | 205.0 | |
| | | 1-06-60 | 16.4 | 205.1 | |
| | | 2-11-60 | 13.8 | 207.7 | |
| | | 3-09-60 | 13.1 | 208.4 | |
| | | 4-07-60 | 11.6 | 209.9 | |
| | | 5-05-60 | 12.6 | 208.9 | |
| | | 6-06-60 | 20.2 | 201.3 | |
| | | 6-29-60 | 18.1 | 203.4 | |
| 8S/02E-20F03 M | 209.8 | 8-04-59 | 19.0 | 190.8 | 2400 |
| | | 9-01-59 | 17.5 | 192.3 | |
| | | 9-29-59 | 16.9 | 192.9 | |
| | | 10-29-59 | 17.8 | 192.0 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| NORTH SANTA CLARA COUNTY | | | 2-09.02 | | |
| 8S/02E-20F03 M | 209.8 | 12-03-59 | ▫ | | 2400 |
| CONT. | | 1-07-60 | 16.6 | 193.2 | |
| | | 2-12-60 | 17.4 | 192.4 | |
| | | 3-11-60 | 18.4 | 191.4 | |
| | | 4-08-60 | 20.2 | 189.6 | |
| | | 5-09-60 | 19.5 | 190.3 | |
| | | 6-07-60 | 20.1 | 189.7 | |
| | | 6-30-60 | 21.9 | 187.9 | |
| 8S/02E-22D01 M | 240.3 | 8-04-59 | 10.3 | 230.0 | 2400 |
| | | 9-01-59 | 10.7 | 229.6 | |
| | | 9-29-59 | 11.0 | 229.3 | |
| | | 10-29-59 | 10.8 | 229.5 | |
| | | 12-03-59 | 13.5 | 226.8 | |
| | | 1-07-60 | 14.4 | 225.9 | |
| | | 2-12-60 | 17.7 | 222.6 | |
| | | 3-11-60 | 13.8 | 226.5 | |
| | | 4-08-60 | 12.9 | 227.4 | |
| | | 5-09-60 | 11.7 | 228.6 | |
| | | 6-07-60 | 13.6 | 226.7 | |
| | | 6-30-60 | 12.7 | 227.6 | |
| 8S/01W-15B01 M | 336.0 | 7-31-59 | 33.3 | 302.7 | 2400 |
| | | 8-28-59 | ▫ | | |
| | | 9-25-59 | 33.9 | 302.1 | |
| | | 10-27-59 | 34.2 | 301.8 | |
| | | 12-01-59 | 35.2 | 300.8 | |
| | | 1-05-60 | 36.7 | 299.3 | |
| | | 2-10-60 | 33.2 | 302.8 | |
| | | 3-08-60 | 32.2 | 303.8 | |
| | | 4-05-60 | 32.7 | 303.3 | |
| | | 5-05-60 | 33.5 | 302.5 | |
| | | 6-03-60 | 33.9 | 302.1 | |
| | | 6-25-60 | 34.3 | 301.7 | |
| 9S/02E-01J01 M | 315.1 | 8-05-59 | 24.5 | 290.6 | 2400 |
| | | 9-02-59 | 23.2 | 291.9 | |
| | | 10-01-59 | 23.8 | 291.3 | |
| | | 11-02-59 | 26.7 | 288.4 | |
| | | 12-04-59 | 27.9 | 287.2 | |
| | | 1-08-60 | 26.6 | 288.5 | |
| | | 2-16-60 | 34.8 | 280.3 | |
| | | 3-15-60 | 29.2 | 285.9 | |
| | | 4-12-60 | ▫ | | |
| | | 5-10-60 | 27.4 | 287.7 | |
| | | 6-09-60 | 36.0 | 279.1 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| NORTH SANTA CLARA COUNTY | | | 2-09.02 | | |
| 9S/02E-01M01 M | 287.5 | 8-04-59 | 20.5 | 267.0 | 2400 |
| | | 9-01-59 | 19.6 | 267.9 | |
| | | 9-30-59 | 18.0 | 269.5 | |
| | | 10-30-59 | 19.2 | 268.3 | |
| | | 12-03-59 | 18.8 | 268.7 | |
| | | 1-07-60 | 18.1 | 269.4 | |
| | | 2-12-60 | 18.8 | 268.7 | |
| | | 3-11-60 | 19.7 | 267.8 | |
| | | 3-22-60 | 163.4 | 124.1 | |
| | | 4-08-60 | 19.2 | 268.3 | |
| | | 5-09-60 | 20.3 | 267.2 | |
| | | 6-08-60 | ▫ | | |
| | | 6-30-60 | 25.4 | 262.1 | |
| LIVERMORE VALLEY | | | 2-10.00 | | |
| 2S/02E-25N01 M | 556.6 | 11-04-59 | 13.3 | 543.3 | 5100 |
| | | 3-15-60 | 12.1 | 544.5 | |
| 2S/01W-26C01 M | 418.5 | 11-06-59 | 47.7 | 370.8 | 5100 |
| | | 3-14-60 | 46.9 | 371.6 | |
| 3S/01E-02E01 M | 362.0 | 11-05-59 | 24.9 | 337.1 | 5100 |
| | | 3-15-60 | 23.8 | 338.2 | |
| 3S/01E-11H01 M | 372.9 | 11-06-59 | 117.3 | 255.6 | 5100 |
| | | 3-16-60 | ▫ | | |
| 3S/01E-18G03 M | 320.0 | 11-04-59 | 77.6 | 242.7 | 5100 |
| | | 3-14-60 | 67.0 | 253.0 | |
| 3S/02E-02R01 M | 562.8 | 11-05-59 | 107.5 | 455.3 | 5100 |
| | | 3-15-60 | 105.0 | 457.8 | |
| 3S/02E-10H01 M | 569.8 | 11-06-59 | 86.3 | 483.5 | 5100 |
| | | 3-15-60 | ▫ | | |
| HALF MOON BAY TERRACE | | | 2-22.00 | | |
| 5S/05W-13P01 M | 40.5 | 10-02-59 | 9.5 | 31.0 | 5050 |
| | | 3-11-60 | 5.2 | 35.3 | |
| 5S/05W-20L01 M | 80.5 | 7-07-59 | ▫ | | 5050 |
| | | 8-06-59 | 21.8 | 58.7 | |
| | | 9-02-59 | ▫ | | |
| | | 10-02-59 | ▫ | | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| HALF MOON BAY TERRACE | | | 2-22.00 | | |
| 5S/05W-20L01 M CONT. | 80.5 | 12-01-59 | 21.5 | 59.0 | 5050 |
| | | 12-29-59 | 20.6 | 59.9 | |
| | | 1-24-60 | 21.0 | 59.5 | |
| | | 3-11-60 | 18.1 | 62.4 | |
| | | 3-29-60 | ▫ | | |
| | | 4-27-60 | 17.6 | 62.9 | |
| | | 5-24-60 | 18.6 | 61.9 | |
| | | 6-29-60 | 21.0 | 59.5 | |
| 5S/05W-29F03 M | 50.5 | 10-02-59 | 25.4 | 25.1 | 5050 |
| | | 3-11-60 | 23.3 | 27.2 | |
| 5S/05W-29N01 M | 46.5 | 7-07-59 | 35.1 | 11.4 | 5050 |
| | | 8-06-59 | ▫ | | |
| | | 9-02-59 | 34.8 | 11.7 | |
| | | 10-02-59 | 35.7 | 10.8 | |
| | | 12-01-59 | 36.8 | 9.7 | |
| | | 12-29-59 | 34.7 | 11.8 | |
| | | 1-24-60 | 32.9 | 13.6 | |
| | | 3-11-60 | 34.4 | 12.1 | |
| | | 3-29-60 | 32.8 | 13.7 | |
| | | 4-27-60 | 33.8 | 12.7 | |
| | | 5-24-60 | 43.1* | 3.4 | |
| | | 6-29-60 | ▫ | | |
| 5S/06W-11Q01 M | 26.0 | 10-02-59 | 10.5 | 15.5 | 5050 |
| | | 3-11-60 | 6.3 | 19.7 | |
| | | 6-29-60 | ▫ | | |
| 6S/05W-08B01 M | 108.0 | 10-02-59 | 63.0 | 45.0 | 5050 |
| | | 3-11-60 | 61.6 | 46.4 | |
| SAN GREGORIO VALLEY | | | 2-24.00 | | |
| 7S/05W-13E01 M | 80.4 | 7-07-59 | 11.4 | 69.0 | 5050 |
| | | 8-06-59 | 12.3 | 68.1 | |
| | | 9-02-59 | 11.9 | 68.5 | |
| | | 9-30-59 | 13.4 | 67.0 | |
| | | 12-01-59 | 15.1 | 65.3 | |
| | | 12-29-59 | 14.0 | 66.4 | |
| | | 1-24-60 | 13.2 | 67.2 | |
| | | 3-11-60 | 11.0 | 69.4 | |
| | | 3-29-60 | 11.3 | 69.1 | |
| | | 4-26-60 | 11.0 | 69.4 | |
| | | 5-24-60 | 11.3 | 69.1 | |
| | | 6-29-60 | 12.7 | 67.7 | |

| State Well Number | R.P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| SAN GREGORIO VALLEY | | | 2-24.00 | | |
| 7S/05W-15C01 M | 80.0 | 7-07-59 | 10.6 | 69.4 | 5050 |
| | | 8-06-59 | ¤ | | |
| | | 9-02-59 | 12.7 | 67.3 | |
| | | 9-30-59 | ¤ | | |
| | | 12-01-59 | 14.1 | 65.9 | |
| | | 12-29-59 | ¤ | | |
| | | 1-24-60 | 13.0 | 67.0 | |
| | | 3-11-60 | 14.4 | 65.6 | |
| | | 3-29-60 | 17.4 | 62.6 | |
| | | 4-26-60 | 14.5 | 65.5 | |
| | | 5-24-60 | 22.9* | 57.1 | |
| | | 6-29-60 | 26.7 | 53.3 | |
| 7S/05W-15E01 M | 76.0 | 9-30-59 | 12.4 | 63.6 | 5050 |
| 7S/05W-15E02 M | 32.5 | 3-11-60 | 16.1 | 16.4 | 5050 |
| 7S/05W-15H02 M | 40.0 | 9-30-59 | 18.4 - | 18.4 | |
| | | 3-11-60 | ¤ | | 5050 |
| | | 6-29-60 | 18.8 - | 18.8 | |
| PESCADERO VALLEY | | | 2-26.00 | | |
| 8S/05W-09H01 M | 20.0 | 7-07-59 | 5.4 | 14.6 | 5050 |
| | | 8-06-59 | ¤ | | |
| | | 9-02-59 | 5.5 | 14.5 | |
| | | 9-30-59 | 6.9 | 13.1 | |
| | | 12-01-59 | 6.2 | 13.8 | |
| | | 12-29-59 | 5.2 | 14.8 | |
| | | 1-24-60 | 5.7 | 14.3 | |
| | | 3-10-60 | 5.0 | 15.0 | |
| | | 3-29-60 | 5.3 | 14.7 | |
| | | 4-26-60 | 5.4 | 14.6 | |
| | | 5-24-60 | 5.8 | 14.2 | |
| | | 6-28-60 | 5.7 | 14.3 | |
| 8S/05W-11M01 M | 45.5 | 3-10-60 | 14.0 | 31.5 | 5050 |
| 8S/05W-11P01 M | 50.5 | 7-07-59 | 10.3 | 40.2 | 5050 |
| | | 8-06-59 | 11.1 | 39.4 | |
| | | 9-02-59 | 11.5 | 39.0 | |
| | | 9-30-59 | 15.2 | 35.3 | |
| | | 12-01-59 | 13.7 | 36.8 | |
| | | 12-29-59 | 14.6 | 35.9 | |
| | | 1-24-60 | 14.4 | 36.1 | |
| | | 3-10-60 | 9.0 | 41.5 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | 20000 |
| PESCADERO VALLEY | | | 2-26.00 | | |
| 8S/05W-11P01 M | 50.5 | 3-29-60 | 9.3 | 41.2 | 5050 |
| CONT. | | 4-26-60 | 8.6 | 41.9 | |
| | | 5-24-60 | 9.5 | 41.0 | |
| | | 6-28-60 | 9.7 | 40.8 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P Elev., in feet | Date | Dist R P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | 30000 |
| SOQUEL VALLEY | | | 3-01.00 | | |
| 11S/01W-09L01 M | 125.0 | 7-07-59 | 64.8 | 60.2 | 5050 |
| | | 8-06-59 | 62.6 | 62.4 | |
| | | 9-02-59 | 61.6 | 63.4 | |
| | | 9-30-59 | 60.6 | 64.4 | |
| | | 12-01-59 | 61.8 | 63.2 | |
| | | 12-28-59 | 62.1 | 62.9 | |
| | | 1-24-60 | 58.9 | 66.1 | |
| | | 3-10-60 | 59.3 | 65.7 | |
| | | 3-29-60 | 62.5 | 62.5 | |
| | | 4-26-60 | 63.7 | 61.3 | |
| | | 5-24-60 | 58.6 | 66.4 | |
| | | 6-28-60 | 58.5 | 66.5 | |
| 11S/01W-15H01 M | 92.2 | 9-30-59 | 47.2 | 45.0 | 5050 |
| | | 3-10-60 | 45.3 | 46.9 | |
| | | 5-24-60 | 54.7 | 37.5 | |
| | | 6-28-60 | 63.3 | 28.9 | |
| 11S/01W-21H01 M | 39.3 | 7-07-59 | 23.6 | 15.7 | 5050 |
| | | 8-06-59 | 24.4 | 14.9 | |
| | | 9-02-59 | 25.6 | 13.7 | |
| | | 9-29-59 | 27.5 | 11.8 | |
| | | 9-30-59 | 27.5 | 11.8 | |
| | | 12-01-59 | ▫ | | |
| WEST SANTA CRUZ TERRACE | | | 3-26.00 | | |
| 11S/02W-22K01 M | 30.8 | 9-29-59 | 51.5 - | 20.7 | 5050 |
| | | 3-10-60 | 63.2 - | 32.4 | |
| PAJARO VALLEY | | | 3-02.00 | | |
| 12S/01E-24G01 M | 9.8 | 7-06-59 | 9.1 | 0.7 | 5050 |
| | | 8-05-59 | ▫ | | |
| | | 9-01-59 | 10.4 - | 0.6 | |
| | | 9-29-59 | 21.2 - | 11.4 | |
| | | 11-04-59 | 19.8 - | 10.0 | |
| | | 12-01-59 | 20.3 - | 10.5 | |
| | | 12-28-59 | 20.0 - | 10.2 | |
| | | 1-24-60 | 16.7 - | 6.9 | |
| | | 3-10-60 | 3.7 | 6.1 | |
| | | 3-29-60 | 6.6 | 3.2 | |
| | | 4-26-60 | 12.5 - | 2.7 | |
| | | 5-24-60 | ▫ | | |
| | | 6-28-60 | 16.4 - | 6.6 | |
| 12S/02E-16J01 M | 21.3 | 7-07-59 | ▫ | | 5050 |

| State Well Number | R P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | 30000 |
| PAJARO VALLEY | | | 3-02.00 | | |
| 12S/02E-16J01 M CONT. | 21.3 | 8-05-59 | ▫ | | 5050 |
| | | 9-01-59 | 17.3 | 4.0 | |
| | | 9-29-59 | 19.6 | 1.7 | |
| | | 12-01-59 | 23.7 - | 2.4 | |
| | | 12-28-59 | 19.1 | 2.2 | |
| | | 1-24-60 | 17.0 | 4.3 | |
| | | 3-10-60 | 11.2 | 10.1 | |
| | | 3-28-60 | 16.0 | 5.3 | |
| | | 4-26-60 | 19.7 | 1.6 | |
| | | 5-24-60 | 23.5 - | 2.2 | |
| | | 6-28-60 | 25.9 - | 4.6 | |
| 12S/02E-17R01 M | 20.2 | 7-07-59 | ▫ | | 5050 |
| | | 8-05-59 | 25.0 - | 4.8 | |
| | | 9-01-59 | 24.0 - | 3.8 | |
| | | 9-29-59 | 17.2 | 3.0 | |
| | | 11-04-59 | 21.1 - | 0.9 | |
| | | 12-01-59 | 25.9 - | 5.7 | |
| | | 12-28-59 | ▫ | | |
| | | 1-24-60 | 9.5 | 10.7 | |
| | | 3-10-60 | 10.9 | 9.3 | |
| | | 3-28-60 | 15.0* | 5.2 | |
| | | 4-26-60 | ▫ | | |
| 12S/02E-31K01 M | 30.0 | 7-07-59 | ▫ | | 5050 |
| | | 8-05-59 | ▫ | | |
| | | 9-01-59 | 38.8 - | 8.8 | |
| | | 9-29-59 | 34.4 - | 4.4 | |
| | | 12-01-59 | 38.2 - | 8.2 | |
| | | 12-02-59 | 29.0 | 1.0 | 2100 |
| | | 12-28-59 | 40.1 - | 10.1 | 5050 |
| | | 1-24-60 | 34.8 - | 4.8 | |
| | | 3-10-60 | 26.0 | 4.0 | |
| | | 3-29-60 | 32.1 - | 2.1 | |
| | | 4-26-60 | ▫ | | |
| | | 5-24-60 | ▫ | | |
| | | 6-28-60 | ▫ | | |
| 13S/02E-05B01 M | 136.4 | 7-07-59 | 137.9 - | 1.5 | 5050 |
| | | 8-05-59 | 138.7 - | 2.3 | |
| | | 9-01-59 | 140.1 - | 3.7 | |
| | | 9-29-59 | 133.7 | 2.7 | |
| | | 11-04-59 | 134.8 | 1.6 | |
| | | 12-01-59 | 137.6 - | 1.2 | |
| | | 12-28-59 | ▫ | | |
| | | 1-24-60 | 135.7 | 0.7 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev., in feet | Date | Dist RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | 30000 |
| PAJARO VALLEY | | | 3-02.00 | | |
| 13S/02E-05B01 M | 136.4 | 3-10-60 | 131.9 | 4.5 | 5050 |
| CONT. | | 3-29-60 | 134.5 | 1.9 | |
| | | 4-26-60 | 134.3 | 2.1 | |
| | | 5-24-60 | 134.9 | 1.5 | |
| | | 6-28-60 | 137.0 | - 0.6 | |
| 13S/02E-06R01 M | 26.4 | 12-10-59 | 26.6 | - 0.2 | 2100 |
| | | 3-28-60 | 23.7 | 2.7 | 5050 |
| GILROY-HOLLISTER VALLEY | | | 3-03.00 | | |
| SOUTH SANTA CLARA COUNTY | | | 3-03.01 | | |
| 9S/03E-27C02 M | 347.3 | 8-05-59 | 64.5 | 282.8 | 2400 |
| | | 9-02-59 | 63.8 | 283.5 | |
| | | 9-30-59 | 63.7 | 283.6 | |
| | | 10-30-59 | 62.9 | 284.4 | |
| | | 12-04-59 | 64.6 | 282.7 | |
| | | 1-08-60 | 61.5 | 285.8 | |
| | | 2-16-60 | 60.0 | 287.3 | |
| | | 3-14-60 | 58.9 | 288.4 | |
| | | 4-11-60 | 63.4 | 283.9 | |
| | | 6-09-60 | 72.5 | 274.8 | |
| | | 6-10-60 | 64.2 | 283.1 | |
| 9S/03E-29B01 M | 398.0 | 10-01-59 | 9.8 | 388.2 | 5050 |
| | | 3-09-60 | 10.8 | 387.2 | |
| 10S/03E-13R01 M | 246.0 | 7-00-59 | 44.3 | 201.7 | 5400 |
| | | 10-00-59 | 40.3 | 205.7 | |
| | | 3-10-60 | 37.3 | 208.7 | |
| 10S/03E-34L01 M | 250.0 | 7-07-59 | ▫ | | 5050 |
| | | 8-04-59 | 8.8 | 241.2 | |
| | | 9-01-59 | 8.6 | 241.4 | |
| | | 10-01-59 | 10.3 | 239.7 | |
| | | 11-30-59 | 12.6 | 237.4 | |
| | | 12-28-59 | 12.5 | 237.5 | |
| | | 1-29-60 | 12.3 | 237.7 | |
| | | 3-09-60 | 9.2 | 240.8 | |
| | | 3-28-60 | 9.0 | 241.0 | |
| | | 4-25-60 | ▫ | | |
| | | 5-23-60 | ▫ | | |
| | | 6-27-60 | 8.7 | 241.3 | |

| State Well Number | RP Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | 30000 |
| SOUTH SANTA CLARA COUNTY | | | 3-03.01 | | |
| 10S/04E-18G02 M | 261.1 | 7-06-59 | 62.4 | 198.7 | 5050 |
| | | 8-04-59 | 58.2 | 202.9 | |
| | | 9-01-59 | 59.3 | 201.8 | |
| | | 10-01-59 | 56.2 | 204.9 | |
| | | 11-30-59 | 63.9 | 197.2 | |
| | | 12-28-59 | 61.9 | 199.2 | |
| | | 1-29-60 | 61.2 | 199.9 | |
| | | 3-09-60 | 52.3 | 208.8 | |
| | | 3-28-60 | 54.3 | 206.8 | |
| | | 4-25-60 | 56.3 | 204.8 | |
| | | 5-23-60 | ▫ | | |
| | | 6-27-60 | 68.5* | 192.6 | |
| 10S/04E-35E01 M | 248.0 | 10-01-59 | ▫ | | 5050 |
| | | 3-09-60 | 78.2 | 169.8 | |
| 11S/03E-01B01 M | 227.3 | 10-01-59 | ▫ | | 5400 |
| | | 3-10-60 | 43.0 | 184.3 | |
| 11S/04E-22M01 M | 153.0 | 10-00-59 | 7.0 | 146.0 | 5400 |
| | | 3-10-60 | ▫ | | |
| SAN BENITO COUNTY | | | 3-03.02 | | |
| 11S/05E-13D01 M | 256.3 | 7-06-59 | 21.6 | 234.7 | 5050 |
| | | 8-04-59 | 22.5 | 233.8 | |
| | | 9-01-59 | 23.1 | 233.2 | |
| | | 10-00-59 | ▫ | | |
| | | 11-30-59 | 26.3 | 230.0 | |
| | | 12-28-59 | 27.9 | 228.4 | |
| | | 1-29-60 | 26.6 | 229.7 | |
| | | 3-11-60 | 27.6 | 228.7 | |
| | | 3-28-60 | 23.4 | 232.9 | |
| | | 4-25-60 | ▫ | | |
| | | 5-23-60 | 32.1 | 224.2 | |
| | | 6-27-60 | ▫ | | |
| 12S/05E-12F01 M | 217.3 | 7-06-59 | 67.5 | 149.8 | 5050 |
| | | 8-04-59 | 68.2 | 149.1 | |
| | | 9-01-59 | 68.5 | 148.8 | |
| | | 10-00-59 | ▫ | | |
| | | 11-30-59 | 73.8 | 143.5 | |
| | | 12-28-59 | 70.1 | 147.2 | |
| | | 1-29-60 | 68.0 | 149.3 | |
| | | 3-11-60 | 65.8 | 151.5 | |
| | | 3-28-60 | 66.9 | 150.4 | |
| | | 4-25-60 | 66.8 | 150.5 | |
| | | 5-23-60 | 75.0 | 142.3 | |
| | | 6-27-60 | 83.8 | 133.5 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist R P to Water Surface, in feet | | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | | 30000 |
| SAN BENITO COUNTY | | | 3-03.02 | | | |
| 12S/05E-33A01 M | 280.0 | 7-06-59 | ¤ | | | 5050 |
| | | 8-04-59 | 62.1 | | 217.9 | |
| | | 9-01-59 | 70.3 | | 209.7 | |
| | | 10-00-59 | ¤ | | | |
| | | 11-30-59 | 73.9 | | 206.1 | |
| | | 12-28-59 | 74.8 | | 205.2 | |
| | | 1-29-60 | 70.9 | | 209.1 | |
| | | 3-11-60 | 68.0 | | 212.0 | |
| | | 3-28-60 | 67.6 | | 212.4 | |
| | | 4-25-60 | ¤ | | | |
| | | 5-23-60 | ¤ | | | |
| | | 6-27-60 | ¤ | | | |
| SALINAS VALLEY | | | 3-04.00 | | | |
| PRESSURE AREA 180 FOOT AQUIFER | | | 3-04.01 | | | |
| 14S/02E-03C01 M | 11.2 | 8-00-59 | 27.0 | - | 15.8 | 2100 |
| | | 12-09-59 | 16.2 | - | 5.0 | |
| | | 3-18-60 | 9.4 | | 1.8 | |
| 14S/02E-15L01 M | 24.0 | 8-00-59 | 39.0 | - | 15.0 | 2100 |
| | | 11-23-59 | 23.5 | | 0.5 | |
| | | 3-24-60 | 20.4 | | 3.6 | |
| 15S/02E-01Q01 M | 43.3 | 7-15-59 | ¤ | | | 2100 |
| | | 8-00-59 | 55.8 | - | 12.5 | |
| | | 9-00-59 | 42.0 | | 1.3 | |
| | | 10-20-59 | 39.5 | | 3.8 | |
| | | 11-20-59 | 36.4 | | 6.9 | |
| | | 12-01-59 | 36.4 | | 6.9 | |
| | | 12-18-59 | 33.2 | | 10.1 | |
| | | 1-20-60 | 32.0 | | 11.3 | |
| | | 2-19-60 | 24.5 | | 18.8 | |
| | | 3-24-60 | ¤ | | | |
| | | 4-20-60 | ¤ | | | |
| | | 5-19-60 | ¤ | | | |
| | | 6-15-60 | ¤ | | | |
| 15S/03E-16M01 M | 58.0 | 11-17-59 | 46.6 | | 11.4 | 2100 |
| | | 3-14-60 | 30.0 | | 28.0 | |
| 15S/04E-33A01 M | 125.0 | 11-16-59 | 79.2 | | 45.8 | 2100 |
| | | 3-14-60 | 76.3 | | 48.7 | |
| 16S/04E-11D01 M | 110.0 | 11-13-59 | 46.6 | | 63.4 | 2100 |
| | | 3-11-60 | 43.0 | | 67.0 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | | 30000 |
| PRESSURE AREA 400 FOOT AQUIFER | | | 3-04.01 | | | |
| 13S/02E-31Q01 M | 11.3 | 8-00-59 | ¤ | | | 2100 |
| | | 11-27-59 | 18.7 | - | 7.4 | |
| | | 3-22-60 | 13.7 | - | 2.4 | |
| 14S/03E-18J01 M | 70.0 | 7-15-59 | 89.7 | - | 19.7 | 2100 |
| | | 8-00-59 | 90.5 | - | 20.5 | |
| | | 9-00-59 | 88.0 | - | 18.0 | |
| | | 10-20-59 | 78.0 | - | 8.0 | |
| | | 11-24-59 | 73.6 | - | 3.6 | |
| | | 11-24-59 | 73.6 | - | 3.6 | |
| | | 12-18-59 | 71.0 | - | 1.0 | |
| | | 1-20-60 | 61.6 | | 8.4 | |
| | | 2-18-60 | 59.0 | | 11.0 | |
| | | 3-21-60 | 62.2 | | 7.8 | |
| | | 4-20-60 | 72.5 | - | 2.5 | |
| | | 5-19-60 | 76.0 | - | 6.0 | |
| | | 6-15-60 | 81.0 | - | 11.0 | |
| EAST SIDE AREA | | | 3-04.02 | | | |
| 14S/03E-15K01 M | 120.6 | 7-15-59 | ¤ | | | 2100 |
| | | 8-00-59 | 45.0 | | 75.6 | |
| | | 9-00-59 | 43.5 | | 77.1 | |
| | | 10-20-59 | 45.5 | | 75.1 | |
| | | 11-19-59 | 48.0 | | 72.6 | |
| | | 12-18-59 | 48.0 | | 72.6 | |
| | | 1-20-60 | 47.8 | | 72.8 | |
| | | 2-18-60 | 47.0 | | 73.6 | |
| | | 3-17-60 | 47.7 | | 72.9 | |
| | | 4-20-60 | ¤ | | | |
| | | 5-19-60 | ¤ | | | |
| | | 6-14-60 | ¤ | | | |
| 16S/05E-17R01 M | 181.0 | 11-13-59 | 108.2 | | 72.8 | 2100 |
| | | 3-11-60 | 101.7 | | 79.3 | |
| FOREBAY AREA | | | 3-04.03 | | | |
| 17S/05E-11C01 M | 172.0 | 7-15-59 | ¤ | | | 2100 |
| | | 8-00-59 | 59.6 | | 112.4 | |
| | | 9-00-59 | 56.0 | | 116.0 | |
| | | 10-20-59 | 55.8 | | 116.2 | |
| | | 11-10-59 | 55.3 | | 116.7 | |
| | | 11-12-59 | 55.3 | | 116.7 | |
| | | 12-16-59 | 53.5 | | 118.5 | |
| | | 1-19-60 | 53.1 | | 118.9 | |
| | | 2-17-60 | 52.4 | | 119.6 | |
| | | 3-09-60 | 52.0 | | 120.0 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev in feet | Date | Dist RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | 30000 |
| FOREBAY AREA | | | 3-04.03 | | |
| 18S/07E-18P01 M | 222.0 | 12-07-59 | 34.0 | 188.0 | 2100 |
| | | 3-30-60 | 30.6 | 191.4 | |
| ARROYO SECO CONE | | | 3-04.04 | | |
| 17S/06E-32E01 M | 168.0 | 7-15-59 | ¤ | | 2100 |
| | | 8-00-59 | ¤ | | |
| | | 9-00-59 | ¤ | | |
| | | 10-20-59 | 6.6 | 161.4 | |
| | | 11-06-59 | 6.4 | 161.6 | |
| | | 12-16-59 | 6.0 | 162.0 | |
| | | 1-19-60 | 6.0 | 162.0 | |
| | | 2-17-60 | 4.5 | 163.5 | |
| | | 3-09-60 | ¤ | | |
| | | 4-00-60 | ¤ | | |
| 18S/06E-15M01 M | 277.0 | 11-06-59 | 94.3 | 182.7 | 2100 |
| | | 3-08-60 | 86.7 | 190.3 | |
| 19S/06E-11C01 M | 375.0 | 7-00-59 | ¤ | | 2100 |
| | | 8-00-59 | ¤ | | |
| | | 9-00-59 | ¤ | | |
| | | 10-00-59 | 179.0 | 196.0 | |
| | | 11-05-59 | 178.0 | 197.0 | |
| | | 12-00-59 | 173.2 | 201.8 | |
| | | 1-00-60 | 171.0 | 204.0 | |
| | | 2-00-60 | ¤ | | |
| | | 3-04-60 | 159.5 | 215.5 | |
| | | 4-00-60 | ¤ | | |
| | | 5-00-60 | ¤ | | |
| | | 6-00-60 | ¤ | | |
| UPPER VALLEY AREA | | | 3-04.05 | | |
| 19S/07E-10P01 M | 315.0 | 7-15-59 | ¤ | | 2100 |
| | | 8-00-59 | 90.5 | 224.5 | |
| | | 9-00-59 | ¤ | | |
| | | 10-20-59 | 82.3 | 232.7 | |
| | | 11-04-59 | 82.8 | 232.2 | |
| | | 12-17-59 | 83.5 | 231.5 | |
| | | 1-18-60 | 81.3 | 233.7 | |
| | | 2-17-60 | 80.4 | 234.6 | |
| | | 3-02-60 | 80.4 | 234.6 | |
| | | 4-18-60 | ¤ | | |
| | | 5-17-60 | ¤ | | |
| | | 6-13-60 | 89.7 | 225.3 | |
| 20S/08E-05R01 M | 337.0 | 11-03-59 | 64.8 | 272.2 | 2100 |

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | 30000 |
| UPPER VALLEY AREA | | | 3-04.05 | | |
| 20S/08E-05R01 M | 337.0 | 3-02-60 | 61.5 | 275.5 | 2100 |
| 21S/09E-06K01 M | 344.0 | 11-03-59 | 12.3 | 331.7 | 2100 |
| | | 3-01-60 | ¤ | | |
| | | 3-30-60 | ¤ | | |
| 21S/10E-32N01 M | 400.0 | 11-03-59 | 23.0 | 377.0 | 2100 |
| | | 3-01-60 | 21.5 | 378.5 | |
| 22S/10E-16K01 M | 472.0 | 12-08-59 | 71.6 | 400.4 | 2100 |
| | | 3-01-60 | 67.3 | 404.7 | |
| CARMEL VALLEY | | | 3-07.00 | | |
| 16S/01E-21A01 M | 72.0 | 7-07-59 | ¤ | | 5050 |
| | | 8-05-59 | ¤ | | |
| | | 9-00-59 | ¤ | | |
| | | 9-02-59 | 5.5 | 66.5 | |
| | | 9-29-59 | 13.1 | 58.9 | |
| 16S/01E-25B01 M | 139.5 | 7-07-59 | 13.1 | 126.4 | 5050 |
| | | 8-05-59 | ¤ | | |
| | | 9-02-59 | 12.9 | 126.6 | |
| | | 9-29-59 | 14.2 | 125.3 | |
| | | 11-30-59 | 15.7 | 123.8 | |
| | | 12-28-59 | 15.5 | 124.0 | |
| | | 1-24-60 | 13.6 | 125.9 | |
| | | 2-11-60 | 11.8 | 127.7 | |
| | | 3-11-60 | 11.8 | 127.7 | |
| | | 4-25-60 | ¤ | | |
| | | 5-24-60 | 12.6 | 126.9 | |
| | | 6-27-60 | 12.7 | 126.8 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P Elev., in feet | Date | Dist. R P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| REDDING BASIN | | | 5-06.00 | | |
| 29N/03W-04R01 M | 400.0 | 10-06-59 | 51.2 | 348.8 | 5050 |
| | | 3-09-60 | 50.4 | 349.6 | |
| 29N/04W-30L01 M | 490.0 | 10-06-59 | 49.7 | 440.3 | 5050 |
| | | 3-10-60 | 50.8 | 439.2 | |
| 29N/05W-11A02 M | 512.0 | 7-02-59 | □ | | 5050 |
| | | 8-04-59 | □ | | |
| | | 9-03-59 | 61.5 | 450.5 | |
| | | 10-06-59 | 59.0 | 453.0 | |
| | | 11-30-59 | 52.1 | 459.9 | |
| | | 12-30-59 | 47.6 | 464.4 | |
| | | 1-25-60 | 48.4 | 463.6 | |
| | | 3-10-60 | 47.6 | 464.4 | |
| | | 3-29-60 | 48.5 | 463.5 | |
| | | 5-03-60 | 48.4 | 463.6 | |
| | | 5-24-60 | 52.9 | 459.1 | |
| | | 6-28-60 | □ | | |
| 30N/03W-06J01 M | 404.0 | 10-07-59 | 15.6 | 388.4 | 5050 |
| | | 3-08-60 | 24.1 | 379.9 | |
| 30N/03W-17N03 M | 390.0 | 7-02-59 | 7.3 | 382.7 | 5050 |
| | | 8-04-59 | 6.2 | 383.8 | |
| | | 9-03-59 | 6.6 | 383.4 | |
| | | 10-06-59 | 7.4 | 382.6 | |
| | | 11-30-59 | 8.4 | 381.6 | |
| | | 12-30-59 | 9.6 | 380.4 | |
| | | 1-26-60 | 10.6 | 379.4 | |
| | | 3-08-60 | 8.7 | 381.3 | |
| | | 3-29-60 | 9.3 | 380.7 | |
| | | 5-02-60 | 9.2 | 380.8 | |
| | | 5-24-60 | 8.5 | 381.5 | |
| | | 6-28-60 | 7.2 | 382.8 | |
| 30N/04W-02J02 M | 470.5 | 10-07-59 | 67.1 | 403.4 | 5050 |
| | | 3-08-60 | 80.8 | 389.7 | |
| 30N/04W-06B03 M | 453.0 | 7-02-59 | □ | | 5050 |
| | | 8-03-59 | 48.4 | 404.6 | |
| | | 9-03-59 | 52.4 | 400.6 | |
| | | 10-07-59 | 43.9 | 409.1 | |
| | | 11-30-59 | 48.6 | 404.4 | |
| | | 12-30-59 | 49.6 | 403.4 | |
| | | 1-25-60 | 54.9* | 398.1 | |
| | | 3-09-60 | 47.5 | 405.5 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| REDDING BASIN | | | 5-06.00 | | |
| 30N/04W-06B03 M CONT. | 453.0 | 3-29-60 | 47.4 | 405.6 | 5050 |
| | | 5-02-60 | 53.9 | 399.1 | |
| | | 5-24-60 | 47.5 | 405.5 | |
| | | 6-28-60 | 50.8* | 402.2 | |
| 30N/05W-03Q01 M | 740.0 | 10-07-59 | 101.7 | 638.3 | 5050 |
| | | 3-09-60 | 102.4 | 637.6 | |
| 30N/05W-15R01 M | 760.0 | 10-07-59 | 187.5 | 572.5 | 5050 |
| | | 3-09-60 | 188.6 | 571.4 | |
| 31N/03W-12E01 M | 525.0 | 10-08-59 | 42.0 | 483.0 | 5050 |
| | | 3-07-60 | 40.7 | 484.3 | |
| 31N/03W-18B01 M | 458.0 | 10-08-59 | 41.9 | 416.1 | 5050 |
| | | 3-08-60 | 46.2 | 411.8 | |
| 31N/03W-29N01 M | 417.0 | 7-02-59 | 22.7 | 394.3 | 5050 |
| | | 8-04-59 | 22.8 | 394.2 | |
| | | 9-03-59 | 22.0 | 395.0 | |
| | | 10-08-59 | 22.6 | 394.4 | |
| | | 11-30-59 | 22.3 | 394.7 | |
| | | 12-30-59 | 21.8 | 395.2 | |
| | | 1-26-60 | 21.2 | 395.8 | |
| | | 3-08-60 | 18.7 | 398.3 | |
| | | 3-29-60 | 19.9 | 397.1 | |
| | | 5-02-60 | 20.7 | 396.3 | |
| | | 5-24-60 | 20.7 | 396.3 | |
| | | 6-28-60 | 22.7 | 394.3 | |
| 31N/04W-11C03 M | 517.0 | 10-08-59 | 76.3 | 440.7 | 5050 |
| | | 3-10-60 | 75.5 | 441.5 | |
| 31N/04W-15K01 M | 516.0 | 7-02-59 | 102.2 | 413.8 | 5050 |
| | | 8-04-59 | 101.6 | 414.4 | |
| | | 9-03-59 | 101.9 | 414.1 | |
| | | 10-08-59 | 100.8 | 415.2 | |
| | | 11-30-59 | 100.0 | 416.0 | |
| | | 12-30-59 | 99.1 | 416.9 | |
| | | 1-26-60 | 100.1 | 415.9 | |
| | | 3-09-60 | 99.3 | 416.7 | |
| | | 3-29-60 | 98.8 | 417.2 | |
| | | 5-02-60 | 98.9 | 417.1 | |
| | | 5-24-60 | 104.3 | 411.7 | |
| | | 6-28-60 | 106.5 | 409.5 | |
| 31N/04W-21M01 M | 453.0 | 3-08-60 | 9.1 | 443.9 | 5050 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev. in feet | Date | Dist RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| REDDING BASIN | | | 5-06.00 | | |
| 32N/03W-32E02 M | 535.0 | 10-08-59 | 75.6 | 459.4 | 5050 |
| | | 3-07-60 | 76.5 | 458.5 | |
| 32N/04W-25R01 M | 642.5 | 10-09-59 | 119.3 | 523.2 | 5050 |
| | | 3-08-60 | 108.0 | 534.5 | |
| 32N/04W-34P01 M | 622.0 | 10-09-59 | 164.1 | 457.9 | 5050 |
| | | 3-08-60 | 150.0 | 472.0 | |

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| UPPER LAKE VALLEY | | | 5-13.00 | | |
| 15N/09W-07G01 M | 1346.8 | 7-01-59 | 30.0 | 1316.8 | 5050 |
| | | 8-03-59 | □ | | |
| | | 9-03-59 | 32.0 | 1314.8 | |
| | | 10-01-59 | 14.8 | 1332.0 | |
| | | 12-01-59 | 11.8 | 1335.0 | |
| | | 12-30-59 | 10.7 | 1336.1 | |
| | | 1-26-60 | 9.9 | 1336.9 | |
| | | 3-02-60 | 6.4 | 1340.4 | |
| | | 3-31-60 | 5.8 | 1341.0 | |
| | | 5-04-60 | 6.5 | 1340.3 | |
| | | 5-25-60 | 8.3 | 1338.5 | |
| | | 6-27-60 | 26.0* | 1320.8 | |
| 15N/10W-03D01 M | 1362.2 | 10-02-59 | □ | | 5050 |
| | | 3-02-60 | □ | | |
| 16N/09W-31Q01 M | 1385.5 | 10-01-59 | 11.0 | 1374.5 | 5050 |
| | | 3-02-60 | 7.3 | 1378.2 | |
| SCOTT VALLEY | | | 5-14.00 | | |
| 14N/10W-10Q01 M | 1432.1 | 7-01-59 | 9.7 | 1422.4 | 5050 |
| | | 8-03-59 | 11.8 | 1420.3 | |
| | | 9-03-59 | 10.8 | 1421.3 | |
| | | 10-01-59 | 12.1 | 1420.0 | |
| | | 12-01-59 | 14.2 | 1417.9 | |
| | | 12-30-59 | 14.1 | 1418.0 | |
| | | 1-26-60 | 12.0 | 1420.1 | |
| | | 3-01-60 | 7.4 | 1424.7 | |
| | | 3-31-60 | 6.0 | 1426.1 | |
| | | 5-04-60 | 6.7 | 1425.4 | |
| | | 5-25-60 | 6.9 | 1425.2 | |
| | | 6-22-60 | 9.1 | 1423.0 | |
| 14N/10W-14E02 M | 1442.6 | 10-01-59 | 18.9 | 1423.7 | 5050 |
| | | 3-01-60 | 4.8 | 1437.8 | |
| 14N/10W-14F01 M | 1440.6 | 7-01-59 | 21.6 | 1419.0 | 5050 |
| | | 8-03-59 | 22.0 | 1418.6 | |
| | | 9-03-59 | 17.3 | 1423.3 | |
| | | 10-01-59 | 16.5 | 1424.1 | |
| | | 12-01-59 | 16.2 | 1424.4 | |
| | | 12-30-59 | 16.5 | 1424.1 | |
| | | 1-26-60 | 8.1 | 1432.5 | |
| | | 3-01-60 | 3.0 | 1437.6 | |
| | | 3-31-60 | 2.4 | 1438.2 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P Elev., in feet | Date | Dist R P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SCOTT VALLEY | | | 5-14.00 | | |
| 14N/10W-14F01 M | 1440.6 | 5-04-60 | 2.8 | 1437.8 | 5050 |
| CONT. | | 5-25-60 | 3.6 | 1437.0 | |
| | | 6-22-60 | 15.8 | 1424.8 | |
| 14N/10W-22A01 M | 1464.4 | 10-01-59 | 39.3 | 1425.1 | 5050 |
| | | 3-01-60 | 21.4 | 1443.0 | |
| KELSEYVILLE VALLEY | | | 5-15.00 | | |
| 13N/09W-02C02 M | 1345.7 | 9-30-59 | 23.4 | 1322.3 | 5050 |
| | | 3-03-60 | ¤ | | |
| 13N/09W-14D01 M | 1377.3 | 9-30-59 | ¤ | | 5050 |
| | | 3-03-60 | ¤ | | |
| 13N/09W-20P01 M | 1414.0 | 7-01-59 | 14.7 | 1399.3 | 5050 |
| | | 8-03-59 | 19.0 | 1395.0 | |
| | | 9-03-59 | 17.2 | 1396.8 | |
| | | 9-30-59 | 19.1 | 1394.9 | |
| | | 10-02-59 | 19.1 | 1394.9 | |
| | | 12-01-59 | 14.1 | 1399.9 | |
| | | 12-30-59 | 13.2 | 1400.8 | |
| | | 1-26-60 | 9.2 | 1404.8 | |
| | | 3-02-60 | 6.4 | 1407.6 | |
| | | 3-31-60 | ¤ | | |
| | | 5-04-60 | 6.5 | 1407.5 | |
| | | 5-25-60 | 6.9 | 1407.1 | |
| | | 6-27-60 | 11.2 | 1402.8 | |
| 14N/09W-32M01 M | 1335.9 | 9-30-59 | 15.8 | 1320.1 | 5050 |
| | | 3-03-60 | 8.2 | 1327.7 | |
| 14N/09W-33K01 M | 1337.4 | 7-01-59 | 14.3 | 1323.1 | 5050 |
| | | 8-03-59 | 15.7 | 1321.7 | |
| | | 9-03-59 | 12.0 | 1325.4 | |
| | | 9-30-59 | 14.0 | 1323.4 | |
| | | 12-01-59 | 14.6 | 1322.8 | |
| | | 12-30-59 | 14.0 | 1323.4 | |
| | | 1-26-60 | 12.6 | 1324.8 | |
| | | 3-02-60 | 8.3 | 1329.1 | |
| | | 3-31-60 | 7.1 | 1330.3 | |
| | | 5-04-60 | 7.3 | 1330.1 | |
| | | 5-25-60 | 7.5 | 1329.9 | |
| | | 6-27-60 | 10.9 | 1326.5 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| LONG VALLEY | | | 5-31.00 | | |
| 14N/07W-06F01 M | 1331.0 | 9-29-59 | 24.9 | 1306.1 | 5050 |
| | | 3-01-60 | 10.8 | 1320.2 | |
| HIGH VALLEY | | | 5-16.00 | | |
| 14N/07W-19M01 M | 1730.6 | 10-02-59 | DRY | | 5050 |
| | | 3-01-60 | 20.7 | 1709.9 | |
| 14N/07W-19M02 M | 1730.6 | 11-16-59 | 50.3 | 1680.3 | 5000 |
| | | 12-14-59 | 48.0 | 1682.6 | |
| | | 1-25-60 | 44.9 | 1685.7 | |
| | | 2-15-60 | 42.9 | 1687.7 | |
| | | 3-03-60 | 41.1 | 1689.5 | |
| | | 4-06-60 | 38.4 | 1692.2 | |
| | | 5-06-60 | 37.1 | 1693.5 | |
| | | 6-02-60 | 38.3 | 1692.3 | |
| 14N/08W-24J01 M | 1740.2 | 7-09-59 | ¤ | | 5000 |
| | | 8-12-59 | ¤ | | |
| | | 9-03-59 | ¤ | | |
| | | 10-26-59 | ¤ | | |
| BURNS VALLEY | | | 5-17.00 | | |
| 13N/07W-15Q01 M | 1386.0 | 7-09-59 | 5.4 | 1380.6 | 5000 |
| | | 8-12-59 | 6.9 | 1379.1 | |
| | | 9-03-59 | 4.5 | 1381.5 | |
| | | 10-26-59 | 8.4 | 1377.6 | |
| | | 11-16-59 | 8.5 | 1377.5 | |
| | | 12-14-59 | 8.6 | 1377.4 | |
| | | 1-25-60 | 7.7 | 1378.3 | |
| | | 2-15-60 | 5.0 | 1381.0 | |
| | | 3-03-60 | 4.1 | 1381.9 | |
| | | 4-06-60 | 3.5 | 1382.5 | |
| | | 5-06-60 | 3.8 | 1382.2 | |
| | | 6-02-60 | 4.4 | 1381.6 | |
| 13N/07W-28R01 M | 1330.5 | 9-29-59 | 8.5 | 1322.0 | 5050 |
| | | 3-01-60 | 5.7 | 1324.8 | |
| LOWER LAKE AREA | | | 5-30.00 | | |
| 12N/07W-03J01 M | 1375.4 | 9-29-59 | 16.3 | 1359.1 | 5050 |
| | | 3-01-60 | 13.0 | 1362.4 | |
| 12N/07W-14C02 M | 1390.0 | 7-09-59 | 15.4 | 1374.6 | 5000 |
| | | 8-12-59 | 17.4 | 1372.6 | |
| | | 9-03-59 | 18.2* | 1371.8 | |
| | | 10-26-59 | 18.7 | 1371.3 | |
| | | 11-16-59 | 18.8 | 1371.2 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| LOWER LAKE AREA | | | 5-30.00 | | |
| 12N/07W-14C02 M | 1390.0 | 12-14-59 | 18.8 | 1371.2 | 5000 |
| CONT. | | 1-25-60 | 18.5 | 1371.5 | |
| | | 2-15-60 | 15.2 | 1374.8 | |
| | | 3-03-60 | 15.1 | 1374.9 | |
| | | 4-06-60 | 14.2 | 1375.8 | |
| | | 5-06-60 | 14.5 | 1375.5 | |
| | | 6-02-60 | 14.7 | 1375.3 | |
| COYOTE VALLEY | | | 5-18.00 | | |
| 11N/06W-19G01 M | 960.9 | 7-09-59 | 14.2 | 946.7 | 5000 |
| | | 8-12-59 | 16.1 | 944.8 | |
| | | 9-03-59 | 17.0 | 943.9 | |
| | | 10-26-59 | 13.6 | 947.3 | |
| | | 11-16-59 | 13.3 | 947.6 | |
| | | 12-14-59 | 13.0 | 947.9 | |
| | | 1-25-60 | 10.4 | 950.5 | |
| | | 2-15-60 | 8.5 | 952.4 | |
| | | 3-03-60 | 11.0 | 949.9 | |
| | | 4-06-60 | 11.1 | 949.8 | |
| | | 5-06-60 | 12.0 | 948.9 | |
| | | 6-02-60 | 12.2 | 948.7 | |
| COLLAYOMI VALLEY | | | 5-19.00 | | |
| 10N/07W-01G01 M | 1091.3 | 10-02-59 | 12.0 | 1079.3 | 5050 |
| | | 3-04-60 | 4.8 | 1086.5 | |
| 10N/07W-03A02 M | 1105.5 | 11-16-59 | 26.7 | 1078.8 | 5000 |
| | | 12-14-59 | 24.6 | 1080.9 | |
| | | 1-25-60 | 13.6 | 1091.9 | |
| | | 2-15-60 | 12.5 | 1093.0 | |
| | | 3-03-60 | 14.2 | 1091.3 | |
| | | 4-06-60 | 13.6 | 1091.9 | |
| | | 5-06-60 | 14.2 | 1091.3 | |
| | | 6-02-60 | 14.5 | 1091.0 | |
| 11N/07W-33L01 M | 1130.8 | 7-09-59 | 64.0 | 1066.8 | 5000 |
| | | 8-12-59 | 63.2 | 1067.6 | |
| | | 9-03-59 | 63.0 | 1067.8 | |
| | | 10-26-59 | 63.0 | 1067.8 | |
| | | 11-16-59 | 56.5 | 1074.3 | |
| | | 12-14-59 | ▫ | | |
| | | 1-25-60 | ▫ | | |
| | | 2-15-60 | 7.7* | 1123.1 | |
| | | 3-03-60 | 16.6 | 1114.2 | |

| State Well Number | RP Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| COLLAYOMI VALLEY | | | 5-19.00 | | |
| 11N/07W-33L01 M | 1130.8 | 4-06-60 | 11.1 | 1119.7 | 5000 |
| CONT. | | 5-06-60 | ▫ | | |
| 11N/07W-35E01 M | 1071.0 | 10-02-59 | ▫ | | 5050 |
| | | 3-04-60 | 8.1 | 1062.9 | |
| SACRAMENTO VALLEY | | | 5-21.00 | | |
| TEHAMA COUNTY | | | 5-21.01 | | |
| 23N/02W-22N02 M | 181.0 | 9-28-59 | 36.0 | 145.0 | 5100 |
| | | 3-03-60 | 29.6 | 151.4 | |
| 23N/03W-05G01 M | 277.8 | 9-28-59 | 56.0 | 221.8 | 5100 |
| | | 3-01-60 | 47.8 | 230.0 | |
| 23N/03W-13C02 M | 211.5 | 7-02-59 | 20.1 | 191.4 | 5050 |
| | | 8-04-59 | ▫ | | |
| | | 9-03-59 | 24.9 | 186.6 | |
| | | 10-10-59 | 26.1 | 185.4 | |
| | | 12-01-59 | 26.8 | 184.7 | |
| | | 12-29-59 | 25.0 | 186.5 | |
| | | 1-25-60 | 25.0 | 186.5 | |
| | | 3-01-60 | 19.9 | 191.6 | |
| | | 3-29-60 | 18.4 | 193.1 | |
| | | 5-03-60 | 18.1 | 193.4 | |
| | | 5-24-60 | 20.3 | 191.2 | |
| | | 6-28-60 | 25.7 | 185.8 | |
| 24N/02W-02N01 M | 206.0 | 9-29-59 | 8.3 | 197.7 | 5100 |
| | | 3-10-60 | 8.5 | 197.5 | |
| 24N/02W-28G01 M | 188.4 | 9-29-59 | 30.4 | 158.0 | 5100 |
| | | 3-01-60 | 32.2 | 156.2 | |
| 24N/03W-03N02 M | 286.5 | 7-02-59 | ▫ | | 5050 |
| | | 8-04-59 | 63.2 | 223.3 | |
| | | 9-03-59 | 59.9 | 226.6 | |
| | | 10-01-59 | 55.3 | 231.2 | 5100 |
| | | 12-01-59 | 49.8 | 236.7 | 5050 |
| | | 12-29-59 | 45.5 | 241.0 | |
| | | 1-25-60 | 44.1 | 242.4 | |
| | | 3-07-60 | 38.8 | 247.7 | 5100 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| TEHAMA COUNTY | | | 5-21.01 | | |
| 24N/03W-03N02 M | 286.5 | 3-29-60 | 43.4 | 243.1 | 5050 |
| CONT. | | 5-03-60 | 40.0 | 246.5 | |
| | | 5-24-60 | 43.4 | 243.1 | |
| | | 6-28-60 | 50.9 | 235.6 | |
| 24N/04W-02N01 M | 380.2 | 9-28-59 | 23.4 | 356.8 | 5100 |
| | | 3-07-60 | 14.9 | 365.3 | |
| 25N/01W-31M01 M | 281.5 | 10-01-59 | 55.5 | 226.0 | 5100 |
| | | 3-10-60 | 55.3 | 226.2 | |
| 25N/02W-18D01 M | 214.0 | 10-01-59 | 18.0 | 196.0 | 5100 |
| | | 3-08-60 | 10.0 | 204.0 | |
| 25N/03W-09A01 M | 288.0 | 7-02-59 | □ | | 5050 |
| | | 8-04-59 | 87.8 | 200.2 | |
| | | 9-03-59 | □ | | |
| | | 10-01-59 | 75.1 | 212.9 | 5100 |
| | | 12-01-59 | 57.3 | 230.7 | 5050 |
| | | 12-29-59 | 51.9 | 236.1 | |
| | | 1-25-60 | 50.0 | 238.0 | |
| | | 3-10-60 | 45.2 | 242.8 | 5100 |
| | | 3-29-60 | □ | | 5050 |
| | | 5-03-60 | □ | | |
| 25N/03W-22L01 M | 275.0 | 9-30-59 | 63.3 | 211.7 | 5100 |
| | | 3-08-60 | 37.5 | 237.5 | |
| 26N/02W-14G01 M | 312.0 | 9-29-59 | 80.8 | 231.2 | 5100 |
| | | 3-10-60 | 80.5 | 231.5 | |
| 26N/02W-34K01 M | 300.0 | 9-29-59 | 39.1 | 260.9 | 5100 |
| | | 3-10-60 | 10.5 | 289.5 | |
| 26N/03W-04K01 M | 295.0 | 9-30-59 | 84.8 | 210.2 | 5100 |
| | | 3-08-60 | 66.3 | 228.7 | |
| 26N/03W-21P01 M | 284.5 | 7-02-59 | 80.3 | 204.2 | 5050 |
| | | 8-04-59 | 82.2 | 202.3 | |
| | | 9-03-59 | 73.4 | 211.1 | |
| | | 9-30-59 | 69.5 | 215.0 | 5100 |
| | | 11-30-59 | 59.4 | 225.1 | 5050 |
| | | 12-29-59 | 55.5 | 229.0 | |
| | | 1-25-60 | 53.7 | 230.8 | |
| | | 3-09-60 | 48.9 | 235.6 | 5100 |
| | | 3-29-60 | 51.8 | 232.7 | 5050 |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| TEHAMA COUNTY | | | 5-21.01 | | |
| 26N/03W-21P01 M | 284.5 | 5-03-60 | 55.8 | 228.7 | 5050 |
| CONT. | | 5-24-60 | 59.4 | 225.1 | |
| | | 6-28-60 | 83.0* | 201.5 | |
| 26N/03W-34P01 M | 272.9 | 10-10-59 | 57.9 | 215.0 | 5100 |
| | | 3-08-60 | 40.0 | 232.9 | |
| 27N/02W-29E01 M | 295.0 | 7-02-59 | 59.8 | 235.2 | 5050 |
| | | 8-04-59 | 58.8 | 236.2 | |
| | | 9-03-59 | 57.4 | 237.6 | |
| | | 9-30-59 | 56.0 | 239.0 | 5100 |
| | | 11-30-59 | 54.9 | 240.1 | 5050 |
| | | 12-30-59 | 54.8 | 240.2 | |
| | | 1-25-60 | 54.5 | 240.5 | |
| | | 3-10-60 | 53.9 | 241.1 | 5100 |
| | | 3-29-60 | 53.3 | 241.7 | 5050 |
| | | 5-03-60 | 53.3 | 241.7 | |
| | | 5-24-60 | 53.4 | 241.6 | |
| | | 6-28-60 | 57.8 | 237.2 | |
| 27N/02W-31P01 M | 251.0 | 9-30-59 | 16.3 | 234.7 | 5100 |
| | | 3-09-60 | 16.1 | 234.9 | |
| 27N/03W-32A04 M | 298.8 | 9-30-59 | 68.8 | 230.0 | 5100 |
| | | 3-09-60 | 61.7 | 237.1 | |
| GLENN COUNTY | | | 5-21.02 | | |
| 18N/01W-03J01 M | 78.1 | 10-21-59 | 13.6 | 64.5 | 5105 |
| | | 3-17-60 | 12.0 | 66.1 | |
| 18N/03W-10L01 M | 93.3 | 7-07-59 | 4.3 | 89.0 | 5050 |
| | | 8-03-59 | 4.1 | 89.2 | |
| | | 9-02-59 | 3.1 | 90.2 | |
| | | 10-22-59 | □ | | |
| | | 12-01-59 | 3.7 | 89.6 | |
| | | 12-28-59 | 3.2 | 90.1 | |
| | | 1-25-60 | 2.1 | 91.2 | |
| | | 3-16-60 | 4.6 | 88.7 | 5105 |
| | | 3-30-60 | 5.1 | 88.2 | 5050 |
| | | 5-03-60 | 4.1 | 89.2 | |
| | | 5-24-60 | 5.4 | 87.9 | |
| | | 6-28-60 | 2.0 | 91.3 | |
| 18N/04W-11B01 M | 150.0 | 3-16-60 | 27.7 | 122.3 | 5105 |
| 19N/01E-08R01 M | 91.6 | 10-19-59 | 7.3 | 84.3 | 5105 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| GLENN COUNTY | | | 5-21.02 | | |
| 19N/01E-08R01 M | 91.6 | 3-17-60 | 5.7 | 85.9 | 5105 |
| 19N/01W-14K01 M | 88.0 | 7-06-59 | 6.8 | 81.2 | 5050 |
| | | 8-05-59 | 6.5 | 81.5 | |
| | | 9-02-59 | 6.1 | 81.9 | |
| | | 10-22-59 | 15.5 | 72.5 | 5105 |
| | | 12-01-59 | 12.2 | 75.8 | 5050 |
| | | 12-28-59 | 12.2 | 75.8 | |
| | | 1-25-60 | 13.3 | 74.7 | |
| | | 3-17-60 | 14.6 | 73.4 | 5105 |
| | | 3-30-60 | 10.1 | 77.9 | 5050 |
| | | 5-03-60 | 10.6 | 77.4 | |
| | | 5-24-60 | 7.9 | 80.1 | |
| | | 6-28-60 | 11.8 | 76.2 | |
| 19N/02W-13J01 M | 86.6 | 10-19-59 | 11.5 | 75.1 | 5105 |
| | | 3-11-60 | 9.9 | 76.7 | |
| 19N/02W-19D01 M | 104.2 | 10-15-59 | 7.0 | 97.2 | 5105 |
| | | 3-15-60 | 6.0 | 98.2 | |
| 19N/03W-18D01 M | 153.0 | 10-20-59 | 36.0 | 117.0 | 5105 |
| | | 3-14-60 | 32.7 | 120.3 | |
| 19N/04W-35C01 M | 165.3 | 10-19-59 | 44.7 | 120.6 | 5105 |
| | | 3-14-60 | 48.2 | 117.1 | |
| 20N/02W-07A01 M | 141.0 | 7-07-59 | .3 | 140.7 | 5050 |
| | | 8-04-59 | .4 | 140.6 | |
| | | 9-02-59 | ¤ | | |
| | | 10-12-59 | 11.4 | 129.6 | 5105 |
| | | 12-01-59 | DRY | | 5050 |
| | | 12-29-59 | DRY | | |
| | | 1-25-60 | 10.2 | 130.8 | |
| | | 3-10-60 | 10.1 | 130.9 | 5105 |
| | | 3-30-60 | 11.2 | 129.8 | 5050 |
| | | 5-03-60 | .5 | 140.5 | |
| | | 5-24-60 | .3 | 140.7 | |
| | | 6-28-60 | .3 | 140.7 | |
| 20N/02W-27J01 M | 103.2 | 10-12-59 | 5.5 | 97.7 | 5105 |
| | | 3-11-60 | 7.0 | 96.2 | |
| 20N/03W-29R01 M | 143.0 | 10-06-59 | 23.2 | 119.8 | 6001 |
| | | 3-16-60 | 21.8 | 121.2 | |
| 21N/01W-17F01 M | 134.0 | 10-13-59 | 20.6 | 113.4 | 5105 |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| GLENN COUNTY | | | 5-21.02 | | |
| 21N/01W-17F01 M | 134.0 | 3-09-60 | 19.2 | 114.8 | 5105 |
| 21N/01W-31E01 M | 130.0 | 10-13-59 | 9.9 | 120.1 | 5105 |
| | | 3-10-60 | 12.8 | 117.2 | |
| 21N/02W-02B01 M | 161.2 | 10-09-59 | 14.9 | 146.3 | 5105 |
| | | 3-09-60 | 20.6 | 140.6 | |
| 21N/02W-31E01 M | 161.4 | 7-07-59 | ¤ | | 5050 |
| | | 8-04-59 | 29.5 | 131.9 | |
| | | 9-02-59 | 29.2 | 132.2 | |
| | | 9-14-59 | 25.9 | 135.5 | 5105 |
| | | 10-12-59 | ¤ | | 5050 |
| | | 12-01-59 | ¤ | | |
| | | 12-29-59 | 29.5 | 131.9 | |
| | | 1-25-60 | 26.3 | 135.1 | |
| | | 3-10-60 | 29.8 | 131.6 | 5105 |
| | | 3-11-60 | 29.8 | 131.6 | 5050 |
| | | 3-30-60 | 26.0 | 135.4 | |
| | | 5-03-60 | 27.3 | 134.1 | |
| | | 5-24-60 | 28.3 | 133.1 | |
| | | 6-28-60 | 31.7 | 129.7 | |
| 21N/03W-02B01 M | 206.5 | 7-07-59 | ¤ | | 5050 |
| | | 8-04-59 | ¤ | | |
| | | 9-02-59 | ¤ | | |
| | | 10-09-59 | 24.4 | 182.1 | 5105 |
| | | 12-01-59 | 27.1 | 179.4 | 5050 |
| | | 12-29-59 | 26.8 | 179.7 | |
| | | 1-25-60 | 24.4 | 182.1 | |
| | | 3-08-60 | 25.0 | 181.5 | 5105 |
| | | 3-30-60 | 26.7 | 179.8 | 5050 |
| | | 5-03-60 | 28.5 | 178.0 | |
| | | 5-24-60 | ¤ | | |
| | | 6-28-60 | 50.5 | 156.0 | |
| 21N/03W-06Q01 M | 233.4 | 10-06-59 | DRY | | 6001 |
| | | 3-16-60 | ¤ | | |
| 21N/04W-12B01 M | 248.4 | 10-06-59 | DRY | | 6001 |
| | | 3-15-60 | 76.7 | 171.7 | |
| 22N/02W-16C01 M | 196.0 | 10-07-59 | 18.4 | 177.6 | 5105 |
| | | 3-07-60 | 14.0 | 182.0 | |
| 22N/02W-31Q01 M | 200.3 | 10-09-59 | 22.4 | 177.9 | 5105 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| GLENN COUNTY | | | 5-21.02 | | |
| 22N/02W-31Q01 M | 200.3 | 3-08-60 | 10.4 | 189.9 | 5105 |
| 22N/03W-05F01 M | 294.0 | 3-15-60 | 46.0 | 248.0 | 6001 |
| | | 10-07-59 | 44.2 | 249.8 | |
| 22N/03W-21F01 M | 261.5 | 7-07-59 | 18.5 | 243.0 | 5050 |
| | | 8-04-59 | 20.6 | 240.9 | |
| | | 9-02-59 | 18.8 | 242.7 | |
| | | 10-07-59 | 19.0 | 242.5 | 6001 |
| | | 12-01-59 | 20.9 | 240.6 | 5050 |
| | | 12-29-59 | 22.1 | 239.4 | |
| | | 1-25-60 | 22.8 | 238.7 | |
| | | 3-16-60 | 21.2 | 240.3 | 6001 |
| | | 3-29-60 | 19.9 | 241.6 | 5050 |
| | | 5-03-60 | 17.4 | 244.1 | |
| | | 5-24-60 | 16.8 | 244.7 | |
| | | 6-28-60 | 18.5 | 243.0 | |
| 22N/04W-25B01 M | 307.8 | 7-07-59 | ▫ | | 5050 |
| | | 8-04-59 | 111.2 | 196.6 | |
| | | 9-02-59 | 105.1 | 202.7 | |
| | | 10-07-59 | ▫ | | 6001 |
| | | 12-01-59 | 89.9 | 217.9 | 5050 |
| | | 12-29-59 | 59.5* | 248.3 | |
| | | 1-25-60 | ▫ | | |
| | | 3-16-60 | 93.0 | 214.8 | 6001 |
| | | 3-29-60 | ▫ | | 5050 |
| | | 5-03-60 | 66.2 | 241.6 | |
| | | 5-24-60 | ▫ | | |
| | | 6-28-60 | 68.4 | 239.4 | |
| BUTTE COUNTY | | | 5-21.03 | | |
| 17N/02E-08D01 M | 76.0 | 10-05-59 | 6.9 | 69.1 | 5106 |
| | | 3-03-60 | 6.7 | 69.3 | |
| 18N/01E-33N03 M | 66.5 | 7-07-59 | 7.9 | 58.6 | 5050 |
| | | 8-06-59 | 6.9 | 59.6 | |
| | | 9-02-59 | 6.5 | 60.0 | |
| | | 10-01-59 | 12.3 | 54.2 | 5106 |
| | | 10-06-59 | 10.3 | 56.2 | |
| | | 11-30-59 | 11.0 | 55.5 | 5050 |
| | | 12-29-59 | 11.3 | 55.2 | |
| | | 1-26-60 | 9.2 | 57.3 | |
| | | 3-03-60 | 9.8 | 56.7 | 5106 |
| | | 3-28-60 | 9.5 | 57.0 | 5050 |

| State Well Number | RP Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| BUTTE COUNTY | | | 5-21.03 | | |
| 18N/01E-33N03 M CONT. | 66.5 | 5-04-60 | 9.9 | 56.6 | 5050 |
| | | 5-24-60 | 7.5 | 59.0 | |
| | | 6-27-60 | 9.1 | 57.4 | |
| 18N/02E-16F01 M | 81.0 | 10-05-59 | 7.4* | 73.6 | 5106 |
| | | 3-03-60 | 7.6 | 73.4 | |
| 18N/03E-16E02 M | 105.5 | 10-02-59 | DRY | | 5106 |
| | | 3-03-60 | 19.9 | 85.6 | |
| 18N/04E-28L01 M | 135.5 | 10-01-59 | 49.4 | 86.1 | 5106 |
| | | 3-04-60 | 39.6 | 95.9 | |
| 19N/02E-10B09 M | 112.0 | 10-02-59 | 3.1 | 108.9 | 5106 |
| | | 3-08-60 | 1.9 | 110.1 | |
| 19N/03E-16P01 M | 170.8 | 10-14-59 | 66.0 | 104.8 | 5106 |
| | | 3-08-60 | 63.8 | 107.0 | |
| 19N/03E-19M01 M | 125.0 | 7-07-59 | 26.6 | 98.4 | 5050 |
| | | 8-06-59 | 27.0 | 98.0 | |
| | | 9-02-59 | 26.8 | 98.2 | |
| | | 10-02-59 | 27.0 | 98.0 | 5106 |
| | | 11-30-59 | 24.0 | 101.0 | 5050 |
| | | 12-29-59 | 26.5 | 98.5 | |
| | | 1-26-60 | 27.9 | 97.1 | |
| | | 3-08-60 | 26.7 | 98.3 | 5106 |
| | | 3-28-60 | 25.7 | 99.3 | 5050 |
| | | 5-03-60 | 27.6 | 97.4 | |
| | | 5-24-60 | 26.5 | 98.5 | |
| | | 6-27-60 | 26.8 | 98.2 | |
| 20N/01E-27P01 M | 101.0 | 10-06-59 | 6.0 | 95.0 | 5106 |
| | | 3-09-60 | 4.4 | 96.6 | |
| 20N/02E-29R01 M | 118.0 | 10-14-59 | 6.2 | 111.8 | 5106 |
| | | 3-09-60 | 2.2 | 115.8 | |
| 20N/03E-32D01 M | 142.0 | 10-02-59 | 35.8 | 106.2 | 5106 |
| | | 3-08-60 | 27.9 | 114.1 | |
| 20N/01W-15A01 M | 108.0 | 10-07-59 | 14.6 | 93.4 | 5106 |
| | | 3-09-60 | 13.4 | 94.6 | |
| 21N/01E-33A01 M | 135.8 | 10-07-59 | 25.6 | 110.2 | 5106 |
| | | 3-10-60 | 5.0 | 130.8 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| BUTTE COUNTY | | | 5-21.03 | | |
| 21N/02E-08E01 M | 205.0 | 7-07-59 | 8.4 | 196.6 | 5050 |
| | | 8-06-59 | 7.8 | 197.2 | |
| | | 9-02-59 | 8.9 | 196.1 | |
| | | 10-03-59 | ¤ | | |
| | | 10-15-59 | 10.4 | 194.6 | 5106 |
| | | 11-30-59 | 10.3 | 194.7 | 5050 |
| | | 12-29-59 | 10.0 | 195.0 | |
| | | 1-26-60 | 9.1 | 195.9 | |
| | | 3-10-60 | 6.9 | 198.1 | 5106 |
| | | 3-28-60 | 7.0 | 198.0 | 5050 |
| | | 5-04-60 | 10.0 | 195.0 | |
| | | 5-24-60 | 7.6 | 197.4 | |
| | | 6-27-60 | 7.5 | 197.5 | |
| 21N/01W-01E01 M | 130.4 | 10-15-59 | 19.0 | 111.4 | 5106 |
| | | 3-10-60 | 14.4 | 116.0 | |
| 21N/01W-26K01 M | 115.8 | 7-07-59 | 15.9 | 99.9 | 5050 |
| | | 8-06-59 | 16.0 | 99.8 | |
| | | 9-02-59 | 17.0 | 98.8 | |
| | | 10-02-59 | 18.4 | 97.4 | |
| | | 10-07-59 | ¤ | | 5106 |
| | | 11-30-59 | 17.5 | 98.3 | 5050 |
| | | 12-29-59 | 17.4 | 98.4 | |
| | | 1-26-60 | 16.9 | 98.9 | |
| | | 3-10-60 | 15.2 | 100.6 | 5106 |
| | | 3-28-60 | ¤ | | 5050 |
| | | 5-04-60 | 16.7 | 99.1 | |
| | | 5-24-60 | 17.4 | 98.4 | |
| | | 6-27-60 | 18.8 | 97.0 | |
| 22N/01E-21E01 M | 155.7 | 10-08-59 | ¤ | | 5106 |
| | | 10-29-59 | 21.3 | 134.4 | 5050 |
| | | 3-10-60 | 17.0 | 138.7 | 5106 |
| 22N/02E-17E01 M | 281.8 | 10-09-59 | 76.8 | 205.0 | 5106 |
| | | 3-11-60 | 67.0 | 214.8 | |
| 23N/01E-32P01 M | 190.0 | 7-07-59 | 29.4 | 160.6 | 5050 |
| | | 8-06-59 | 31.6 | 158.4 | |
| | | 9-03-59 | 29.5 | 160.5 | |
| | | 10-03-59 | 26.0 | 164.0 | 5106 |
| | | 10-08-59 | 27.4 | 162.6 | |
| | | 11-30-59 | 27.5 | 162.5 | 5050 |
| | | 12-29-59 | 28.6 | 161.4 | |
| | | 1-26-60 | 29.0 | 161.0 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| BUTTE COUNTY | | | 5-21.03 | | |
| 23N/01E-32P01 M CONT. | 190.0 | 3-11-60 | 27.0 | 163.0 | 5106 |
| | | 3-28-60 | 27.0 | 163.0 | 5050 |
| | | 5-04-60 | 25.6 | 164.4 | |
| | | 5-24-60 | 27.9 | 162.1 | |
| | | 6-28-60 | 35.5 | 154.5 | |
| 23N/01W-10J02 M | 197.5 | 10-13-59 | 29.1 | 168.4 | 5106 |
| | | 3-11-60 | 28.4 | 169.1 | |
| 23N/01W-33A01 M | 153.5 | 10-13-59 | 19.2 | 134.3 | 5106 |
| | | 3-11-60 | 10.3 | 143.2 | |
| COLUSA COUNTY | | | 5-21.04 | | |
| 13N/01W-34P01 M | 76.8 | 10-05-59 | 48.3 | 28.5 | 6001 |
| | | 3-14-60 | 49.2 | 27.6 | |
| 13N/02W-21B01 M | 300.0 | 10-05-59 | ¤ | | 6001 |
| | | 3-14-60 | 233.8 | 66.2 | |
| 13N/02W-22H01 M | 246.0 | 7-08-59 | 125.8 | 120.2 | 5050 |
| | | 8-05-59 | 126.9 | 119.1 | |
| | | 9-03-59 | 128.1 | 117.9 | |
| | | 10-05-59 | 126.9 | 119.1 | 6001 |
| | | 11-30-59 | 127.5 | 118.5 | 5050 |
| | | 12-29-59 | 127.4 | 118.6 | |
| | | 1-25-60 | 125.2 | 120.8 | |
| | | 3-14-60 | 127.8 | 118.2 | 6001 |
| | | 3-30-60 | 127.2 | 118.8 | 5050 |
| | | 5-03-60 | 127.7 | 118.3 | |
| | | 5-22-60 | 128.0 | 118.0 | |
| | | 6-29-60 | 129.5 | 116.5 | |
| 13N/02W-34R01 M | 302.0 | 10-05-59 | 94.3 | 207.7 | 6001 |
| | | 3-14-60 | 98.1 | 203.9 | |
| 14N/01W-32R01 M | 33.8 | 10-05-59 | 9.9 | 23.9 | 6001 |
| | | 3-14-60 | 9.9 | 23.9 | |
| 14N/02W-16N02 M | 119.5 | 7-08-59 | 42.3 | 77.2 | 5050 |
| | | 8-05-59 | 44.1 | 75.4 | |
| | | 9-03-59 | 43.8 | 75.7 | |
| | | 10-05-59 | 39.8 | 79.7 | 6001 |
| | | 11-30-59 | 38.4 | 81.1 | 5050 |
| | | 12-29-59 | 38.4 | 81.1 | |
| | | 1-25-60 | 36.9 | 82.6 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| COLUSA COUNTY | | | 5-21.04 | | |
| 14N/02W-16N02 M | 119.5 | 3-14-60 | 38.1 | 81.4 | 6001 |
| CONT. | | 3-30-60 | 39.5 | 80.0 | 5050 |
| | | 5-03-60 | 40.3 | 79.2 | |
| | | 5-25-60 | 44.5 | 75.0 | |
| | | 6-28-60 | 43.7 | 75.8 | |
| 14N/03W-12F01 M | 124.0 | 10-05-59 | 33.8 | 90.2 | 6001 |
| | | 3-14-60 | 31.5 | 92.5 | |
| 15N/01W-17N01 M | 42.9 | 10-28-59 | 8.0 | 34.9 | 5050 |
| | | 3-03-60 | ▫ | | |
| 15N/03W-32B01 M | 151.0 | 7-08-59 | 28.5 | 122.5 | 5050 |
| | | 8-04-59 | 28.1 | 122.9 | |
| | | 9-03-59 | 28.6 | 122.4 | |
| | | 10-05-59 | 28.2 | 122.8 | 6001 |
| | | 11-30-59 | 28.4 | 122.6 | 5050 |
| | | 12-29-59 | 28.6 | 122.4 | |
| | | 1-25-60 | 28.1 | 122.9 | |
| | | 3-14-60 | 29.8 | 121.2 | 6001 |
| | | 3-30-60 | 30.0 | 121.0 | 5050 |
| | | 5-03-60 | 30.1 | 120.9 | |
| | | 5-25-60 | 30.0 | 121.0 | |
| | | 6-28-60 | 30.0 | 121.0 | |
| 16N/01W-05K01 M | 63.5 | 10-14-59 | 15.4 | 48.1 | 5101 |
| | | 3-07-60 | 14.0 | 49.5 | |
| 16N/01W-20F01 M | 59.5 | 10-14-59 | 21.0 | 38.5 | 5101 |
| | | 3-07-60 | 17.2 | 42.3 | |
| 16N/02W-26L01 M | 47.0 | 10-14-59 | 6.2 | 40.8 | 5101 |
| | | 3-07-60 | 7.0 | 40.0 | |
| 16N/03W-01A01 M | 63.8 | 10-15-59 | 4.4 | 59.4 | 5101 |
| | | 3-07-60 | 6.0 | 57.8 | |
| 16N/03W-35N02 M | 74.0 | 7-07-59 | 7.6 | 66.4 | 5050 |
| | | 8-03-59 | 8.4 | 65.6 | |
| | | 9-03-59 | 8.9 | 65.1 | |
| | | 10-15-59 | ▫ | | 5101 |
| | | 11-30-59 | 8.8 | 65.2 | 5050 |
| | | 12-29-59 | 8.5 | 65.5 | |
| | | 1-25-60 | 7.6 | 66.4 | |
| | | 3-07-60 | 6.6 | 67.4 | 5101 |
| | | 3-30-60 | 6.7 | 67.3 | 5050 |
| 16N/03W-35N02 M | 74.0 | 5-03-60 | 6.4 | 67.6 | 5050 |
| CONT. | | 5-25-60 | 6.8 | 67.2 | |
| | | 6-28-60 | 7.8 | 66.2 | |
| 16N/04W-11A01 M | 140.0 | 10-15-59 | 12.8 | 127.2 | 5101 |
| | | 3-07-60 | 16.7 | 123.3 | |
| 16N/04W-35J01 M | 125.5 | 10-15-59 | 9.0 | 116.5 | 5101 |
| | | 3-09-60 | 6.3 | 119.2 | |
| 17N/01W-06R01 M | 75.8 | 7-07-59 | ▫ | | 5050 |
| | | 8-05-59 | 26.3 | 49.5 | |
| | | 9-03-59 | 27.1 | 48.7 | |
| | | 10-14-59 | 21.8 | 54.0 | 5101 |
| | | 12-01-59 | 26.4 | 49.4 | 5050 |
| | | 12-30-59 | 26.3 | 49.5 | |
| | | 1-25-60 | 25.8 | 50.0 | |
| | | 3-09-60 | 16.6 | 59.2 | 5101 |
| | | 3-30-60 | 22.3 | 53.5 | 5050 |
| | | 5-03-60 | ▫ | | |
| | | 5-24-60 | 25.0 | 50.8 | |
| | | 6-28-60 | ▫ | | |
| 17N/02W-06E01 M | 70.0 | 10-15-59 | 9.4 | 60.6 | 5101 |
| | | 3-09-60 | 6.0 | 64.0 | |
| 17N/02W-11K01 M | 63.0 | 7-07-59 | 3.6 | 59.4 | 5050 |
| | | 8-05-59 | 3.4 | 59.6 | |
| | | 9-03-59 | 3.7 | 59.3 | |
| | | 10-14-59 | 5.6 | 57.4 | 5101 |
| | | 12-01-59 | 6.0 | 57.0 | 5050 |
| | | 12-29-59 | 7.3 | 55.7 | |
| | | 1-25-60 | 6.7 | 56.3 | |
| | | 3-09-60 | 5.4 | 57.6 | 5101 |
| | | 3-30-60 | 5.9 | 57.1 | 5050 |
| | | 5-03-60 | 5.3 | 57.7 | |
| | | 5-24-60 | 5.7 | 57.3 | |
| | | 6-28-60 | 6.7 | 56.3 | |
| 17N/03W-10C01 M | 94.5 | 10-15-59 | 8.2 | 86.3 | 5101 |
| | | 3-09-60 | 6.7 | 87.8 | |
| 17N/04W-34G01 M | 177.4 | 10-15-59 | 14.0 | 163.4 | 5101 |
| | | 3-09-60 | 13.6 | 163.8 | |
| 18N/01W-18Q01 M | 77.5 | 10-14-59 | 11.8 | 65.7 | 5101 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| COLUSA COUNTY | | | 5-21.04 | | |
| 18N/01W-18001 M | 77.5 | 3-09-60 | 11.6 | 65.9 | 5101 |
| 18N/02W-15N01 M | 72.8 | 10-14-59 | 6.8 | 66.0 | 5101 |
| | | 3-09-60 | 5.6 | 67.2 | |
| SUTTER COUNTY | | | 5-21.05 | | |
| 11N/03E-15C01 M | 25.0 | 10-08-59 | 17.6 | 7.4 | 5102 |
| | | 3-11-60 | 7.1 | 17.9 | |
| 11N/04E-01M01 M | 41.0 | 7-06-59 | 56.8 | - 15.8 | 5050 |
| | | 8-07-59 | 56.6 | - 15.6 | |
| | | 9-01-59 | 56.9 | - 15.9 | |
| | | 10-10-59 | 65.8 | - 24.8 | 5102 |
| | | 11-30-59 | 51.0 | - 10.0 | 5050 |
| | | 12-28-59 | 50.5 | - 9.5 | |
| | | 1-27-60 | 48.9 | - 7.9 | |
| | | 3-14-60 | 46.8 | - 5.8 | 5102 |
| | | 3-30-60 | 46.3 | - 5.3 | 5050 |
| | | 5-04-60 | 48.2 | - 7.2 | |
| | | 5-26-60 | 52.0 | - 11.0 | |
| | | 6-29-60 | 53.2 | - 12.2 | |
| 11N/04E-33J01 M | 25.6 | 10-09-59 | 23.6 | 2.0 | 5102 |
| | | 3-11-60 | 20.8 | 4.8 | |
| 12N/01E-01A01 M | 28.0 | 10-12-59 | 8.7 | 19.3 | 5102 |
| | | 3-16-60 | 8.6 | 19.4 | |
| 12N/02E-20P01 M | 26.0 | 7-06-59 | 10.5 | 15.5 | 5050 |
| | | 8-06-59 | 10.5 | 15.5 | |
| | | 9-01-59 | 10.1 | 15.9 | |
| | | 10-13-59 | 11.7 | 14.3 | 5102 |
| | | 11-30-59 | 10.9 | 15.1 | 5050 |
| | | 12-28-59 | 11.0 | 15.0 | |
| | | 1-27-60 | ◻ | | |
| | | 3-16-60 | 10.4 | 15.6 | 5102 |
| | | 3-30-60 | 7.3 | 18.7 | 5050 |
| | | 5-04-60 | 14.9 | 11.1 | |
| | | 5-26-60 | 8.8 | 17.2 | |
| | | 6-26-60 | 11.7 | 14.3 | |
| 12N/02E-23P01 M | 19.0 | 10-13-59 | 5.9 | 13.1 | 5102 |
| | | 3-16-60 | 7.2 | 11.8 | |
| 12N/03E-23N01 M | 25.0 | 10-08-59 | 16.8 | 8.2 | 5102 |

| State Well Number | RP Elev., in feet | Date | Dist R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SUTTER COUNTY | | | 5-21.05 | | |
| 12N/03E-23N01 M | 25.0 | 3-11-60 | 4.2 | 20.8 | 5102 |
| 12N/04E-03R01 M | 52.2 | 7-06-59 | 49.3 | 2.9 | 5050 |
| | | 8-07-59 | 50.2 | 2.0 | |
| | | 9-01-59 | 50.5 | 1.7 | |
| | | 10-00-59 | ◻ | | |
| | | 11-30-59 | 45.5 | 6.7 | |
| | | 12-28-59 | 44.5 | 7.7 | |
| | | 1-27-60 | 44.0 | 8.2 | |
| | | 2-00-60 | ◻ | | |
| | | 3-30-60 | 42.3 | 9.9 | |
| | | 5-04-60 | ◻ | | |
| | | 5-26-60 | ◻ | | |
| | | 6-28-60 | 87.4* | - 35.2 | |
| 12N/04E-33L01 M | 31.0 | 10-08-59 | 22.5 | 8.5 | 5102 |
| | | 3-14-60 | 17.1 | 13.9 | |
| 13N/01E-01J01 M | 40.0 | 10-13-59 | 9.6 | 30.4 | 5102 |
| | | 3-16-60 | 5.1 | 34.9 | |
| 13N/02E-04J01 M | 28.0 | 10-12-59 | 7.6 | 20.4 | 5102 |
| | | 3-16-60 | 7.7 | 20.3 | |
| 13N/02E-34M01 M | 21.0 | 10-12-59 | 7.8 | 13.2 | 5102 |
| | | 3-16-60 | 7.7 | 13.3 | |
| 13N/03E-14E01 M | 36.0 | 10-07-59 | 14.6 | 21.4 | 5102 |
| | | 3-10-60 | ◻ | | |
| 13N/03E-16A01 M | 35.0 | 10-07-59 | 17.3 | 17.7 | 5102 |
| | | 3-10-60 | 10.5 | 24.5 | |
| 13N/04E-22G01 M | 55.1 | 10-10-59 | 45.8 | 9.3 | 5102 |
| | | 3-14-60 | 38.2 | 16.9 | |
| 13N/05E-07K01 M | 75.0 | 10-09-59 | 62.7 | 12.3 | 5102 |
| | | 3-14-60 | 48.6 | 26.4 | |
| 14N/01E-08A06 M | 39.5 | 10-12-59 | 13.2 | 26.3 | 5102 |
| | | 3-15-60 | 11.8 | 27.7 | |
| 14N/01E-14G01 M | 37.0 | 7-06-59 | 5.6 | 31.4 | 5050 |
| | | 8-06-59 | 4.5 | 32.5 | |
| | | 9-01-59 | 4.5 | 32.5 | |
| | | 10-12-59 | 7.5 | 29.5 | 5102 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SUTTER COUNTY | | | 5-21.05 | | |
| 14N/01E-14G01 M | 37.0 | 11-30-59 | 8.6 | 28.4 | 5050 |
| CONT. | | 12-28-59 | 9.1 | 27.9 | |
| | | 1-27-60 | 9.0 | 28.0 | |
| | | 3-15-60 | 7.2 | 29.8 | 5102 |
| | | 3-30-60 | 7.2 | 29.8 | 5050 |
| | | 5-04-60 | 4.2 | 32.8 | |
| | | 5-26-60 | 4.3 | 32.7 | |
| | | 6-28-60 | 4.4 | 32.6 | |
| 14N/02E-13R01 M | 37.0 | 10-13-59 | 10.6 | 26.4 | 5102 |
| | | 3-16-60 | 10.7 | 26.3 | |
| 14N/03E-05C01 M | 50.0 | 7-06-59 | 39.7 | 10.3 | 5050 |
| | | 8-06-59 | 45.2 | 4.8 | |
| | | 9-01-59 | ¤ | | |
| | | 10-13-59 | 32.8 | 17.2 | 5102 |
| | | 11-30-59 | 30.5 | 19.5 | 5050 |
| | | 12-28-59 | 29.5 | 20.5 | |
| | | 1-26-60 | 28.6 | 21.4 | |
| | | 3-17-60 | 26.6 | 23.4 | 5102 |
| | | 3-30-60 | 27.6 | 22.4 | 5050 |
| | | 5-04-60 | 31.3 | 18.7 | |
| | | 5-26-60 | 31.5 | 18.5 | |
| | | 6-28-60 | 43.6 | 6.4 | |
| 14N/03E-31B01 M | 38.0 | 10-13-59 | 10.9 | 27.1 | 5102 |
| | | 3-16-60 | 12.1 | 25.9 | |
| 15N/01E-13A01 M | 55.0 | 7-06-59 | ¤ | | 5050 |
| | | 8-06-59 | ¤ | | |
| | | 9-01-59 | 52.8 | 2.2 | |
| | | 10-12-59 | 22.7 | 32.3 | 5102 |
| | | 11-30-59 | 31.8 | 23.2 | 5050 |
| | | 12-28-59 | 21.0 | 34.0 | |
| | | 1-26-60 | 27.0 | 28.0 | |
| | | 3-15-60 | 22.5 | 32.5 | 5102 |
| | | 3-30-60 | 22.0 | 33.0 | 5050 |
| | | 5-04-60 | 22.2 | 32.8 | |
| | | 5-26-60 | ¤ | | |
| | | 6-28-60 | 23.2 | 31.8 | |
| 15N/01E-14F01 M | 37.0 | 10-12-59 | 11.5 | 25.5 | 5102 |
| | | 3-15-60 | 9.6 | 27.4 | |
| 15N/02E-24B01 M | 51.0 | 10-12-59 | 17.9 | 33.1 | 5102 |
| | | 3-15-60 | 14.9 | 36.1 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SUTTER COUNTY | | | 5-21.05 | | |
| 15N/02E-35D01 M | 42.0 | 10-19-59 | 12.5 | 29.5 | 5102 |
| | | 3-17-60 | 13.1 | 28.9 | |
| 15N/03E-05D02 M | 59.8 | 7-06-59 | ¤ | | 5050 |
| | | 8-06-59 | 31.4 | 28.4 | |
| | | 9-01-59 | 29.5 | 30.3 | |
| | | 10-14-59 | 22.8 | 37.0 | 5102 |
| | | 11-30-59 | 19.7 | 40.1 | 5050 |
| | | 12-28-59 | 19.0 | 40.8 | |
| | | 1-26-60 | 19.6 | 40.2 | |
| | | 3-17-60 | 15.4 | 44.4 | 5102 |
| | | 3-30-60 | 20.7 | 39.1 | 5050 |
| | | 5-04-60 | 20.0 | 39.8 | |
| | | 5-26-60 | 22.7 | 37.1 | |
| | | 6-28-60 | 44.8* | 15.0 | |
| 15N/03E-34L01 M | 50.0 | 10-13-59 | 38.6 | 11.4 | 5102 |
| | | 3-10-60 | 30.7 | 19.3 | |
| 15N/01W-25A01 M | 50.0 | 10-12-59 | 22.9 | 27.1 | 5102 |
| | | 3-15-60 | 19.6 | 30.4 | |
| 16N/01E-31H01 M | 72.0 | 10-12-59 | 33.8 | 38.2 | 5102 |
| | | 3-15-60 | 28.3 | 43.7 | |
| 16N/02E-26Q01 M | 67.0 | 10-14-59 | 15.8 | 51.2 | 5102 |
| | | 3-17-60 | 15.6 | 51.4 | |
| 16N/03E-33J02 M | 66.0 | 10-14-59 | 32.8 | 33.2 | 5102 |
| | | 3-17-60 | 22.6 | 43.4 | |
| 17N/01E-25J01 M | 77.0 | 10-14-59 | ¤ | | 5102 |
| | | 3-17-60 | 27.8 | 49.2 | |
| 17N/02E-34A01 M | 74.6 | 10-14-59 | 4.9 | 69.7 | 5102 |
| | | 3-17-60 | 3.9 | 70.7 | |
| 17N/03E-30N01 M | 73.0 | 10-14-59 | 8.9 | 64.1 | 5102 |
| | | 3-17-60 | 7.0 | 66.0 | |
| YUBA COUNTY | | | 5-21.06 | | |
| 13N/04E-07E01 M | 39.0 | 10-02-59 | 17.9 | 21.1 | 5103 |
| | | 3-08-60 | 14.8 | 24.2 | |
| 14N/03E-24B01 M | 50.8 | 10-02-59 | 37.7 | 13.1 | 5103 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| YUBA COUNTY | | | 5-21.06 | | |
| 14N/03E-24B01 M | 50.8 | 3-08-60 | 30.5 | 20.3 | 5103 |
| 14N/04E-13C01 M | 73.5 | 7-06-59 | 76.0 | - 2.5 | 5050 |
| | | 8-07-59 | 78.6 | - 5.1 | |
| | | 8-31-59 | 85.0 | - 11.5 | |
| | | 9-30-59 | 72.6 | 0.9 | |
| | | 10-02-59 | 72.6 | 0.9 | 5103 |
| | | 11-30-59 | 69.3 | 4.2 | 5050 |
| | | 12-28-59 | 67.3 | 6.2 | |
| | | 1-27-60 | 65.9 | 7.6 | |
| | | 3-04-60 | 82.9* | - 9.4 | |
| | | 3-08-60 | 82.9 | - 9.4 | 5103 |
| | | 3-28-60 | 63.0 | 10.5 | 5050 |
| | | 5-04-60 | 66.3 | 7.2 | |
| | | 6-27-60 | 64.6 | 8.9 | |
| 14N/04E-18C01 M | 52.8 | 7-06-59 | 62.7 | - 9.9 | 5050 |
| | | 8-07-59 | ▫ | | |
| | | 8-31-59 | 58.6 | - 5.8 | |
| | | 9-30-59 | 41.3 | 11.5 | |
| | | 10-02-59 | 41.3 | 11.5 | 5103 |
| | | 11-30-59 | 35.2 | 17.6 | 5050 |
| | | 12-28-59 | 34.3 | 18.5 | |
| | | 1-27-60 | 33.3 | 19.5 | |
| | | 3-04-60 | 32.9 | 19.9 | |
| | | 3-08-60 | 32.9 | 19.9 | 5103 |
| | | 3-28-60 | 31.2 | 21.6 | 5050 |
| | | 5-04-60 | ▫ | | |
| | | 5-24-60 | ▫ | | |
| | | 6-00-60 | ▫ | | |
| 14N/05E-06B01 M | 78.5 | 10-02-59 | 70.8 | 7.7 | 5103 |
| | | 3-08-60 | 66.2 | 12.3 | |
| 14N/05E-33Q01 M | 74.0 | 7-06-59 | 40.3 | 33.7 | 5050 |
| | | 8-07-59 | 46.1 | 27.9 | |
| | | 8-31-59 | 37.8 | 36.2 | |
| | | 9-30-59 | 25.8 | 48.2 | |
| | | 10-02-59 | 25.8 | 48.2 | 5103 |
| | | 11-30-59 | 40.3 | 33.7 | 5050 |
| | | 12-28-59 | 36.3 | 37.7 | |
| | | 1-27-60 | 39.3 | 34.7 | |
| | | 3-04-60 | ▫ | | |
| | | 3-08-60 | 28.1 | 45.9 | 5103 |
| | | 3-28-60 | 37.9 | 36.1 | 5050 |
| | | 5-04-60 | ▫ | | |

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| YUBA COUNTY | | | 5-21.06 | | |
| 14N/05E-33Q01 M | 74.0 | 6-27-60 | ▫ | | 5050 |
| 15N/04E-04R01 M | 85.7 | 10-02-59 | 30.6 | 55.1 | 5103 |
| | | 3-08-60 | 29.2 | 56.5 | |
| 15N/04E-20F01 M | 72.5 | 10-02-59 | 44.6 | 27.9 | 5103 |
| | | 3-08-60 | 34.1 | 38.4 | |
| 15N/05E-19N01 M | 81.0 | 10-02-59 | 66.0 | 15.0 | 5103 |
| | | 3-08-60 | 60.0 | 21.0 | |
| 16N/03E-26F01 M | 69.0 | 10-02-59 | 30.1 | 38.9 | 5103 |
| | | 3-08-60 | 26.0 | 43.0 | |
| 16N/04E-08A01 M | 91.0 | 7-06-59 | ▫ | | 5050 |
| | | 8-07-59 | ▫ | | |
| | | 8-31-59 | 61.7 | 29.3 | |
| | | 9-30-59 | 57.7 | 33.3 | |
| | | 10-02-59 | 57.7 | 33.3 | 5103 |
| | | 11-30-59 | 50.8 | 40.2 | 5050 |
| | | 12-28-59 | 36.5 | 54.5 | |
| | | 1-27-60 | 34.1 | 56.9 | |
| | | 3-04-60 | 39.6 | 51.4 | |
| | | 3-08-60 | 39.6 | 51.4 | 5103 |
| | | 3-28-60 | 30.9 | 60.1 | 5050 |
| | | 5-04-60 | 52.9 | 38.1 | |
| | | 5-24-60 | 52.4 | 38.6 | |
| | | 6-21-60 | 57.6 | 33.4 | |
| 16N/04E-34Q01 M | 95.3 | 10-02-59 | 19.8 | 75.5 | 5103 |
| | | 3-08-60 | 22.4 | 72.9 | |
| 17N/03E-35H02 M | 82.0 | 7-06-59 | 38.5 | 43.5 | 5050 |
| | | 8-07-59 | 37.6 | 44.4 | |
| | | 8-31-59 | 35.4 | 46.6 | |
| | | 9-30-59 | 28.4 | 53.6 | |
| | | 10-02-59 | 28.7 | 53.3 | 5103 |
| | | 11-30-59 | 24.8 | 57.2 | 5050 |
| | | 12-28-59 | 27.2 | 54.8 | |
| | | 1-27-60 | 27.0 | 55.0 | |
| | | 3-04-60 | 23.1 | 58.9 | |
| | | 3-08-60 | 23.1 | 58.9 | 5103 |
| | | 3-28-60 | 22.7 | 59.3 | 5050 |
| | | 5-04-60 | 25.8 | 56.2 | |
| | | 5-24-60 | 27.9 | 54.1 | |
| | | 6-21-60 | 28.2 | 53.8 | |

| State Well Number | R P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| YUBA COUNTY | | | 5-21.06 | | |
| 17N/04E-27F01 M | 106.0 | 10-02-59 | 58.1 | 47.9 | 5103 |
| | | 3-08-60 | 47.3 | 58.7 | |
| PLACER COUNTY | | | 5-21.07 | | |
| 11N/05E-34R03 M | 97.5 | 7-06-59 | ¤ | | 5050 |
| | | 8-07-59 | ¤ | | |
| | | 8-31-59 | 87.0 | 10.5 | |
| | | 10-05-59 | 79.9 | 17.6 | |
| | | 11-09-59 | 80.3 | 17.2 | |
| | | 11-25-59 | 86.3* | 11.2 | |
| | | 12-29-59 | 72.0 | 25.5 | |
| | | 1-27-60 | 74.4 | 23.1 | |
| | | 3-03-60 | 73.5 | 24.0 | |
| | | 3-28-60 | 78.4 | 19.1 | |
| | | 5-05-60 | 82.7 | 14.8 | |
| | | 5-24-60 | 83.2 | 14.3 | |
| | | 6-27-60 | 86.8* | 10.7 | |
| 11N/06E-11R01 M | 162.6 | 10-05-59 | 19.9 | 142.7 | 5050 |
| | | 3-03-60 | 23.2 | 139.4 | |
| 12N/05E-23H01 M | 103.5 | 10-05-59 | 43.7 | 59.8 | 5050 |
| | | 3-03-60 | 44.0 | 59.5 | |
| 13N/05E-34R03 M | 90.5 | 7-06-59 | 62.9 | 27.6 | 5050 |
| | | 8-07-59 | 63.7 | 26.8 | |
| | | 8-31-59 | DRY | | |
| | | 10-05-59 | 61.7 | 28.8 | |
| | | 11-09-59 | 63.1 | 27.4 | |
| | | 11-25-59 | 64.9 | 25.6 | |
| | | 12-29-59 | 58.8 | 31.7 | |
| | | 1-27-60 | 61.3 | 29.2 | |
| | | 3-03-60 | 55.0 | 35.5 | |
| | | 3-28-60 | 57.8 | 32.7 | |
| | | 5-04-60 | 64.7 | 25.8 | |
| | | 5-24-60 | 60.6 | 29.9 | |
| | | 6-27-60 | 61.6 | 28.9 | |
| 13N/06E-09N02 M | 165.3 | 10-05-59 | 30.0 | 135.3 | 5050 |
| | | 3-03-60 | 27.9 | 137.4 | |
| SACRAMENTO COUNTY | | | 5-21.08 | | |
| 5N/05E-03F01 M | 20.0 | 10-02-59 | 47.0 - | 27.0 | 5050 |
| | | 3-14-60 | 42.4 - | 22.4 | 6001 |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SACRAMENTO COUNTY | | | 5-21.08 | | |
| 5N/07E-27D01 M | 89.0 | 10-01-59 | DRY | | 5050 |
| | | 3-15-60 | ¤ | | |
| 6N/05E-17E01 M | 17.0 | 10-01-59 | ¤ | | 5050 |
| | | 3-14-60 | 48.2 - | 31.2 | 6001 |
| 6N/06E-20D01 M | 45.7 | 10-01-59 | 58.8 - | 13.1 | 5050 |
| | | 3-14-60 | 58.2 - | 12.5 | 6001 |
| 6N/07E-28E01 M | 71.0 | 7-08-59 | 59.8 | 11.2 | 5050 |
| | | 8-10-59 | 68.7 | 2.3 | |
| | | 8-30-59 | 64.3 | 6.7 | |
| | | 10-01-59 | 61.8 | 9.2 | |
| | | 11-26-59 | 59.3 | 11.7 | |
| | | 12-29-59 | 54.7 | 16.3 | |
| | | 1-27-60 | 52.9 | 18.1 | |
| | | 3-17-60 | 11.8* | 59.2 | 6001 |
| | | 4-01-60 | 53.7 | 17.3 | 5050 |
| | | 4-20-60 | 54.9 | 16.1 | |
| | | 5-26-60 | 58.2 | 12.8 | |
| | | 6-28-60 | 71.6* - | 0.6 | |
| 6N/08E-15J01 M | 215.0 | 10-01-59 | 123.3 | 91.7 | 5050 |
| | | 3-03-60 | 121.1 | 93.9 | |
| 7N/05E-05L01 M | 16.0 | 3-03-60 | 51.1 - | 35.1 | 5050 |
| 7N/05E-32K01 M | 20.0 | 7-08-59 | 51.9 - | 31.9 | 5050 |
| | | 8-10-59 | 60.0 - | 40.0 | |
| | | 8-30-59 | 58.7 - | 38.7 | |
| | | 10-02-59 | 54.2 - | 34.2 | |
| | | 11-26-59 | 53.9 - | 33.9 | |
| | | 12-29-59 | 53.9 - | 33.9 | |
| | | 1-27-60 | 53.6 - | 33.6 | |
| | | 3-04-60 | 52.1 - | 32.1 | |
| | | 4-01-60 | 51.6 - | 31.6 | |
| | | 4-21-60 | 52.7 - | 32.7 | |
| | | 5-26-60 | 53.3 - | 33.3 | |
| | | 6-28-60 | 56.0 - | 36.0 | |
| 7N/06E-05C01 M | 51.5 | 7-08-59 | ¤ | | 5050 |
| | | 10-02-59 | ¤ | | |
| 7N/06E-06C01 M | 50.0 | 8-10-59 | 87.6 - | 37.6 | 5050 |
| | | 8-30-59 | 89.1 - | 39.1 | |
| | | 10-05-59 | 90.0 - | 40.0 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P. Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SACRAMENTO COUNTY | | | 5-21.08 | | |
| 7N/06E-06C01 M | 50.0 | 11-26-59 | ¤ | | 5050 |
| CONT. | | 12-29-59 | 85.2 | - 35.2 | |
| | | 1-27-60 | 83.1 | - 33.1 | |
| | | 3-03-60 | 88.9 | - 38.9 | |
| | | 4-01-60 | 76.3 | - 26.3 | |
| | | 4-21-60 | 96.7* | - 46.7 | |
| | | 5-26-60 | 82.2 | - 32.2 | |
| | | 6-27-60 | 85.5 | - 35.5 | |
| 7N/06E-22R01 M | 76.0 | 10-01-59 | 64.2 | 11.8 | 5050 |
| | | 3-03-60 | 60.1 | 15.9 | |
| 7N/07E-27P01 M | 100.0 | 10-01-59 | 58.4 | 41.6 | 5050 |
| | | 3-08-60 | 58.5 | 41.5 | 6001 |
| 7N/08E-13A01 M | 260.0 | 10-01-59 | 14.5 | 245.5 | 5050 |
| | | 3-04-60 | 13.0 | 247.0 | |
| 8N/04E-27P01 M | 7.5 | 10-02-59 | 17.2 | - 9.7 | 5050 |
| | | 3-04-60 | 14.2 | - 6.7 | |
| 8N/05E-03N01 M | 37.2 | 9-30-59 | 27.3 | 9.9 | 5050 |
| | | 3-01-60 | 23.8 | 13.4 | |
| 8N/05E-21H02 M | 40.5 | 10-01-59 | 68.7 | - 28.2 | 5050 |
| | | 3-03-60 | 54.7 | - 14.2 | |
| 8N/06E-05L01 M | 55.5 | 9-30-59 | 45.1 | 10.4 | 5050 |
| | | 3-02-60 | 46.0 | 9.5 | |
| 8N/06E-11C01 M | 90.1 | 9-30-59 | 58.0 | 32.1 | 5050 |
| | | 2-17-60 | 50.0 | 40.1 | |
| 8N/06E-20J01 M | 63.0 | 10-01-59 | 62.6 | 0.4 | 5050 |
| | | 3-02-60 | 59.7 | 3.3 | |
| 8N/07E-31H01 M | 115.5 | 10-01-59 | 75.9 | 39.6 | 5050 |
| | | 3-02-60 | 69.7 | 45.8 | |
| 8N/08E-29K01 M | 150.0 | 10-01-59 | 12.8 | 137.2 | 5050 |
| 9N/04E-01R01 M | 20.2 | 7-08-59 | 21.7 | - 1.5 | 5050 |
| | | 8-10-59 | 22.6 | - 2.4 | |
| | | 8-30-59 | 21.9 | - 1.7 | |
| | | 9-30-59 | 18.6 | 1.6 | |
| | | 11-25-59 | 19.8 | 0.4 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SACRAMENTO COUNTY | | | 5-21.08 | | |
| 9N/04E-01R01 M | 20.2 | 12-29-59 | 18.2 | 2.0 | 5050 |
| CONT. | | 1-27-60 | 18.5 | 1.7 | |
| | | 3-02-60 | 16.1 | 4.1 | |
| | | 4-01-60 | ¤ | | |
| | | 4-21-60 | ¤ | | |
| | | 5-26-60 | ¤ | | |
| | | 6-27-60 | 22.4 | - 2.2 | |
| 9N/05E-29A01 M | 39.3 | 9-30-59 | 33.1 | 6.2 | 5050 |
| | | 3-01-60 | 31.6 | 7.7 | |
| 9N/07E-12L01 M | 293.0 | 7-08-59 | 50.5 | 242.5 | 5050 |
| | | 8-10-59 | 50.8 | 242.2 | |
| | | 8-30-59 | 50.8 | 242.2 | |
| | | 9-30-59 | 50.8 | 242.2 | |
| | | 11-25-59 | 51.0 | 242.0 | |
| | | 12-29-59 | 51.5 | 241.5 | |
| | | 1-27-60 | 51.8 | 241.2 | |
| | | 3-01-60 | 51.4 | 241.6 | |
| | | 4-01-60 | 51.3 | 241.7 | |
| | | 4-21-60 | 51.0 | 242.0 | |
| | | 5-26-60 | 51.2 | 241.8 | |
| | | 6-27-60 | 51.2 | 241.8 | |
| 9N/07E-16Q01 M | 145.0 | 7-08-59 | 36.6 | 108.4 | 5050 |
| | | 8-10-59 | 30.5 | 114.5 | |
| | | 8-30-59 | 30.3 | 114.7 | |
| | | 9-30-59 | 31.1 | 113.9 | |
| | | 11-25-59 | 34.0 | 111.0 | |
| | | 12-29-59 | 32.4 | 112.6 | |
| | | 1-27-60 | 32.8 | 112.2 | |
| | | 3-01-60 | 35.4 | 109.6 | |
| | | 4-01-60 | 36.0 | 109.0 | |
| | | 4-21-60 | 33.9 | 111.1 | |
| | | 5-26-60 | 35.5 | 109.5 | |
| | | 6-27-60 | 37.9 | 107.1 | |
| YOLO COUNTY | | | 5-21.09 | | |
| 6N/03E-15C01 M | 4.3 | 10-14-59 | 4.9 | - 0.6 | 5104 |
| | | 3-12-60 | 3.6 | 0.7 | |
| 6N/03E-23P01 M | 7.0 | 10-14-59 | 7.6 | - 0.6 | 5104 |
| | | 3-12-60 | 8.2 | - 1.2 | |
| 7N/03E-04Q01 M | 19.4 | 10-14-59 | 33.2 | - 13.8 | 5104 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| YOLO COUNTY | | | 5-21.09 | | |
| 7N/03E-04Q01 M | 19.4 | 3-12-60 | 21.2 | - 1.8 | 5104 |
| 8N/01E-07B02 M | 107.8 | 10-05-59 | 21.5 | 86.3 | 5104 |
| | | 3-14-60 | 24.8 | 83.0 | |
| | | 3-23-60 | 24.4 | 83.4 | 6001 |
| 8N/01E-15B01 M | 85.5 | 7-07-59 | 26.4 | 59.1 | 5000 |
| | | 8-10-59 | 27.4 | 58.1 | |
| | | 9-01-59 | 28.4 | 57.1 | |
| | | 10-05-59 | 29.6 | 55.9 | 5104 |
| | | 10-09-59 | 29.6 | 55.9 | 5000 |
| | | 11-06-59 | 30.6 | 54.9 | |
| | | 12-04-59 | 31.1 | 54.4 | |
| | | 1-08-60 | 31.6 | 53.9 | |
| | | 2-08-60 | 31.9 | 53.6 | |
| | | 3-02-60 | 32.0 | 53.5 | |
| | | 3-10-60 | 32.2 | 53.3 | 5104 |
| | | 4-05-60 | 32.1 | 53.4 | 5000 |
| | | 5-04-60 | 32.3 | 53.2 | |
| | | 6-01-60 | 33.0 | 52.5 | |
| 8N/03E-19D01 M | 38.8 | 10-07-59 | 41.2 | - 2.4 | 6001 |
| | | 10-14-59 | 42.7 | - 3.9 | 5104 |
| | | 3-12-60 | 43.5 | - 4.7 | |
| | | 3-21-60 | 40.1 | - 1.3 | 6001 |
| 8N/03E-31N01 M | 33.0 | 10-07-59 | 51.4 | - 18.4 | 6001 |
| | | 10-14-59 | 50.4 | - 17.4 | 5104 |
| | | 3-12-60 | 40.7 | - 7.7 | |
| | | 3-21-60 | 40.8 | - 7.8 | 6001 |
| 8N/01W-16R02 M | 128.0 | 10-05-59 | 60.3 | 67.7 | 6001 |
| | | 3-10-60 | 51.0 | 77.0 | 5104 |
| | | 3-23-60 | 50.4 | 77.6 | 6001 |
| 9N/01E-08D01 M | 110.0 | 10-08-59 | 6.4 | 103.6 | 5104 |
| | | 3-14-60 | 3.6 | 106.4 | |
| 9N/01E-22B01 M | 86.5 | 10-06-59 | 20.0 | 66.5 | 5104 |
| | | 3-14-60 | 21.8 | 64.7 | |
| 9N/02E-14N01 M | 40.4 | 7-08-59 | ◻ | | 5050 |
| | | 8-05-59 | 23.0 | 17.4 | |
| | | 9-04-59 | 26.1 | 14.3 | |
| | | 10-08-59 | 23.0 | 17.4 | 5104 |
| | | 11-30-59 | 22.6 | 17.8 | 5050 |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| YOLO COUNTY | | | 5-21.09 | | |
| 9N/02E-14N01 M CONT. | 40.4 | 12-29-59 | 22.2 | 18.2 | 5050 |
| | | 1-25-60 | 21.1 | 19.3 | |
| | | 3-14-60 | 20.8 | 19.6 | 5104 |
| | | 3-31-60 | 21.3 | 19.1 | 5050 |
| | | 5-03-60 | 21.9 | 18.5 | |
| | | 5-26-60 | 29.7 | 10.7 | |
| | | 6-29-60 | 26.5 | 13.9 | |
| 9N/03E-07D01 M | 25.2 | 10-08-59 | 13.0 | 12.2 | 5104 |
| | | 3-14-60 | 11.5 | 13.7 | |
| 9N/03E-30G01 M | 22.6 | 10-06-59 | 8.4 | 14.2 | 5104 |
| | | 3-14-60 | 7.3 | 15.3 | |
| 9N/01W-35M01 M | 143.4 | 7-01-59 | 53.2 | 90.2 | 5050 |
| | | 8-03-59 | 46.1 | 97.3 | |
| | | 9-04-59 | 45.3 | 98.1 | |
| | | 10-06-59 | 38.7 | 104.7 | 5104 |
| | | 11-30-59 | 38.3 | 105.1 | 5050 |
| | | 12-29-59 | 37.3 | 106.1 | |
| | | 1-25-60 | 34.9 | 108.5 | |
| | | 3-15-60 | 37.0 | 106.4 | 5104 |
| | | 3-31-60 | 37.0 | 106.4 | 5050 |
| | | 5-03-60 | 39.5 | 103.9 | |
| | | 5-26-60 | ◻ | | |
| | | 6-27-60 | 78.2* | 65.2 | |
| 10N/01E-14K01 M | 93.0 | 7-08-59 | 62.2 | 30.8 | 5050 |
| | | 8-05-59 | 65.2 | 27.8 | |
| | | 9-04-59 | 67.8 | 25.2 | |
| | | 10-07-59 | 66.3 | 26.7 | 5104 |
| | | 11-30-59 | 63.0 | 30.0 | 5050 |
| | | 12-29-59 | 63.7 | 29.3 | |
| | | 1-25-60 | 59.4 | 33.6 | |
| | | 3-12-60 | 37.9 | 55.1 | 5104 |
| | | 3-31-60 | 38.6 | 54.4 | 5050 |
| | | 5-03-60 | 44.6 | 48.4 | |
| | | 5-26-60 | 52.3 | 40.7 | |
| | | 6-29-60 | 52.0 | 41.0 | |
| 10N/01E-33A01 M | 120.0 | 10-12-59 | 109.5 | 10.5 | 5104 |
| | | 3-12-60 | 77.1 | 42.9 | |
| 10N/02E-02N01 M | 36.0 | 10-06-59 | 21.1 | 14.9 | 5104 |
| | | 3-07-60 | 16.7 | 19.3 | |
| 10N/02E-18M01 M | 74.0 | 10-07-59 | 48.5 | 25.5 | 5104 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| YOLO COUNTY | | | 5-21.09 | | |
| 10N/02E-18M01 M | 74.0 | 3-07-60 | 48.5 | 25.5 | 5104 |
| 10N/02E-21M02 M | 52.0 | 10-12-59 | 26.2 | 25.8 | 5104 |
| | | 3-07-60 | 27.0 | 25.0 | |
| 10N/02E-26Q01 M | 32.4 | 7-08-59 | 43.1 | - 10.7 | 5050 |
| | | 8-05-59 | 53.9 | - 21.5 | |
| | | 9-04-59 | 56.2 | - 23.8 | |
| | | 10-06-59 | 21.8 | 10.6 | 5104 |
| | | 11-30-59 | 17.9 | 14.5 | 5050 |
| | | 12-29-59 | 16.8 | 15.6 | |
| | | 1-25-60 | 15.2 | 17.2 | |
| | | 3-07-60 | 12.7 | 19.7 | 5104 |
| | | 3-31-60 | 13.3 | 19.1 | 5050 |
| | | 5-03-60 | 22.6 | 9.8 | |
| | | 5-26-60 | 38.1* | - 5.7 | |
| | | 6-29-60 | 39.1 | - 6.7 | |
| 10N/01W-09E01 M | 167.0 | 10-14-59 | 21.3 | 145.7 | 5104 |
| | | 3-15-60 | 20.1 | 146.9 | |
| 10N/01W-29M01 M | 165.4 | 10-15-59 | 14.1 | 151.3 | 5104 |
| | | 3-11-60 | 11.0 | 154.4 | |
| 11N/01E-18B01 M | 52.5 | 10-09-59 | 46.6* | 5.4 | 6001 |
| | | 3-21-60 | 37.4 | 14.6 | |
| 11N/01E-25R01 M | 56.0 | 10-12-59 | 37.1 | 18.9 | 6001 |
| | | 3-22-60 | 31.9 | 24.1 | |
| 11N/02E-18F02 M | 40.5 | 10-13-59 | 24.2 | 16.3 | 6001 |
| | | 3-22-60 | 21.4 | 19.1 | |
| 11N/02W-26J01 M | 280.8 | 10-15-59 | 65.1 | 215.7 | 5104 |
| | | 3-11-60 | 63.8 | 217.0 | |
| 12N/01W-05M01 M | 165.0 | 7-08-59 | ¤ | | 5050 |
| | | 8-05-59 | 147.3 | 17.7 | |
| | | 9-04-59 | 133.8 | 31.2 | |
| | | 10-09-59 | 128.4 | 36.6 | 6001 |
| | | 11-30-59 | 121.7 | 43.3 | 5050 |
| | | 12-29-59 | 119.5 | 45.5 | |
| | | 1-25-60 | 117.1 | 47.9 | |
| | | 3-21-60 | 115.9 | 49.1 | 6001 |
| | | 3-31-60 | 115.4 | 49.6 | 5050 |
| | | 5-03-60 | ¤ | | |

| State Well Number | RP Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| YOLO COUNTY | | | 5-21.09 | | |
| 12N/01W-05M01 M CONT. | 165.0 | 5-26-60 | ¤ | | 5050 |
| | | 6-29-60 | 190.0* | - 25.0 | |
| 12N/01W-36K01 M | 40.0 | 10-09-59 | 37.0 | 3.0 | 6001 |
| | | 3-21-60 | 25.6 | 14.4 | |
| CAPAY VALLEY | | | 5-21.10 | | |
| 10N/02W-16L01 M | 230.5 | 10-09-59 | 14.4 | 216.1 | 5104 |
| | | 3-11-60 | 13.9 | 216.6 | |
| 11N/03W-04P01 M | 395.0 | 10-09-59 | ¤ | | 5104 |
| | | 3-11-60 | 66.7 | 328.3 | |
| 11N/03W-26M03 M | 309.0 | 10-09-59 | ¤ | | 5104 |
| | | 3-11-60 | 26.8 | 282.2 | |
| 12N/03W-19H01 M | 441.0 | 10-09-59 | 33.7 | 407.3 | 5104 |
| | | 3-11-60 | ¤ | | |
| SOLANO COUNTY | | | 5-21.11 | | |
| 5N/02E-36N01 M | 1.2 | 10-08-59 | 9.8 | - 8.6 | 5050 |
| | | 3-10-60 | 6.7 | - 5.5 | 5109 |
| 6N/01E-24L01 M | 32.0 | 10-08-59 | 32.9 | - 0.9 | 5050 |
| | | 10-14-59 | 35.9 | - 3.9 | 6001 |
| | | 3-10-60 | 30.7 | 1.3 | 5109 |
| 6N/02E-29N01 M | 19.3 | 10-08-59 | 41.4* | - 22.1 | 5050 |
| | | 3-10-60 | 32.4 | - 13.1 | 5109 |
| 6N/01W-11G01 M | 83.5 | 7-07-59 | 33.5 | 50.0 | 5000 |
| | | 8-10-59 | 32.4 | 51.1 | |
| | | 9-01-59 | 32.7 | 50.8 | |
| | | 10-09-59 | 32.5 | 51.0 | |
| | | 10-19-59 | 32.6 | 50.9 | 6001 |
| | | 11-06-59 | 32.7 | 50.8 | 5000 |
| | | 12-04-59 | 32.4 | 51.1 | |
| | | 1-08-60 | 32.0 | 51.5 | |
| | | 2-08-60 | 31.3 | 52.2 | |
| | | 3-02-60 | 31.6 | 51.9 | |
| | | 3-10-60 | 31.1 | 52.4 | 5109 |
| | | 4-05-60 | 30.8 | 52.7 | 5000 |
| | | 5-04-60 | 32.4* | 51.1 | |
| | | 6-01-60 | 31.8 | 51.7 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SOLANO COUNTY | | | 5-21.11 | | |
| 6N/01W-13R01 M | 75.0 | 10-07-59 | 31.0 | 44.0 | 5050 |
| | | 3-10-60 | 32.5 | 42.5 | 5109 |
| 7N/01E-12N02 M | 64.5 | 10-06-59 | 85.3 - | 20.8 | 5050 |
| | | 3-24-60 | 84.6 - | 20.1 | 6001 |
| 7N/01E-33R01 M | 60.5 | 7-07-59 | □ | | 5000 |
| | | 8-10-59 | 25.7 | 34.8 | |
| | | 9-01-59 | 26.2 | 34.3 | |
| | | 10-09-59 | 26.5 | 34.0 | |
| | | 11-06-59 | 26.0 | 34.5 | |
| | | 12-04-59 | 27.5 | 33.0 | |
| | | 1-08-60 | 27.7 | 32.8 | |
| | | 2-08-60 | □ | | |
| | | 3-02-60 | 27.8 | 32.7 | |
| | | 4-05-60 | 28.0 | 32.5 | |
| | | 5-04-60 | 28.2 | 32.3 | |
| | | 6-01-60 | 28.4 | 32.1 | |
| 7N/02E-12C01 M | 28.5 | 10-06-59 | 63.9 - | 35.4 | 5050 |
| | | 10-12-59 | 64.9 - | 36.4 | 6001 |
| | | 3-21-60 | 53.4 - | 24.9 | |
| 7N/01W-13H01 M | 106.0 | 10-06-59 | 82.0 | 24.0 | 5050 |
| | | 3-25-60 | 74.4 | 31.6 | 6001 |
| 8N/01E-23Q01 M | 74.0 | 10-06-59 | 53.0 | 21.0 | 6001 |
| | | 3-22-60 | 49.7 | 24.3 | |
| 8N/01E-32E01 M | 100.0 | 10-06-59 | 61.2 | 38.8 | 5050 |
| | | 10-07-59 | 61.2 | 38.8 | 6001 |
| | | 3-25-60 | 53.1 | 46.9 | |
| 8N/01E-33Q01 M | 86.5 | 7-07-59 | 25.1 | 61.4 | 5000 |
| | | 10-06-59 | 50.1 | 36.4 | 5050 |
| 8N/01E-33Q02 M | 86.5 | 7-07-59 | 25.1 | 61.4 | 5000 |
| | | 8-10-59 | 45.9 | 40.6 | |
| | | 9-01-59 | 48.4 | 38.1 | |
| | | 10-07-59 | 50.8 | 35.7 | 6001 |
| | | 10-09-59 | 49.8 | 36.7 | 5000 |
| | | 11-06-59 | 56.4 | 30.1 | |
| | | 12-04-59 | 55.1 | 31.4 | |
| | | 1-08-60 | 56.6 | 29.9 | |
| | | 2-08-60 | 56.1 | 30.4 | |
| | | 3-02-60 | 56.5 | 30.0 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SOLANO COUNTY | | | 5-21.11 | | |
| 8N/01E-33Q02 M CONT. | 86.5 | 3-22-60 | 50.3 | 36.2 | 6001 |
| | | 4-05-60 | 55.8* | 30.7 | 5000 |
| | | 5-04-60 | 49.1 | 37.4 | |
| | | 6-01-60 | 49.0 | 37.5 | |
| 8N/02E-22Q01 M | 47.0 | 10-06-59 | 62.9 - | 15.9 | 5050 |
| | 46.5 | 3-21-60 | 42.9 | 4.1 | |
| 8N/01W-23B01 M | 123.6 | 10-06-59 | 53.0 | 70.6 | 5050 |
| | | 10-08-59 | 54.5 | 69.1 | 6001 |
| 8N/01W-34A01 M | 121.5 | 10-06-59 | 56.7 | 64.8 | 5050 |
| | | 3-29-60 | 53.1 | 68.4 | 6001 |
| SAN JOAQUIN VALLEY | | | 5-22.00 | | |
| MOKELUMNE RIVER AREA | | | 5-22.01 | | |
| 2N/06E-16L01 M | 11.8 | 10-14-59 | 19.3 - | 7.5 | 5110 |
| | | 3-08-60 | 18.2 - | 6.4 | |
| 3N/05E-16A01 M | 2.0 | 10-14-59 | 7.0 - | 5.0 | 5110 |
| | | 3-07-60 | 6.1 - | 4.1 | |
| 3N/06E-29C01 M | 17.7 | 10-14-59 | 39.3* - | 21.6 | 5110 |
| | | 3-07-60 | 20.5 - | 2.8 | |
| 3N/06E-35P01 M | 28.0 | 10-14-59 | 24.3 | 3.7 | 5110 |
| | | 3-07-60 | 23.8 | 4.2 | |
| | | 4-01-60 | 24.2 | 3.8 | 5050 |
| | | 4-20-60 | 24.9 | 3.1 | |
| | | 5-25-60 | 24.6 | 3.4 | |
| | | 6-28-60 | 26.8 | 1.2 | |
| 3N/07E-10L04 M | 73.2 | 7-01-59 | □ | | 1201 |
| | | 8-04-59 | 70.2 | 3.0 | |
| | | 9-01-59 | 66.1 | 7.1 | |
| | | 10-05-59 | 62.2 | 11.0 | |
| | | 11-03-59 | 60.7 | 12.5 | |
| | | 12-01-59 | 59.4 | 13.8 | |
| | | 1-06-60 | 58.3 | 14.9 | |
| | | 2-01-60 | 57.3 | 15.9 | |
| | | 3-01-60 | 57.3 | 15.9 | |
| | | 4-01-60 | 64.4 | 8.8 | |
| | | 5-02-60 | 67.9 | 5.3 | |
| | | 6-01-60 | 67.0 | 6.2 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| MOKELUMNE RIVER AREA | | | 5-22.01 | | |
| 3N/08E-08E01 M | 96.5 | 10-13-59 | 91.6* | 4.9 | 5110 |
| | | 3-04-60 | 85.1 | 11.4 | |
| 3N/08E-19C01 M | 82.0 | 10-13-59 | ▫ | | 5110 |
| | | 3-04-60 | 75.5 | 6.5 | |
| | | 4-01-60 | 80.1 | 1.9 | 5050 |
| | | 4-20-60 | ▫ | | |
| | | 5-25-60 | ▫ | | |
| | | 6-28-60 | 91.1 - | 9.1 | |
| 4N/05E-22A01 M | 9.1 | 10-14-59 | 5.2 | 3.9 | 5110 |
| | | 3-09-60 | 4.0 | 5.1 | |
| 4N/06E-12N01 M | 45.0 | 7-07-59 | 44.9 | 0.1 | 5050 |
| | | 8-07-59 | 47.4 - | 2.4 | |
| | | 8-30-59 | 47.8 - | 2.8 | |
| | | 10-15-59 | 49.6 - | 4.6 | 5110 |
| | | 11-27-59 | 51.7 - | 6.7 | 5050 |
| | | 12-29-59 | 51.2 - | 6.2 | |
| | | 1-27-60 | 49.7 - | 4.7 | |
| | | 3-09-60 | 48.8 - | 3.8 | 5110 |
| | | 4-01-60 | 47.2 - | 2.2 | 5050 |
| | | 4-20-60 | ▫ | | |
| | | 5-25-60 | 50.7 - | 5.7 | |
| | | 6-28-60 | ▫ | | |
| 4N/07E-33H01 M | 74.0 | 10-15-59 | 37.9 | 36.1 | 5110 |
| | | 3-08-60 | 38.0 | 36.0 | |
| 5N/05E-33A01 M | 9.3 | 10-14-59 | 12.1 - | 2.8 | 5110 |
| | | 3-09-60 | 9.8 - | 0.5 | |
| 5N/06E-36R01 M | 63.2 | 10-15-59 | 68.4 - | 5.2 | 5110 |
| | | 3-09-60 | 61.4 | 1.8 | |
| 5N/07E-34G01 M | 89.3 | 10-15-59 | 98.3* - | 9.0 | 5110 |
| | | 3-08-60 | 69.0 | 20.3 | |
| CALAVERAS RIVER AREA | | | 5-22.02 | | |
| 1N/06E-14C01 M | 12.6 | 10-30-59 | 61.0 - | 48.4 | 4701 |
| | | 3-03-60 | 53.0 - | 40.4 | |
| 1N/07E-07E01 M | 27.0 | 10-30-59 | 73.0 - | 46.0 | 4701 |
| | | 3-03-60 | 65.0 - | 38.0 | |
| 2N/06E-34K01 M | 8.8 | 10-30-59 | 38.0 - | 29.2 | 4701 |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| CALAVERAS RIVER AREA | | | 5-22.02 | | |
| 2N/06E-34K01 M | 8.8 | 3-03-60 | 32.0 - | 23.2 | 4701 |
| 2N/07E-12A01 M | 71.0 | 7-07-59 | ▫ | | 5050 |
| | | 8-07-59 | ▫ | | |
| | | 8-30-59 | 83.1 - | 12.1 | |
| | | 10-09-59 | 71.2 - | 0.2 | 5110 |
| | | 11-27-59 | 69.2 | 1.8 | 5050 |
| | | 12-29-59 | 67.3 | 3.7 | |
| | | 1-27-60 | 66.7 | 4.3 | |
| | | 3-04-60 | 66.0 | 5.0 | 5110 |
| | | 4-01-60 | 66.3 | 4.7 | 5050 |
| | | 4-20-60 | 71.3 - | 0.3 | |
| | | 5-25-60 | 77.0 - | 6.0 | |
| | | 6-28-60 | 89.8 - | 18.8 | |
| 2N/07E-16L01 M | 47.7 | 10-13-59 | 55.3 - | 7.6 | 5110 |
| | | 3-04-60 | 53.8 - | 6.1 | |
| 2N/07E-33R01 M | 38.8 | 10-20-59 | 54.6 - | 15.8 | 5110 |
| | | 3-02-60 | 51.9 - | 13.1 | |
| | | 3-31-60 | 57.6 - | 18.8 | 5050 |
| | | 4-20-60 | 65.3 - | 26.5 | |
| | | 5-25-60 | 61.0 - | 22.2 | |
| | | 6-28-60 | 64.3 - | 25.5 | |
| 2N/08E-12L01 M | 109.5 | 10-07-59 | 87.6 | 21.9 | 5110 |
| | | 3-02-60 | 84.2 | 25.3 | |
| 2N/08E-21R01 M | 80.8 | 10-09-59 | 76.3 | 4.5 | 5110 |
| | | 3-03-60 | 69.3 | 11.5 | |
| 2N/09E-05H01 M | 132.7 | 10-08-59 | 83.9 | 48.8 | 5110 |
| | | 3-03-60 | 83.0 | 49.7 | |
| | | 4-01-60 | 84.5 | 48.2 | 5050 |
| | | 4-20-60 | 87.6 | 45.1 | |
| | | 5-25-60 | 86.0 | 46.7 | |
| | | 6-28-60 | 93.3 | 39.4 | |
| 2N/09E-07G02 M | 120.0 | 10-08-59 | 87.0 | 33.0 | 5110 |
| | | 3-03-60 | 85.8 | 34.2 | |
| 3N/08E-32P01 M | 85.6 | 10-09-59 | 79.5* | 6.1 | 5110 |
| | | 3-07-60 | 73.1 | 12.5 | |
| 3N/09E-25R01 M | 170.0 | 10-08-59 | 46.0 | 124.0 | 5110 |
| | | 3-02-60 | 44.6 | 125.4 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| FARMINGTON-COLLEGEVILLE AREA | | | 5-22.03 | | |
| 1N/06E-35A02 M | 16.0 | 10-01-59 | 21.6 - | 2.6 | 5110 |
| | 18.0 | 3-10-60 | 20.6 - | 2.6 | |
| 1N/07E-13E01 M | 51.7 | 10-05-59 | 61.5 - | 9.8 | 5110 |
| | | 2-29-60 | 58.0 - | 6.3 | |
| 1N/08E-17D01 M | 68.7 | 7-07-59 | 73.3 - | 4.6 | 5050 |
| | | 8-07-59 | 75.1 - | 6.4 | |
| | | 8-30-59 | 76.8 - | 8.1 | |
| | | 10-05-59 | ¤ | | 5110 |
| | | 11-27-59 | 74.4 - | 5.7 | 5050 |
| | | 12-29-59 | 69.4 - | 0.7 | |
| | | 1-27-60 | 69.1 - | 0.4 | |
| | | 2-29-60 | 67.8 | 0.9 | 5110 |
| | | 3-31-60 | ¤ | | 5050 |
| | | 4-20-60 | 84.3 - | 15.6 | |
| | | 5-25-60 | ¤ | | |
| | | 6-28-60 | 90.4* - | 21.7 | |
| 1N/08E-26A02 M | 88.7 | 10-05-59 | 82.1 | 6.6 | 5110 |
| | | 3-01-60 | 72.8 | 15.9 | |
| 1N/09E-15B01 M | 120.9 | 7-07-59 | 67.0 | 53.9 | 5050 |
| | | 8-07-59 | ¤ | | |
| | | 8-30-59 | 69.2 | 51.7 | |
| | | 10-06-59 | 71.3 | 49.6 | 5110 |
| | | 11-27-59 | 71.0 | 49.9 | 5050 |
| | | 12-29-59 | 68.9 | 52.0 | |
| | | 1-27-60 | 71.2 | 49.7 | |
| | | 2-29-60 | 70.0 | 50.9 | |
| | | 3-31-60 | 69.9 | 51.0 | |
| | | 4-20-60 | 72.6 | 48.3 | |
| | | 5-25-60 | 71.1 | 49.8 | |
| | | 6-28-60 | 77.4 | 43.5 | |
| 1N/10E-31Q02 M | 130.0 | 10-01-59 | 76.2 | 53.8 | 5050 |
| | | 2-29-60 | 73.6 | 56.4 | |
| 1S/07E-10A01 M | 40.5 | 10-01-59 | 35.7 | 4.8 | 5110 |
| | | 3-10-60 | 29.9 | 10.6 | |
| | | 3-31-60 | 34.8 | 5.7 | 5050 |
| | | 4-19-60 | 32.9 | 7.6 | |
| | | 5-25-60 | 36.0 | 4.5 | |
| | | 6-28-60 | 49.0* - | 8.5 | |

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| FARMINGTON-COLLEGEVILLE AREA | | | 5-22.03 | | |
| 1S/08E-15A01 M | 74.0 | 10-02-59 | 55.1 | 18.9 | 5110 |
| | | 3-10-60 | 49.1 | 24.9 | |
| | | 3-31-60 | 49.9 | 24.1 | 5050 |
| | | 4-20-60 | 51.1 | 22.9 | |
| | | 5-25-60 | ¤ | | |
| | | 6-28-60 | 51.0 | 23.0 | |
| 1S/08E-19N01 M | 51.4 | 10-01-59 | 14.1 | 37.3 | 5110 |
| | | 3-10-60 | 15.9 | 35.5 | |
| 1S/09E-09R01 M | 128.6 | 10-06-59 | 75.4 | 53.2 | 5110 |
| | | 3-01-60 | 68.5 | 60.1 | |
| TRACY AREA | | | 5-22.04 | | |
| 1S/05E-31R01 M | 4.8 | 7-07-59 | 11.6 - | 6.8 | 5050 |
| | | 8-07-59 | 13.8 - | 9.0 | |
| | | 8-30-59 | 9.7 - | 4.9 | |
| | | 10-19-59 | 10.4 - | 5.6 | 5110 |
| | | 11-27-59 | 13.1 - | 8.3 | 5050 |
| | | 12-29-59 | 12.4 - | 7.6 | |
| | | 1-27-60 | 8.8 - | 4.0 | |
| | | 3-11-60 | 8.6 - | 3.8 | 5110 |
| | | 3-31-60 | 11.8 - | 7.0 | 5050 |
| | | 4-19-60 | 11.3 - | 6.5 | |
| | | 5-25-60 | 10.3 - | 5.5 | |
| | | 6-28-60 | 11.0 - | 6.2 | |
| 1S/05E-35Q01 M | 9.0 | 10-19-59 | 21.4 - | 12.4 | 5110 |
| | | 3-11-60 | 23.7 - | 14.7 | |
| 1S/06E-31E01 M | 8.3 | 10-19-59 | 8.7 - | 0.4 | 5110 |
| | | 3-11-60 | 7.8 | 0.5 | |
| 2S/05E-16C01 M | 16.6 | 10-19-59 | 20.0* - | 3.4 | 5110 |
| | | 3-11-60 | 11.5 | 5.1 | |
| 2S/05E-24N01 M | 44.5 | 10-19-59 | 59.9 - | 15.4 | 5110 |
| | | 3-11-60 | 40.2 | 4.3 | |
| | | 6-28-60 | ¤ | | 5050 |
| 2S/06E-27E01 M | 21.0 | 10-16-59 | 13.6* | 7.4 | 5110 |
| | | 3-11-60 | 15.4* | 5.6 | |
| 2S/06E-31N01 M | 64.0 | 10-19-59 | 21.1 | 42.9 | 5110 |
| | | 3-11-60 | 23.9 | 40.1 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| TRACY AREA | | | 5-22.04 | | |
| 2S/06E-31N01 M | 64.0 | 3-31-60 | □ | | 5050 |
| CONT. | | 4-19-60 | □ | | |
| | | 5-25-60 | 100.0* | - 36.0 | |
| | | 6-28-60 | 54.7 | 9.3 | |
| 3S/06E-03F01 M | 29.0 | 10-16-59 | 15.8 | 13.2 | 5110 |
| | | 3-11-60 | 19.6 | 9.4 | |
| 3S/06E-09J01 M | 55.9 | 10-08-59 | 17.5 | 38.4 | 6001 |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SO SAN JOAQUIN IRRIGATION DIST | | | 5-22.05 | | |
| 1S/07E-15J01 M | 42.0 | 1-08-60 | DRY | | 7518 |
| 2S/09E-08H01 M | 112.0 | 1-11-60 | 24.3 | 87.7 | 7518 |
| OAKDALE IRRIGATION DISTRICT | | | 5-22.06 | | |
| 1S/09E-36A01 M | 149.3 | 11-17-59 | 48.5 | 100.8 | 3520 |
| | | 12-02-59 | 47.1 | 102.2 | |
| | | 12-17-59 | 47.1 | 102.2 | |
| | | 12-31-59 | 47.2 | 102.1 | |
| | | 1-18-60 | 47.4 | 101.9 | |
| | | 2-02-60 | 47.5 | 101.8 | |
| | | 2-15-60 | 47.6 | 101.7 | |
| | | 3-01-60 | 47.8 | 101.5 | |
| 1S/10E-28J01 M | 194.0 | 11-17-59 | 84.0 | 110.0 | 3520 |
| | | 12-02-59 | □ | | |
| | | 12-17-59 | 84.0 | 110.0 | |
| | | 12-31-59 | 83.3 | 110.7 | |
| | | 1-18-60 | 83.0 | 111.0 | |
| | | 2-02-60 | 82.9 | 111.1 | |
| | | 2-15-60 | 82.5 | 111.5 | |
| | | 3-01-60 | 82.5 | 111.5 | |
| 2S/09E-26F01 M | 132.0 | 11-17-59 | 48.7 | 83.3 | 3520 |
| | | 12-02-59 | 48.4 | 83.6 | |
| | | 12-17-59 | 48.1 | 83.9 | |
| | | 12-31-59 | 47.9 | 84.1 | |
| | | 1-18-60 | 48.1 | 83.9 | |
| | | 2-02-60 | 48.1 | 83.9 | |
| | | 2-15-60 | 48.1 | 83.9 | |
| | | 3-01-60 | 48.6 | 83.4 | |
| 2S/10E-33J01 M | 167.0 | 11-17-59 | 67.2 | 99.8 | 3520 |
| | | 12-02-59 | 66.8 | 100.2 | |
| | | 12-17-59 | 60.1 | 106.9 | |
| | | 12-31-59 | 59.1 | 107.9 | |
| | | 1-18-60 | 58.7 | 108.3 | |
| | | 2-02-60 | 58.6 | 108.4 | |
| | | 2-15-60 | 58.6 | 108.4 | |
| | | 3-01-60 | 58.6 | 108.4 | |
| 2S/11E-31N01 M | 192.5 | 10-00-59 | 85.4 | 107.1 | 3520 |
| | | 3-00-60 | 77.4 | 115.1 | |
| 2S/12E-31K01 M | 190.0 | 10-00-59 | 44.9 | 145.1 | 3520 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| OAKDALE IRRIGATION DISTRICT | | | 5-22.06 | | |
| 2S/12E-31K01 M | 190.0 | 3-00-60 | 43.1 | 146.9 | 3520 |
| 3S/10E-15A01 M | 152.0 | 11-17-59 | 50.0 | 102.0 | 3520 |
| | | 12-02-59 | 50.7 | 101.3 | |
| | | 12-17-59 | 48.8 | 103.2 | |
| | | 12-31-59 | 48.2 | 103.8 | |
| | | 1-18-60 | 47.8 | 104.2 | |
| | | 2-02-60 | 47.7 | 104.3 | |
| | | 2-15-60 | 47.4 | 104.6 | |
| | | 3-01-60 | 47.4 | 104.6 | |
| 3S/11E-18D01 M | 162.5 | 11-17-59 | 58.0 | 104.5 | 3520 |
| | | 12-02-59 | ▫ | | |
| | | 12-17-59 | ▫ | | |
| | | 12-31-59 | 56.3 | 106.2 | |
| | | 1-18-60 | 55.4 | 107.1 | |
| | | 2-02-60 | 55.3 | 107.2 | |
| | | 2-15-60 | 54.9 | 107.6 | |
| | | 3-01-60 | 55.5 | 107.0 | |
| MODESTO IRRIGATION DISTRICT | | | 5-22.07 | | |
| 2S/08E-34A01 M | 79.0 | 10-01-59 | DRY | | 3521 |
| | | 4-00-60 | DRY | | |
| 3S/07E-15A01 M | 38.0 | 8-05-59 | 6.1 | 31.9 | 3521 |
| | | 9-01-59 | 6.3 | 31.7 | |
| | | 10-01-59 | 5.1 | 32.9 | |
| | | 4-00-60 | 7.4 | 30.6 | |
| 3S/08E-13A01 M | 81.5 | 8-05-59 | 4.5 | 77.0 | 3521 |
| | | 9-01-59 | 5.6 | 75.9 | |
| | | 10-01-59 | 8.3 | 73.2 | |
| | | 4-00-60 | 10.0 | 71.5 | |
| 3S/08E-23A01 M | 75.0 | 8-05-59 | 8.0 | 67.0 | 3521 |
| | | 9-01-59 | 9.2 | 65.8 | |
| | | 10-01-59 | 8.8 | 66.2 | |
| | | 4-00-60 | DRY | | |
| 3S/09E-15A01 M | 98.0 | 8-05-59 | DRY | | 3521 |
| | | 9-01-59 | DRY | | |
| | | 10-01-59 | DRY | | |
| | | 4-00-60 | ▫ | | |
| 4S/07E-02A01 M | 30.0 | 8-05-59 | 9.0 | 21.0 | 3521 |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| MODESTO IRRIGATION DISTRICT | | | 5-22.07 | | |
| 4S/07E-02A01 M CONT. | 30.0 | 9-01-59 | 9.0 | 21.0 | 3521 |
| | | 10-01-59 | 9.3 | 20.7 | |
| | | 4-00-60 | 11.7 | 18.3 | |
| 4S/08E-03A01 M | 64.0 | 8-05-59 | DRY | | 3521 |
| | | 9-01-59 | DRY | | |
| | | 10-01-59 | DRY | | |
| | | 4-00-60 | DRY | | |
| TURLOCK IRRIGATION DISTRICT | | | 5-22.08 | | |
| 4S/08E-27D01 M | 55.0 | 7-03-59 | 8.1 | 46.9 | 3524 |
| | | 8-06-59 | 7.6 | 47.4 | |
| | | 9-03-59 | 7.5 | 47.5 | |
| | | 10-02-59 | 8.1 | 46.9 | |
| | | 11-04-59 | 8.3 | 46.7 | |
| | | 12-03-59 | 8.6 | 46.4 | |
| | | 1-06-60 | 9.3 | 45.7 | |
| | | 2-04-60 | 9.7 | 45.3 | |
| | | 3-03-60 | DRY | | |
| | | 4-06-60 | DRY | | |
| | | 5-05-60 | DRY | | |
| | | 6-03-60 | DRY | | |
| 4S/09E-21A01 M | 82.0 | 7-03-59 | DRY | | 3524 |
| | | 8-06-59 | DRY | | |
| | | 9-03-59 | DRY | | |
| | | 10-02-59 | DRY | | |
| | | 11-04-59 | DRY | | |
| | | 12-03-59 | DRY | | |
| | | 1-06-60 | DRY | | |
| | | 2-04-60 | DRY | | |
| | | 3-03-60 | DRY | | |
| | | 4-06-60 | DRY | | |
| | | 5-05-60 | DRY | | |
| | | 6-03-60 | DRY | | |
| 4S/10E-21R01 M | 109.0 | 7-03-59 | 7.0 | 102.0 | 3524 |
| | | 8-06-59 | 7.0 | 102.0 | |
| | | 9-03-59 | 7.4 | 101.6 | |
| | | 10-02-59 | 7.0 | 102.0 | |
| | | 11-04-59 | 7.0 | 102.0 | |
| | | 12-03-59 | 7.3 | 101.7 | |
| | | 1-06-60 | 7.6 | 101.4 | |
| | | 2-04-60 | 8.2 | 100.8 | |
| | | 3-03-60 | 8.1 | 100.9 | |

# GROUND WATER LEVELS AT WELLS

CENTRAL VALLEY REGION — 50000

TURLOCK IRRIGATION DISTRICT — 5-22.08

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| 4S/10E-21R01 M CONT. | 109.0 | 4-06-60 | 9.2 | 99.8 | 3524 |
| | | 5-05-60 | 9.2 | 99.8 | |
| | | 6-03-60 | 8.7 | 100.3 | |
| 4S/11E-29N01 M | 131.0 | 7-03-59 | DRY | | 3524 |
| | | 8-06-59 | DRY | | |
| | | 9-03-59 | DRY | | |
| | | 10-02-59 | DRY | | |
| | | 11-04-59 | DRY | | |
| | | 12-03-59 | DRY | | |
| | | 1-06-60 | DRY | | |
| | | 2-04-60 | DRY | | |
| | | 3-03-60 | DRY | | |
| | | 4-06-60 | DRY | | |
| | | 5-05-60 | DRY | | |
| | | 6-03-60 | DRY | | |
| 5S/08E-01N01 M | 53.0 | 7-03-59 | 4.5 | 48.5 | 3524 |
| | | 8-06-59 | 7.1 | 45.9 | |
| | | 9-03-59 | 7.2 | 45.8 | |
| | | 10-02-59 | 5.1 | 47.9 | |
| | | 11-04-59 | 6.7 | 46.3 | |
| | | 12-03-59 | 7.1 | 45.9 | |
| | | 1-06-60 | 7.2 | 45.8 | |
| | | 2-04-60 | 7.3 | 45.7 | |
| | | 3-03-60 | 8.0 | 45.0 | |
| | | 4-06-60 | 6.0 | 47.0 | |
| | | 5-05-60 | 3.4 | 49.6 | |
| | | 6-03-60 | 4.6 | 48.4 | |
| 5S/09E-14R01 M | 75.0 | 7-03-59 | 7.9 | 67.1 | 3524 |
| | | 8-03-59 | 7.8 | 67.2 | |
| | | 9-03-59 | 8.2 | 66.8 | |
| | | 10-02-59 | 8.6 | 66.4 | |
| | | 11-04-59 | 8.7 | 66.3 | |
| | | 12-03-59 | 8.9 | 66.1 | |
| | | 1-06-60 | 9.0 | 66.0 | |
| | | 2-04-60 | 9.0 | 66.0 | |
| | | 3-03-60 | 8.2 | 66.8 | |
| | | 4-06-60 | 8.6 | 66.4 | |
| | | 5-05-60 | 9.1 | 65.9 | |
| | | 6-03-60 | 8.9 | 66.1 | |
| 5S/09E-24N01 M | 75.0 | 7-03-59 | 6.8 | 68.2 | 3524 |
| | | 8-03-59 | 6.1 | 68.9 | |
| | | 9-03-59 | 6.6 | 68.4 | |

CENTRAL VALLEY REGION — 50000

TURLOCK IRRIGATION DISTRICT — 5-22.08

| State Well Number | RP Elev., in feet | Date | Dist. RP. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| 5S/09E-24N01 M CONT. | 75.0 | 10-02-59 | 6.8 | 68.2 | 3524 |
| | | 11-04-59 | 6.9 | 68.1 | |
| | | 12-03-59 | 7.0 | 68.0 | |
| | | 1-06-60 | 7.1 | 67.9 | |
| | | 2-04-60 | 7.1 | 67.9 | |
| | | 3-03-60 | 6.4 | 68.6 | |
| | | 4-06-60 | 6.6 | 68.4 | |
| | | 5-05-60 | 5.9 | 69.1 | |
| | | 6-03-60 | 6.5 | 68.5 | |
| 5S/10E-21R01 M | 92.0 | 7-03-59 | 7.7 | 84.3 | 3524 |
| | | 8-06-59 | 7.3 | 84.7 | |
| | | 9-03-59 | 7.3 | 84.7 | |
| | | 10-02-59 | 7.7 | 84.3 | |
| | | 11-04-59 | 8.0 | 84.0 | |
| | | 12-03-59 | 8.6 | 83.4 | |
| | | 1-06-60 | 8.9 | 83.1 | |
| | | 2-04-60 | 9.9 | 82.1 | |
| | | 3-03-60 | 9.4 | 82.6 | |
| | | 4-06-60 | 8.6 | 83.4 | |
| | | 5-05-60 | 7.8 | 84.2 | |
| | | 6-03-60 | 6.8 | 85.2 | |
| 5S/11E-21N01 M | 125.0 | 7-03-59 | 4.2 | 120.8 | 3524 |
| | | 8-06-59 | 4.7 | 120.3 | |
| | | 9-03-59 | 4.4 | 120.6 | |
| | | 10-02-59 | 4.9 | 120.1 | |
| | | 11-04-59 | 5.4 | 119.6 | |
| | | 12-03-59 | 5.7 | 119.3 | |
| | | 1-06-60 | 5.9 | 119.1 | |
| | | 2-04-60 | 6.1 | 118.9 | |
| | | 3-03-60 | 6.0 | 119.0 | |
| | | 4-06-60 | 6.3 | 118.7 | |
| | | 5-05-60 | 5.3 | 119.7 | |
| | | 6-03-60 | 4.9 | 120.1 | |
| 6S/09E-15R01 M | 60.0 | 7-03-59 | 4.2 | 55.8 | 3524 |
| | | 8-06-59 | 4.1 | 55.9 | |
| | | 9-03-59 | 3.7 | 56.3 | |
| | | 10-02-59 | 2.5 | 57.5 | |
| | | 11-04-59 | 4.5 | 55.5 | |
| | | 12-03-59 | 5.9 | 54.1 | |
| | | 1-06-60 | 6.1 | 53.9 | |
| | | 2-04-60 | 6.2 | 53.8 | |
| | | 3-03-60 | 6.3 | 53.7 | |
| | | 4-06-60 | 3.8 | 56.2 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| TURLOCK IRRIGATION DISTRICT | | | 5-22.08 | | |
| 6S/09E-15R01 M | 60.0 | 5-05-60 | 3.4 | 56.6 | 3524 |
| CONT. | | 6-03-60 | 3.4 | 56.6 | |
| 6S/10E-21A01 M | 87.0 | 7-03-59 | 3.8 | 83.2 | 3524 |
| | | 8-06-59 | 3.9 | 83.1 | |
| | | 9-03-59 | 3.1 | 83.9 | |
| | | 10-02-59 | 3.2 | 83.8 | |
| | | 11-04-59 | 3.5 | 83.5 | |
| | | 12-03-59 | 4.1 | 82.9 | |
| | | 1-06-60 | 4.6 | 82.4 | |
| | | 2-04-60 | 4.9 | 82.1 | |
| | | 3-03-60 | 4.8 | 82.2 | |
| | | 4-06-60 | 4.6 | 82.4 | |
| | | 5-05-60 | 4.1 | 82.9 | |
| | | 6-03-60 | 4.2 | 82.8 | |
| 6S/11E-08R01 M | 115.0 | 7-03-59 | 9.4 | 105.6 | 3524 |
| | | 8-06-59 | 9.0 | 106.0 | |
| | | 9-03-59 | 9.4 | 105.6 | |
| | | 10-02-59 | 9.6 | 105.4 | |
| | | 11-04-59 | 9.7 | 105.3 | |
| | | 12-03-59 | DRY | | |
| | | 1-06-60 | DRY | | |
| | | 2-04-60 | DRY | | |
| | | 3-03-60 | DRY | | |
| | | 4-06-60 | DRY | | |
| | | 5-05-60 | DRY | | |
| | | 6-03-60 | DRY | | |
| MERCED IRRIGATION DISTRICT | | | 5-22.09 | | |
| 6S/11E-34R01 M | 112.0 | 10-05-59 | 6.4 | 105.6 | 3525 |
| | | 3-01-60 | 7.4 | 104.6 | |
| 6S/12E-21N01 M | 145.0 | 10-05-59 | DRY | | 3525 |
| | | 3-01-60 | 13.7 | 131.3 | |
| 6S/13E-19N01 M | 181.9 | 10-05-59 | 17.3 | 164.6 | 3525 |
| | | 3-01-60 | 17.5 | 164.4 | |
| 6S/14E-32N01 M | 179.1 | 10-05-59 | 8.5 | 170.6 | 3525 |
| | | 3-02-60 | 12.1 | 167.0 | |
| 7S/10E-01N01 M | 91.5 | 10-05-59 | 9.3 | 82.2 | 3525 |
| | | 3-01-60 | 9.4 | 82.1 | |
| 7S/11E-13N01 M | 105.7 | 10-05-59 | 5.8 | 99.9 | 3525 |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| MERCED IRRIGATION DISTRICT | | | 5-22.09 | | |
| 7S/11E-13N01 M | 105.7 | 3-01-60 | 7.0 | 98.7 | 3525 |
| 7S/12E-12R01 M | 148.9 | 10-05-59 | DRY | | 3525 |
| | | 3-01-60 | 15.6 | 133.3 | |
| 7S/12E-21D01 M | 117.0 | 10-05-59 | 6.2 | 110.8 | 3525 |
| | | 3-01-60 | 6.8 | 110.2 | |
| 7S/13E-16N01 M | 152.2 | 10-05-59 | 8.0 | 144.2 | 3525 |
| | | 3-01-60 | 15.0 | 137.2 | |
| 7S/14E-16R01 M | 188.0 | 10-05-59 | 9.0 | 179.0 | 3525 |
| | | 3-02-60 | 14.2 | 173.8 | |
| 7S/15E-20R01 M | 217.0 | 10-05-59 | 13.2 | 203.8 | 3525 |
| | | 3-02-60 | 15.0 | 202.0 | |
| 7S/15E-36N01 M | 235.2 | 10-05-59 | DRY | | 3525 |
| | | 3-02-60 | DRY | | |
| 8S/12E-01D01 M | 121.5 | 10-05-59 | 6.3 | 115.2 | 3525 |
| | | 3-01-60 | 9.5 | 112.0 | |
| 8S/13E-09RD1 M | 135.2 | 10-05-59 | 6.2 | 129.0 | 3525 |
| | | 3-02-60 | 8.5 | 126.7 | |
| 8S/14E-01A01 M | 197.8 | 10-05-59 | 9.2 | 188.6 | 3525 |
| | | 3-02-60 | DRY | | |
| EL NIDO IRRIGATION DISTRICT | | | 5-22.10 | | |
| 9S/13E-14R01 M | 134.3 | 11-10-59 | 79.0 | 55.3 | 3525 |
| | | 2-25-60 | 68.8 | 65.5 | |
| 9S/14E-17K01 M | 152.0 | 11-10-59 | 65.0 | 87.0 | 3525 |
| | | 2-25-60 | 60.5 | 91.5 | |
| DELTA-MENDOTA AREA | | | 5-22.11 | | |
| 2S/04E-16H01 M | 79.8 | 10-05-59 | ¤ | | 6001 |
| | | 3-16-60 | 11.9 | 67.9 | 5050 |
| 2S/04E-25J01 M | 81.0 | 9-17-59 | 22.6 | 58.4 | 6001 |
| | | 3-17-60 | 25.2 | 55.8 | 5050 |
| 2S/04E-28A01 M | 188.1 | 10-09-59 | 136.8 | 51.3 | 5050 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| DELTA-MENDOTA AREA | | | 5-22.11 | | |
| 2S/04E-28A01 M | 188.1 | 2-29-60 | 137.3 | 50.8 | 6001 |
| 2S/04E-29Q01 M | 325.4 | 9-17-59 | 10.8 | 314.6 | 6001 |
| | | 3-17-60 | 6.3 | 319.1 | 5050 |
| 2S/05E-32A01 M | 76.0 | 9-17-59 | 23.2 | 52.8 | 6001 |
| | | 3-17-60 | 28.1 | 47.9 | 5050 |
| 3S/05E-08R01 M | 195.4 | 3-17-60 | 142.5 | 52.9 | 5050 |
| 3S/05E-08R02 M | 196.2 | 10-00-59 | ¤ | | 6001 |
| 3S/05E-25Q01 M | 208.0 | 9-22-59 | 124.2 | 83.8 | 6001 |
| | | 10-09-59 | 124.9 | 83.1 | 5050 |
| | | 3-02-60 | 125.7 | 82.3 | 6001 |
| 3S/05E-26K01 M | 212.7 | 10-05-59 | 132.0 | 80.7 | 6001 |
| | | 3-17-60 | 132.9 | 79.8 | 5050 |
| 3S/06E-16Q01 M | 80.6 | 10-09-59 | 96.2 | - 15.6 | 5050 |
| | | 3-08-60 | 65.7* | 14.9 | 6001 |
| 3S/06E-18N01 M | 100.2 | 9-22-59 | 18.6 | 81.6 | 6001 |
| | | 10-09-59 | 16.9 | 83.3 | 5050 |
| | | 3-08-60 | 18.9 | 81.3 | 6001 |
| 3S/06E-25D01 M | 64.1 | 10-07-59 | 29.9 | 34.2 | 6001 |
| | | 3-17-60 | 27.1 | 37.0 | 5050 |
| 4S/06E-04H01 M | 164.1 | 10-05-59 | 119.6 | 44.5 | 6001 |
| | | 10-09-59 | 132.6 | 31.5 | 5050 |
| | | 3-03-60 | 110.5 | 53.6 | 6001 |
| 4S/06E-09R01 M | 167.8 | 10-05-59 | 135.1 | 32.7 | 6001 |
| | | 10-09-59 | 121.1 | 46.7 | 5050 |
| | | 3-30-60 | 128.3 | 39.5 | 6001 |
| 4S/07E-27M01 M | 69.0 | 9-21-59 | 27.5 | 41.5 | 6001 |
| | | 10-08-59 | 31.1 | 37.9 | 5050 |
| | | 3-14-60 | 28.9 | 40.1 | 6001 |
| 4S/07E-31Q01 M | 186.0 | 9-21-59 | 120.1 | 65.9 | 6001 |
| | | 10-08-59 | ¤ | | 5050 |
| | | 3-04-60 | 119.5 | 66.5 | 6001 |
| 5S/07E-05D01 M | 158.4 | 10-02-59 | 114.5 | 43.9 | 6001 |
| 5S/07E-05D01 M | 158.4 | 3-16-60 | 116.6 | 41.8 | 5050 |
| 5S/07E-13K01 M | 108.5 | 10-09-59 | 78.4 | 30.1 | 5050 |
| | | 3-15-60 | 61.9 | 46.6 | 6001 |
| 5S/07E-14D01 M | 131.8 | 10-02-59 | 77.1 | 54.7 | 6001 |
| | | 3-16-60 | ¤ | | |
| 5S/08E-06K01 M | 59.0 | 3-16-60 | 19.4 | 39.6 | 5050 |
| 5S/08E-35H01 M | 50.5 | 3-16-60 | 10.3 | 40.2 | 5050 |
| 6S/07E-12P01 M | 249.3 | 10-02-59 | 16.7 | 232.6 | 6001 |
| | | 3-09-60 | 15.3 | 234.0 | |
| 6S/08E-16M01 M | 130.3 | 10-08-59 | 88.2 | 42.1 | 5050 |
| | | 3-09-60 | 79.8 | 50.5 | 6001 |
| 6S/08E-27J01 M | 115.5 | 9-24-59 | 51.6 | 63.9 | 6001 |
| | | 3-10-60 | 58.6 | 56.9 | |
| 6S/08E-29J01 M | 191.0 | 9-24-59 | 135.9 | 55.1 | 6001 |
| | | 10-08-59 | ¤ | | 5050 |
| | | 3-10-60 | 129.7 | 61.3 | 6001 |
| 7S/08E-12E01 M | 107.4 | 10-08-59 | 41.2 | 66.2 | 6001 |
| | | 3-16-60 | 42.5 | 64.9 | |
| 7S/08E-22B01 M | 128.9 | 10-01-59 | 63.7 | 65.2 | 6001 |
| | | 3-10-60 | 64.4 | 64.5 | |
| 7S/08E-22L01 M | 129.6 | 10-01-59 | 42.2 | 87.4 | 6001 |
| | | 3-15-60 | 42.1 | 87.5 | |
| 7S/09E-04R01 M | 66.5 | 10-02-59 | 19.9 | 46.6 | 6001 |
| | | 3-07-60 | 18.4 | 48.1 | |
| 7S/09E-26N01 M | 68.9 | 9-30-59 | 9.2 | 59.7 | 6001 |
| | | 3-15-60 | 4.5 | 64.4 | 5050 |
| 8S/08E-01N01 M | 124.2 | 9-25-59 | 20.4 | 103.8 | 6001 |
| | | 3-07-60 | 26.9 | 97.3 | |
| 8S/08E-15J01 M | 172.8 | 9-25-59 | 55.8 | 117.0 | 6001 |
| | | 3-02-60 | 54.1 | 118.7 | |
| 8S/09E-26H01 M | 76.6 | 9-30-59 | 32.2 | 44.4 | 6001 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| DELTA-MENDOTA AREA | | | 5-22.11 | | |
| 8S/09E-26H01 M | 76.6 | 2-29-60 | 35.0 | 41.6 | 6001 |
| 8S/09E-26H03 M | 76.0 | 9-30-59 | 8.3 | 67.7 | 6001 |
| | | 2-29-60 | 2.5 | 73.5 | |
| 8S/10E-21L04 M | 76.6 | 9-30-59 | 64.5 | 12.1 | 6001 |
| | | 2-29-60 | 5.0 | 71.6 | |
| 9S/08E-13D01 M | 203.0 | 9-29-59 | 22.9 | 180.1 | 6001 |
| | | 3-07-60 | 26.4 | 176.6 | |
| 9S/09E-18N01 M | 154.4 | 9-30-59 | 46.2* | 108.2 | 6001 |
| | | 3-04-60 | 47.5* | 106.9 | |
| 9S/09E-23L01 M | 100.6 | 9-28-59 | 74.3 | 26.3 | 6001 |
| | | 10-08-59 | 77.8 | 22.8 | 5050 |
| | | 3-04-60 | 48.3 | 52.3 | 6001 |
| 9S/10E-19B01 M | 85.2 | 9-28-59 | 6.9 | 78.3 | 6001 |
| | | 10-08-59 | 7.3 | 77.9 | 5050 |
| 9S/10E-23J01 M | 88.5 | 10-07-59 | 64.6 | 23.9 | 5050 |
| | | 3-01-60 | 36.1 | 52.4 | 6001 |
| 9S/11E-20J01 M | 92.2 | 9-24-59 | 48.4 | 43.8 | 6001 |
| | | 10-08-59 | 49.0 | 43.2 | 5050 |
| | | 3-01-60 | 42.0 | 50.2 | 6001 |
| 10S/09E-06A01 M | 147.0 | 9-23-59 | 7.5 | 139.5 | 6001 |
| | | 3-01-60 | 13.3 | 133.7 | |
| 10S/09E-08B01 M | 168.0 | 9-24-59 | 85.2 | 82.8 | 6001 |
| | | 10-08-59 | 87.3 | 80.7 | 5050 |
| | | 3-02-60 | 86.4 | 81.6 | 6001 |
| 10S/10E-02R01 M | 99.7 | 9-30-59 | 22.6 | 77.1 | 6001 |
| | | 3-15-60 | 17.2 | 82.5 | 5050 |
| 10S/10E-11R01 M | 107.4 | 9-30-59 | 16.2 | 91.2 | 6001 |
| | | 3-15-60 | 17.4 | 90.0 | 5050 |
| 10S/10E-31G01 M | 191.3 | 9-29-59 | 160.9 | 30.4 | 6001 |
| | | 10-08-59 | □ | | 5050 |
| | | 3-04-60 | 156.6 | 34.7 | 6001 |
| 10S/11E-23D01 M | 99.6 | 9-30-59 | 5.0 | 94.6 | 6001 |
| 10S/11E-23D01 M | 99.6 | 3-16-60 | 5.8 | 93.8 | 5050 |
| 10S/11E-27E02 M | 102.3 | 10-07-59 | 70.1 | 32.2 | 5050 |
| | | 3-01-60 | 62.5 | 39.8 | 6001 |
| 11S/10E-11J01 M | 158.5 | 10-07-59 | 49.7* | 108.8 | 5050 |
| | | 3-09-60 | 49.0 | 109.5 | 6001 |
| 11S/10E-22Q01 M | 248.8 | 9-23-59 | 147.3 | 101.5 | 6001 |
| | | 3-09-60 | 138.6 | 110.2 | |
| 11S/11E-02J02 M | 106.6 | 9-21-59 | 3.2 | 103.4 | 6001 |
| | | 3-09-60 | 2.4 | 104.2 | |
| 11S/11E-22K01 M | 115.0 | 9-21-59 | 7.4 | 107.6 | 6001 |
| | | 3-15-60 | 1.4 | 113.6 | 5050 |
| 11S/11E-22Q03 M | 119.3 | 9-21-59 | 15.8 | 103.5 | 6001 |
| | | 3-02-60 | 8.5 | 110.8 | |
| 11S/12E-31C01 M | 133.2 | 10-06-59 | 35.2 | 98.0 | 5050 |
| | | 3-02-60 | 21.8 | 111.4 | 6001 |
| 12S/11E-35Q01 M | 311.2 | 3-17-60 | 323.2 | - 12.0 | 6001 |
| 12S/12E-04D01 M | 138.2 | 9-22-59 | .5* | 137.7 | 6001 |
| | | 3-14-60 | 3.4 | 134.8 | 5050 |
| 12S/12E-16H05 M | 173.0 | 7-22-59 | 134.3 | 38.7 | 5000 |
| | | 8-21-59 | 135.2 | 37.8 | |
| | | 9-17-59 | 135.9 | 37.1 | |
| | | 10-14-59 | 135.5 | 37.5 | |
| | | 11-12-59 | 135.2 | 37.8 | |
| | | 12-10-59 | 134.6 | 38.4 | |
| | | 1-05-60 | 134.2 | 38.8 | |
| | | 2-04-60 | 133.8 | 39.2 | |
| | | 3-28-60 | 133.7 | 39.3 | |
| | | 4-26-60 | 134.0 | 39.0 | |
| | | 5-24-60 | 133.4 | 39.6 | |
| | | 6-01-60 | 133.6 | 39.4 | |
| 12S/12E-20J01 M | 192.5 | 9-23-59 | 39.0 | 153.5 | 6001 |
| | | 10-06-59 | 37.6 | 154.9 | 5050 |
| | | 3-08-60 | 32.5 | 160.0 | 6001 |
| 12S/12E-25D01 M | 184.4 | 9-23-59 | 73.2 | 111.2 | 6001 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| DELTA-MENDOTA AREA | | | 5-22.11 | | |
| 12S/12E-25D01 M | 184.4 | 10-06-59 | 70.8 | 113.6 | 5050 |
| CONT. | | 3-08-60 | 65.2 | 119.2 | 6001 |
| 12S/12E-25D02 M | 184.5 | 9-23-59 | 17.2 | 167.3 | 6001 |
| | | 3-08-60 | 17.0 | 167.5 | |
| 12S/13E-10N01 M | 147.6 | 9-23-59 | 2.8 | 144.8 | 6001 |
| | | 3-14-60 | 7.0 | 140.6 | 5050 |
| 12S/13E-27Q01 M | 186.1 | 9-24-59 | ▫ | | 6001 |
| | | 10-06-59 | ▫ | | 5050 |
| | | 3-00-60 | ▫ | | 6001 |
| 12S/14E-30C01 M | 154.5 | 9-22-59 | 24.0 | 130.5 | 6001 |
| | | 10-06-59 | 22.3 | 132.2 | 5050 |
| | | 3-08-60 | 22.6 | 131.9 | 6001 |
| 13S/12E-05Q01 M | 249.0 | 10-07-59 | 282.0 | - 33.0 | 5050 |
| | | 3-15-60 | 287.6 | - 38.6 | 6001 |
| 13S/12E-22N01 M | 285.0 | 10-07-59 | 193.1 | 91.9 | 5050 |
| | | 3-16-60 | 206.8 | 78.2 | 6001 |
| 13S/13E-10R01 M | 220.1 | 9-23-59 | 224.0 | - 3.9 | 6001 |
| | | 10-07-59 | ▫ | | 5050 |
| | | 3-09-60 | 221.1 | - 1.0 | 6001 |
| 13S/13E-12A01 M | 185.3 | 9-23-59 | 5.9 | 179.4 | 6001 |
| | | 10-16-59 | 3.8 | 181.5 | 5050 |
| | | 11-18-59 | 6.1 | 179.2 | |
| | | 12-17-59 | 6.3 | 179.0 | |
| | | 1-25-60 | 6.8 | 178.5 | |
| | | 3-09-60 | 6.8 | 178.5 | 6001 |
| 13S/13E-15R01 M | 233.0 | 7-11-59 | 250.2 | - 17.2 | 5000 |
| | | 8-21-59 | 254.4 | - 21.4 | |
| | | 9-17-59 | 243.9 | - 10.9 | |
| | | 10-14-59 | 242.0 | - 9.0 | |
| | | 11-12-59 | 239.4 | - 6.4 | |
| | | 12-10-59 | 230.6 | 2.4 | |
| | | 1-05-60 | 238.0 | - 5.0 | |
| | | 2-04-60 | 239.7 | - 6.7 | |
| | | 3-28-60 | ▫ | | |
| | | 4-26-60 | ▫ | | |
| | | 5-24-60 | ▫ | | |
| | | 6-01-60 | ▫ | | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| DELTA-MENDOTA AREA | | | 5-22.11 | | |
| 13S/14E-09J01 M | 168.0 | 7-02-59 | 12.8 | 155.2 | 6001 |
| | | 9-03-59 | DRY | | 5050 |
| | | 9-23-59 | 15.5 | 152.5 | 6001 |
| | | 10-16-59 | DRY | | 5050 |
| | | 11-18-59 | DRY | | |
| | | 12-17-59 | DRY | | |
| | | 1-25-60 | DRY | | |
| | | 2-00-60 | ▫ | | |
| 13S/14E-27D01 M | 190.8 | 9-25-59 | ▫ | | 6001 |
| 13S/14E-32Q01 M | 231.4 | 3-09-60 | 93.5 | 137.9 | 6001 |
| 13S/14E-35P01 M | 191.9 | 10-06-59 | 232.4 | - 40.5 | 5050 |
| | | 3-09-60 | ▫ | | 6001 |
| 13S/15E-30N01 M | 172.7 | 9-22-59 | 8.8 | 163.9 | 6001 |
| CHOWCHILLA WATER DISTRICT | | | 5-22.12 | | |
| 9S/14E-25R01 M | 185.0 | 12-09-59 | 56.0 | 129.0 | 6528 |
| | | 3-02-60 | 54.2 | 130.8 | |
| 9S/15E-25J02 M | 233.0 | 12-07-59 | 44.6 | 188.4 | 6528 |
| | | 3-03-60 | 43.8 | 189.2 | |
| 9S/16E-11H01 M | 286.5 | 12-04-59 | 63.0 | 223.5 | 6528 |
| | | 3-01-60 | ▫ | | |
| 9S/16E-35D01 M | 265.0 | 12-03-59 | 47.0 | 218.0 | 6528 |
| | | 3-01-60 | 33.0 | 232.0 | |
| 9S/17E-21L01 M | 320.5 | 10-12-59 | 81.3 | 239.2 | 6001 |
| | | 2-24-60 | 85.8 | 234.7 | |
| 9S/17E-35J01 M | 320.5 | 10-12-59 | 68.1 | 252.4 | 6001 |
| | | 2-24-60 | 69.7 | 250.8 | |
| 9S/18E-33Q01 M | 365.6 | 10-12-59 | 42.0 | 323.6 | 6001 |
| | | 2-24-60 | 48.9 | 316.7 | |
| 10S/14E-26C01 M | 157.0 | 12-10-59 | 55.1 | 101.9 | 6528 |
| | | 3-04-60 | 50.5 | 106.5 | |
| 10S/15E-23K01 M | 194.3 | 12-08-59 | 61.7 | 132.6 | 6528 |
| | | 3-03-60 | 56.0 | 138.3 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| CHOWCHILLA WATER DISTRICT | | | 5-22.12 | | |
| 10S/16E-29R01 M | 210.5 | 12-03-59 | 88.0 | 122.5 | 6528 |
| | | 3-02-60 | 68.2 | 142.3 | |
| MADERA IRRIGATION DISTRICT | | | 5-22.13 | | |
| 10S/16E-35A02 M | 230.8 | 12-04-59 | DRY | | 6530 |
| | | 2-29-60 | ▫ | | |
| 10S/17E-27E01 M | 266.0 | 12-03-59 | 88.0 | 178.0 | 6530 |
| | | 3-01-60 | 75.0 | 191.0 | |
| 10S/18E-20B01 M | 327.7 | 10-12-59 | 57.1 | 270.6 | 6001 |
| | | 2-24-60 | 58.1 | 269.6 | |
| 10S/19E-16D01 M | 388.0 | 10-12-59 | 21.0 | 367.0 | 6001 |
| | | 2-23-60 | 21.7 | 366.3 | |
| 11S/16E-22A02 M | 211.0 | 12-04-59 | 76.8 | 134.2 | 6530 |
| | | 3-02-60 | 66.8 | 144.2 | |
| 11S/17E-24D01 M | 267.8 | 12-08-59 | DRY | | 6530 |
| | | 3-03-60 | ▫ | | |
| 11S/17E-27C01 M | 251.6 | 12-08-59 | 69.5 | 182.1 | 6530 |
| | | 3-03-60 | 67.4 | 184.2 | |
| 11S/18E-20N01 M | 275.4 | 12-03-59 | 69.3 | 206.1 | 6530 |
| | | 3-04-60 | ▫ | | |
| 11S/19E-17Q01 M | 355.0 | 10-12-59 | 79.9 | 275.1 | 6001 |
| | | 2-23-60 | 78.8 | 276.2 | |
| 11S/20E-22M01 M | 417.5 | 10-08-59 | 108.7 | 308.8 | 6001 |
| | | 2-23-60 | 110.2 | 307.3 | |
| 11S/21E-31D03 M | 308.5 | 10-07-59 | ▫ | | 6001 |
| | | 3-03-60 | ▫ | | |
| 12S/16E-23A01 M | 207.5 | 12-07-59 | 65.2 | 142.3 | 6530 |
| | | 3-07-60 | 59.8 | 147.7 | |
| 12S/17E-21H01 M | 229.5 | 10-09-59 | ▫ | | 6530 |
| | | 3-08-60 | 65.6 | 163.9 | |
| 12S/18E-21G01 M | 266.5 | 12-10-59 | 79.8 | 186.7 | 6530 |
| | | 3-10-60 | 76.7 | 189.8 | |

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| MADERA IRRIGATION DISTRICT | | | 5-22.13 | | |
| 12S/19E-28A01 M | 309.4 | 10-08-59 | 82.3 | 227.1 | 6001 |
| | | 2-24-60 | 84.7 | 224.7 | |
| WEST CHOWCHILLA-MADERA AREA | | | 5-22.14 | | |
| 10S/13E-14M01 M | 122.6 | 10-13-59 | ▫ | | 6001 |
| | | 2-25-60 | ▫ | | |
| 10S/14E-01R01 M | 178.0 | 12-10-59 | 50.2 | 127.8 | 6528 |
| | | 2-29-60 | 52.3 | 125.7 | |
| 11S/14E-33L01 M | 137.1 | 10-15-59 | 12.1 | 125.0 | 6001 |
| | | 2-29-60 | 11.7 | 125.4 | |
| 11S/15E-33E01 M | 158.0 | 10-14-59 | 24.7 | 133.3 | 6001 |
| | | 2-26-60 | 19.9 | 138.1 | |
| 12S/14E-28G01 M | 145.0 | 10-15-59 | 12.4 | 132.6 | 6001 |
| | | 2-29-60 | 12.3 | 132.7 | |
| 12S/15E-14L01 M | 166.8 | 10-14-59 | 29.0 | 137.8 | 6001 |
| | | 2-29-60 | 25.9 | 140.9 | |
| FRESNO IRRIGATION DISTRICT | | | 5-22.15 | | |
| 12S/20E-14A01 M | 361.0 | 7-31-59 | ▫ | | 6001 |
| | | 8-27-59 | 98.8 | 262.2 | |
| | | 10-06-59 | 90.9 | 270.1 | |
| | | 10-29-59 | 90.8 | 270.2 | |
| | | 11-30-59 | 91.0 | 270.0 | |
| | | 1-06-60 | 90.7 | 270.3 | |
| | | 1-28-60 | 90.4 | 270.6 | |
| | | 3-02-60 | 90.0 | 271.0 | |
| | | 3-31-60 | 90.5 | 270.5 | |
| | | 5-03-60 | 91.3 | 269.7 | |
| | | 5-26-60 | 91.6 | 269.4 | |
| | | 6-23-60 | ▫ | | |
| 12S/21E-34D01 M | 388.3 | 7-29-59 | ▫ | | 3631 |
| | | 8-31-59 | 45.3 | 343.0 | |
| | | 9-30-59 | 46.1 | 342.2 | |
| | | 10-27-59 | 46.7 | 341.6 | |
| | | 12-04-59 | 46.4 | 341.9 | |
| | | 1-03-60 | 46.0 | 342.3 | |
| | | 2-02-60 | 46.2 | 342.1 | |
| | | 2-26-60 | 46.0 | 342.3 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| FRESNO IRRIGATION DISTRICT | | | 5-22.15 | | |
| 12S/21E-34D01 M | 388.3 | 4-02-60 | 43.7 | 344.6 | 3631 |
| CONT. | | 4-28-60 | 44.2 | 344.1 | |
| | | 6-01-60 | 46.0 | 342.3 | |
| 12S/22E-21E01 M | 473.5 | 10-06-59 | 21.2 | 452.3 | 6001 |
| | | 3-02-60 | 18.5 | 455.0 | |
| 13S/17E-22B01 M | 221.4 | 7-27-59 | 38.8 | 182.6 | 3631 |
| | | 8-26-59 | 36.9 | 184.5 | |
| | | 9-28-59 | 36.1 | 185.3 | |
| | | 10-28-59 | 38.2 | 183.2 | |
| | | 12-03-59 | 38.0 | 183.4 | |
| | | 1-01-60 | 37.9 | 183.5 | |
| | | 1-29-60 | 37.0 | 184.4 | |
| | | 3-04-60 | 37.4 | 184.0 | |
| | | 3-29-60 | ▫ | | |
| | | 4-26-60 | ▫ | | |
| | | 5-31-60 | 40.6 | 180.8 | |
| | | 6-29-60 | 43.2 | 178.2 | |
| 13S/18E-16D01 M | 256.5 | 10-15-59 | ▫ | | 6001 |
| | | 3-01-60 | 52.4 | 204.1 | |
| 13S/19E-09Q01 M | 289.2 | 7-29-59 | 57.7 | 231.5 | 3631 |
| | | 8-26-59 | 57.8 | 231.4 | |
| | | 9-26-59 | 57.9 | 231.3 | |
| | | 10-08-59 | 58.4 | 230.8 | 6001 |
| | | 10-28-59 | 58.2 | 231.0 | 3631 |
| | | 12-01-59 | 58.3 | 230.9 | |
| | | 1-01-60 | 58.4 | 230.8 | |
| | | 1-30-60 | 60.8 | 228.4 | |
| | | 3-02-60 | 61.0 | 228.2 | 6001 |
| | | 3-03-60 | 60.8 | 228.4 | 3631 |
| | | 3-29-60 | 60.2 | 229.0 | |
| | | 4-29-60 | 60.3 | 228.9 | |
| | | 5-31-60 | 60.6 | 228.6 | |
| | | 6-29-60 | 62.2 | 227.0 | |
| 13S/20E-21J01 M | 310.3 | 7-01-59 | 68.5 | 241.8 | 3200 |
| | | 8-01-59 | 70.2 | 240.1 | |
| | | 9-01-59 | 70.2 | 240.1 | |
| | | 10-01-59 | 69.7 | 240.6 | |
| | | 11-01-59 | 68.6 | 241.7 | |
| | | 12-01-59 | 69.1 | 241.2 | |
| | | 1-01-60 | 68.0 | 242.3 | |
| | | 2-01-60 | 64.8 | 245.5 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| FRESNO IRRIGATION DISTRICT | | | 5-22.15 | | |
| 13S/20E-21J01 M | 310.3 | 3-01-60 | 64.7 | 245.6 | 3200 |
| CONT. | | 4-01-60 | 67.1 | 243.2 | |
| | | 5-01-60 | 68.8 | 241.5 | |
| | | 6-01-60 | 69.8 | 240.5 | |
| 13S/21E-23D01 M | 364.8 | 7-30-59 | 20.8 | 344.0 | 3631 |
| | | 8-31-59 | 29.6 | 335.2 | |
| | | 9-30-59 | ▫ | | |
| | | 11-02-59 | 27.8 | 337.0 | |
| | | 12-04-59 | 29.9 | 334.9 | |
| | | 12-31-59 | 29.9 | 334.9 | |
| | | 2-02-60 | 30.1 | 334.7 | |
| | | 2-29-60 | 30.0 | 334.8 | |
| | | 4-02-60 | 33.1 | 331.7 | |
| | | 4-28-60 | 32.0 | 332.8 | |
| | | 6-01-60 | ▫ | | |
| | | 6-30-60 | ▫ | | |
| 13S/22E-21A01 M | 406.1 | 7-30-59 | 35.3 | 370.8 | 3631 |
| | | 8-31-59 | 40.8 | 365.3 | |
| | | 9-30-59 | 42.2 | 363.9 | |
| | | 10-30-59 | 42.5 | 363.6 | |
| | | 12-04-59 | 42.3 | 363.8 | |
| | | 1-02-60 | 42.5 | 363.6 | |
| | | 2-02-60 | 42.7 | 363.4 | |
| | | 2-26-60 | 42.1 | 364.0 | |
| | | 4-02-60 | 41.1 | 365.0 | |
| | | 4-28-60 | ▫ | | |
| 13S/23E-31P01 M | 407.3 | 7-30-59 | 29.9 | 377.4 | 3631 |
| | | 8-28-59 | 29.4 | 377.9 | |
| | | 9-30-59 | 30.6 | 376.7 | |
| | | 10-30-59 | 30.7 | 376.6 | |
| | | 12-04-59 | 30.6 | 376.7 | |
| | | 1-02-60 | 30.8 | 376.5 | |
| | | 2-02-60 | 30.8 | 376.5 | |
| | | 2-26-60 | 31.1 | 376.2 | |
| | | 4-02-60 | 31.3 | 376.0 | |
| | | 4-28-60 | 31.7 | 375.6 | |
| | | 6-01-60 | 32.3 | 375.0 | |
| | | 6-28-60 | 33.3 | 374.0 | |
| 14S/18E-08J01 M | 228.2 | 7-28-59 | ▫ | | 3631 |
| | | 8-27-59 | ▫ | | |
| | | 9-28-59 | 55.4 | 172.8 | |
| | | 10-29-59 | 53.6 | 174.6 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| FRESNO IRRIGATION DISTRICT | | | 5-22.15 | | |
| 14S/18E-08J01 M | 228.2 | 12-03-59 | 52.5 | 175.7 | 3631 |
| CONT. | | 1-01-60 | 52.3 | 175.9 | |
| | | 2-03-60 | 51.1 | 177.1 | |
| | | 3-04-60 | 50.7 | 177.5 | |
| | | 3-28-60 | 54.4 | 173.8 | |
| | | 4-26-60 | 53.8 | 174.4 | |
| | | 5-31-60 | ▫ | | |
| | | 6-29-60 | 61.0 | 167.2 | |
| 14S/18E-25B01 M | 235.2 | 7-28-59 | ▫ | | 3631 |
| | | 8-27-59 | ▫ | | |
| | | 9-28-59 | 55.5 | 179.7 | |
| | | 10-29-59 | 55.4 | 179.8 | |
| | | 12-03-59 | 53.3 | 181.9 | |
| | | 1-01-60 | 53.2 | 182.0 | |
| | | 2-03-60 | 51.8 | 183.4 | |
| | | 3-03-60 | 51.7 | 183.5 | |
| 14S/19E-20B01 M | 249.0 | 7-28-59 | 36.2 | 212.8 | 3631 |
| | | 8-27-59 | 38.6 | 210.4 | |
| | | 9-29-59 | 39.7 | 209.3 | |
| | | 10-29-59 | 39.7 | 209.3 | |
| | | 12-03-59 | 39.8 | 209.2 | |
| | | 1-04-60 | 38.7 | 210.3 | |
| | | 2-03-60 | 39.2 | 209.8 | |
| | | 3-03-60 | 39.6 | 209.4 | |
| | | 3-30-60 | 41.8 | 207.2 | |
| | | 4-26-60 | 41.6 | 207.4 | |
| | | 6-02-60 | 41.4 | 207.6 | |
| | | 6-28-60 | 41.7 | 207.3 | |
| 14S/21E-14A01 M | 335.1 | 7-30-59 | 36.8 | 298.3 | 3631 |
| | | 8-28-59 | 37.5 | 297.6 | |
| | | 9-29-59 | 36.3 | 298.8 | |
| | | 10-30-59 | 36.1 | 299.0 | |
| | | 12-04-59 | 36.6 | 298.5 | |
| | | 1-02-60 | 36.0 | 299.1 | |
| | | 2-02-60 | 34.4 | 300.7 | |
| | | 2-25-60 | 33.8 | 301.3 | |
| | | 4-03-60 | 35.4 | 299.7 | |
| | | 4-27-60 | 37.3 | 297.8 | |
| | | 6-02-60 | ▫ | | |
| | | 6-28-60 | ▫ | | |
| 15S/20E-13E01 M | 283.0 | 7-28-59 | 26.3 | 256.7 | 3631 |
| | | 8-28-59 | 27.3 | 255.7 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| FRESNO IRRIGATION DISTRICT | | | 5-22.15 | | |
| 15S/20E-13E01 M | 283.0 | 9-29-59 | 27.4 | 255.6 | 3631 |
| CONT. | | 10-29-59 | 28.1 | 254.9 | |
| | | 11-30-59 | 29.7 | 253.3 | |
| | | 1-04-60 | 30.0 | 253.0 | |
| | | 2-04-60 | 30.2 | 252.8 | |
| | | 3-03-60 | 30.5 | 252.5 | |
| | | 3-30-60 | 31.3 | 251.7 | |
| | | 4-27-60 | 30.0 | 253.0 | |
| | | 6-02-60 | 30.7 | 252.3 | |
| | | 6-28-60 | 31.1 | 251.9 | |
| CITY OF FRESNO | | | 5-22.16 | | |
| 14S/20E-10M01 M | 291.4 | 7-01-59 | 73.4 | 218.0 | 3200 |
| | | 8-01-59 | 78.2 | 213.2 | |
| | | 9-01-59 | 77.1 | 214.3 | |
| | | 10-01-59 | 74.7 | 216.7 | |
| | | 11-01-59 | 74.8 | 216.6 | |
| | | 12-01-59 | 73.5 | 217.9 | |
| | | 1-01-60 | 71.4 | 220.0 | |
| | | 2-01-60 | 68.8 | 222.6 | |
| | | 3-01-60 | 67.1 | 224.3 | |
| | | 4-01-60 | 67.7 | 223.7 | |
| | | 5-01-60 | 69.8 | 221.6 | |
| | | 6-01-60 | 75.0 | 216.4 | |
| FRESNO SLOUGH AREA | | | 5-22.17 | | |
| 13S/15E-28H01 M | 168.8 | 10-13-59 | ▫ | | 6001 |
| | | 2-26-60 | 14.0 | 154.8 | |
| 13S/16E-25J01 M | 199.5 | 10-14-59 | 35.7 | 163.8 | 6001 |
| | | 2-29-60 | 31.4 | 168.1 | |
| | | 3-11-60 | 27.7 | 171.8 | 3631 |
| | | 3-29-60 | 25.8 | 173.7 | |
| | | 5-01-60 | 23.8 | 175.7 | |
| 14S/15E-28P01 M | 166.5 | 10-12-59 | DRY | | 6001 |
| | | 3-01-60 | ▫ | | |
| 14S/16E-22N01 M | 169.0 | 10-15-59 | 20.2 | 148.8 | 6001 |
| | | 2-25-60 | 17.0 | 152.0 | |
| 14S/17E-25A01 M | 214.4 | 7-28-59 | 78.1 | 136.3 | 3631 |
| | | 9-29-59 | ▫ | | |
| | | 10-08-59 | 70.8 | 143.6 | 6001 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist. R P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| FRESNO SLOUGH AREA | | | 5-22.17 | | |
| 14S/17E-25A01 M | 214.4 | 10-29-59 | 76.2 | 138.2 | 3631 |
| CONT. | | 12-03-59 | 67.2 | 147.2 | |
| | | 1-01-60 | 66.8 | 147.6 | |
| | | 2-03-60 | 65.4 | 149.0 | |
| | | 2-26-60 | 62.5 | 151.9 | |
| | | 3-04-60 | 61.8 | 152.6 | |
| 15S/16E-01L01 M | 173.9 | 10-09-59 | ▫ | | 6001 |
| | | 2-26-60 | ▫ | | |
| 15S/17E-22R01 M | 187.9 | 10-13-59 | 59.5 | 128.4 | 6001 |
| | | 12-02-59 | 60.5 | 127.4 | 3631 |
| | | 2-18-60 | 56.0 | 131.9 | 6001 |
| 15S/18E-16G01 M | 205.8 | 10-16-59 | 59.7 | 146.1 | 6001 |
| | | 2-18-60 | 58.2 | 147.6 | |
| 16S/16E-10N01 M | 192.0 | 10-09-59 | ▫ | | 6001 |
| | | 10-17-59 | 120.5 | 71.5 | 5050 |
| | | 2-24-60 | ▫ | | 6001 |
| 16S/17E-23N01 M | 191.2 | 10-08-59 | 93.8 | 97.4 | 6001 |
| | | 10-16-59 | 91.8 | 99.4 | 5050 |
| | | 2-23-60 | 96.8 | 94.4 | 6001 |
| 16S/18E-27C01 M | 198.5 | 10-20-59 | 73.0 | 125.5 | 5050 |
| | | 3-03-60 | ▫ | | |
| 17S/17E-12H01 M | 199.5 | 10-22-59 | 112.6 | 86.9 | 5050 |
| | | 3-02-60 | ▫ | | |
| CONSOLIDATED IRRIGATION DISTRICT | | | 5-22.18 | | |
| 14S/22E-22N01 M | 355.7 | 7-01-59 | 22.7 | 333.0 | 3636 |
| | | 8-01-59 | 23.0 | 332.7 | |
| | | 9-01-59 | 23.1 | 332.6 | |
| | | 10-01-59 | 23.8 | 331.9 | |
| | | 11-01-59 | 24.2 | 331.5 | |
| | | 12-01-59 | 25.0 | 330.7 | |
| | | 1-01-60 | 25.5 | 330.2 | |
| | | 2-01-60 | 25.8 | 329.9 | |
| | | 3-01-60 | 26.0 | 329.7 | |
| | | 4-01-60 | 26.5 | 329.2 | |
| | | 5-01-60 | 26.9 | 328.8 | |
| | | 6-01-60 | 28.1 | 327.6 | |
| 15S/19E-24N01 M | 246.6 | 7-01-59 | 64.6 | 182.0 | 3636 |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| CONSOLIDATED IRRIGATION DISTRICT | | | 5-22.18 | | |
| 15S/19E-24N01 M | 246.6 | 8-01-59 | 63.3 | 183.3 | 3636 |
| CONT. | | 9-01-59 | 59.9 | 186.7 | |
| | | 10-01-59 | 58.5 | 188.1 | |
| | | 11-01-59 | 61.0 | 185.6 | |
| | | 12-01-59 | 58.3 | 188.3 | |
| | | 1-01-60 | 57.3 | 189.3 | |
| | | 2-01-60 | 57.0 | 189.6 | |
| | | 3-01-60 | 56.7 | 189.9 | |
| | | 4-01-60 | 64.1 | 182.5 | |
| | | 5-01-60 | 53.7 | 182.9 | |
| | | 6-01-60 | 66.6 | 180.0 | |
| 15S/20E-28A01 M | 264.8 | 7-01-59 | 42.0 | 222.8 | 3636 |
| | | 8-01-59 | 43.3 | 221.5 | |
| | | 9-01-59 | 41.2 | 223.6 | |
| | | 10-01-59 | 40.6 | 224.2 | |
| | | 11-01-59 | 41.0 | 223.8 | |
| | | 12-01-59 | 41.6 | 223.2 | |
| | | 1-01-60 | 41.4 | 223.4 | |
| | | 2-01-60 | 41.0 | 223.8 | |
| | | 3-01-60 | 40.8 | 224.0 | |
| | | 4-01-60 | 43.2 | 221.6 | |
| | | 5-01-60 | 44.3 | 220.5 | |
| | | 6-01-60 | 45.1 | 219.7 | |
| 15S/21E-15D01 M | 301.2 | 7-01-59 | 22.3 | 278.9 | 3636 |
| | | 8-01-59 | 23.1 | 278.1 | |
| | | 9-01-59 | 23.8 | 277.4 | |
| | | 10-01-59 | 23.9 | 277.3 | |
| | | 11-01-59 | 24.0 | 277.2 | |
| | | 12-01-59 | 24.0 | 277.2 | |
| | | 1-01-60 | 23.5 | 277.7 | |
| | | 2-01-60 | 24.1 | 277.1 | |
| | | 3-01-60 | 24.1 | 277.1 | |
| | | 4-01-60 | 24.1 | 277.1 | |
| | | 5-01-60 | 24.5 | 276.7 | |
| | | 6-01-60 | 25.5 | 275.7 | |
| 15S/22E-16A01 M | 337.0 | 7-01-59 | 23.8 | 313.2 | 3636 |
| | | 8-01-59 | 24.7 | 312.3 | |
| | | 9-01-59 | 24.7 | 312.3 | |
| | | 10-01-59 | 24.4 | 312.6 | |
| | | 11-01-59 | 25.0 | 312.0 | |
| | | 12-01-59 | 25.8 | 311.2 | |
| | | 1-01-60 | 25.9 | 311.1 | |
| | | 2-01-60 | 26.0 | 311.0 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| CONSOLIDATED IRRIGATION DISTRICT | | | 5-22.18 | | |
| 15S/22E-16A01 M CONT. | 337.0 | 3-01-60 | 25.9 | 311.1 | 3636 |
| | | 4-01-60 | 27.4 | 309.6 | |
| | | 5-01-60 | 28.5 | 308.5 | |
| | | 6-01-60 | 28.7 | 308.3 | |
| 15S/22E-29D01 M | 321.9 | 7-01-59 | 26.5 | 295.4 | 3636 |
| | | 8-01-59 | 27.9 | 294.0 | |
| | | 9-01-59 | 28.0 | 293.9 | |
| | | 10-01-59 | 28.1 | 293.8 | |
| | | 11-01-59 | 28.5 | 293.4 | |
| | | 12-01-59 | 29.4 | 292.5 | |
| | | 1-01-60 | 29.6 | 292.3 | |
| | | 2-01-60 | 29.7 | 292.2 | |
| | | 3-01-60 | 30.0 | 291.9 | |
| | | 4-01-60 | 31.4 | 290.5 | |
| | | 5-01-60 | 32.0 | 289.9 | |
| | | 6-01-60 | 32.6 | 289.3 | |
| 16S/19E-14A01 M | 235.5 | 7-01-59 | 69.9 | 165.6 | 3636 |
| | | 8-01-59 | 72.8 | 162.7 | |
| | | 9-01-59 | 69.5 | 166.0 | |
| | | 10-01-59 | 66.5 | 169.0 | |
| | | 11-01-59 | 66.2 | 169.3 | |
| | | 12-01-59 | 65.8 | 169.7 | |
| | | 1-01-60 | 64.5 | 171.0 | |
| | | 2-01-60 | 62.8 | 172.7 | |
| | | 3-01-60 | 62.4 | 173.1 | |
| | | 4-01-60 | 68.3 | 167.2 | |
| | | 5-01-60 | 68.7 | 166.8 | |
| | | 6-01-60 | 72.8 | 162.7 | |
| 16S/20E-22N01 M | 247.7 | 7-01-59 | 46.6 | 201.1 | 3636 |
| | | 8-01-59 | 50.4 | 197.3 | |
| | | 9-01-59 | 50.7 | 197.0 | |
| | | 10-01-59 | 49.7 | 198.0 | |
| | | 11-01-59 | 48.6 | 199.1 | |
| | | 12-01-59 | 56.5 | 191.2 | |
| | | 1-01-60 | 47.4 | 200.3 | |
| | | 2-01-60 | 46.1 | 201.6 | |
| | | 3-01-60 | 45.3 | 202.4 | |
| | | 4-01-60 | 47.5 | 200.2 | |
| | | 5-01-60 | 49.7 | 198.0 | |
| | | 6-01-60 | 50.4 | 197.3 | |
| 16S/21E-22N01 M | 271.0 | 7-01-59 | 36.9 | 234.1 | 3636 |
| | | 8-01-59 | 41.4 | 229.6 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| CONSOLIDATED IRRIGATION DISTRICT | | | 5-22.18 | | |
| 16S/21E-22N01 M CONT. | 271.0 | 9-01-59 | 41.5 | 229.5 | 3636 |
| | | 10-01-59 | 38.8 | 232.2 | |
| | | 11-01-59 | 39.1 | 231.9 | |
| | | 12-01-59 | 38.2 | 232.8 | |
| | | 1-01-60 | 37.0 | 234.0 | |
| | | 2-01-60 | 36.3 | 234.7 | |
| | | 3-01-60 | 35.8 | 235.2 | |
| | | 4-01-60 | 40.0 | 231.0 | |
| | | 5-01-60 | 39.7 | 231.3 | |
| | | 6-01-60 | 43.5 | 227.5 | |
| 16S/22E-23R01 M | 297.5 | 7-01-59 | 22.4 | 275.1 | 3636 |
| | | 8-01-59 | 23.7 | 273.8 | |
| | | 9-01-59 | 24.4 | 273.1 | |
| | | 10-01-59 | 25.3 | 272.2 | |
| | | 11-01-59 | 25.4 | 272.1 | |
| | | 12-01-59 | 25.7 | 271.8 | |
| | | 1-01-60 | 25.9 | 271.6 | |
| | | 2-01-60 | 25.6 | 271.9 | |
| | | 3-01-60 | 25.5 | 272.0 | |
| | | 4-01-60 | 26.2 | 271.3 | |
| | | 5-01-60 | 27.6 | 269.9 | |
| | | 6-01-60 | 28.3 | 269.2 | |
| 17S/22E-03C01 M | 286.0 | 7-01-59 | 19.3 | 266.7 | 3636 |
| | | 8-01-59 | 26.5 | 259.5 | |
| | | 9-01-59 | 22.3 | 263.7 | |
| | | 10-01-59 | 22.1 | 263.9 | |
| | | 11-01-59 | 23.7 | 262.3 | |
| | | 12-01-59 | 24.0 | 262.0 | |
| | | 1-01-60 | 23.1 | 262.9 | |
| | | 2-01-60 | 22.2 | 263.8 | |
| | | 3-01-60 | 22.0 | 264.0 | |
| | | 4-01-60 | 27.1 | 258.9 | |
| | | 5-01-60 | 28.2 | 257.8 | |
| | | 6-01-60 | 27.5 | 258.5 | |
| ALTA IRRIGATION DISTRICT | | | 5-22.19 | | |
| 14S/23E-36R01 M | 391.0 | 7-27-59 | 58.8 | 332.2 | 4637 |
| | | 8-27-59 | 65.0 | 326.0 | |
| | | 9-26-59 | 57.1 | 333.9 | |
| | | 10-28-59 | 59.5 | 331.5 | |
| | | 11-25-59 | 62.1 | 328.9 | |
| | | 12-28-59 | 59.5 | 331.5 | |
| | | 1-28-60 | 57.4 | 333.6 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| ALTA IRRIGATION DISTRICT | | | 5-22.19 | | |
| 14S/23E-36R01 M | 391.0 | 2-25-60 | 56.9 | 334.1 | 4637 |
| CONT. | | 3-30-60 | 60.0 | 331.0 | |
| | | 4-29-60 | 66.0 | 325.0 | |
| | | 5-31-60 | 61.0 | 330.0 | |
| | | 6-27-60 | ▫ | | |
| 14S/24E-31P01 M | 395.0 | 7-27-59 | ▫ | | 4637 |
| | | 8-27-59 | ▫ | | |
| | | 9-26-59 | 54.2 | 340.8 | |
| | | 10-28-59 | 55.3 | 339.7 | |
| | | 11-25-59 | 58.5 | 336.5 | |
| | | 12-28-59 | 56.3 | 338.7 | |
| | | 1-28-60 | 54.6 | 340.4 | |
| | | 2-25-60 | 54.0 | 341.0 | |
| | | 3-30-60 | 57.0 | 338.0 | |
| | | 4-29-60 | 61.3 | 333.7 | |
| | | 5-31-60 | 57.6 | 337.4 | |
| | | 6-27-60 | 51.7 | 343.3 | |
| 15S/23E-23A02 M | 358.0 | 7-27-59 | 53.4 | 304.6 | 4637 |
| | | 8-27-59 | 56.8 | 301.2 | |
| | | 9-26-59 | 55.3 | 302.7 | |
| | | 10-28-59 | 50.9 | 307.1 | |
| | | 11-25-59 | 52.0 | 306.0 | |
| | | 12-28-59 | 50.9 | 307.1 | |
| | | 1-28-60 | 50.2 | 307.8 | |
| | | 2-25-60 | 49.6 | 308.4 | |
| | | 3-30-60 | 55.6 | 302.4 | |
| | | 4-29-60 | 58.6 | 299.4 | |
| | | 5-28-60 | 46.6 | 311.4 | |
| | | 5-31-60 | 57.1 | 300.9 | |
| | | 6-27-60 | 56.9 | 301.1 | |
| | | 6-30-60 | 41.7 | 316.3 | |
| 15S/24E-22D01 M | 388.0 | 7-30-59 | 35.4 | 352.6 | 4637 |
| | | 8-31-59 | 43.9 | 344.1 | |
| | | 9-30-59 | 46.6 | 341.4 | |
| | | 10-31-59 | 49.2 | 338.8 | |
| | | 11-28-59 | 48.1 | 339.9 | |
| | | 12-31-59 | 46.6 | 341.4 | |
| | | 2-01-60 | 48.7 | 339.3 | |
| | | 2-29-60 | 48.0 | 340.0 | |
| | | 3-31-60 | 49.8 | 338.2 | |
| | | 5-02-60 | 50.8 | 337.2 | |
| | | 5-28-60 | 46.6 | 341.4 | |
| | | 6-30-60 | 41.7 | 346.3 | |

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| ALTA IRRIGATION DISTRICT | | | 5-22.19 | | |
| 16S/23E-23E01 M | 314.0 | 7-29-59 | 19.9 | 294.1 | 4637 |
| | | 8-29-59 | 22.0 | 292.0 | |
| | | 9-29-59 | 22.1 | 291.9 | |
| | | 10-30-59 | 22.6 | 291.4 | |
| | | 11-25-59 | 23.0 | 291.0 | |
| | | 12-30-59 | 23.6 | 290.4 | |
| | | 1-30-60 | 23.6 | 290.4 | |
| | | 2-27-60 | 24.3 | 289.7 | |
| | | 3-29-60 | 25.2 | 288.8 | |
| | | 4-30-60 | 26.4 | 287.6 | |
| | | 5-31-60 | 28.2 | 285.8 | |
| | | 6-29-60 | 27.3 | 286.7 | |
| 16S/24E-21J01 M | 336.0 | 7-28-59 | 23.5 | 312.5 | 4637 |
| | | 8-28-59 | ▫ | | |
| | | 9-28-59 | 23.5 | 312.5 | |
| | | 10-29-59 | 23.7 | 312.3 | |
| | | 11-27-59 | 25.5 | 310.5 | |
| | | 12-29-59 | 24.8 | 311.2 | |
| | | 1-29-60 | 24.8 | 311.2 | |
| | | 2-26-60 | 25.0 | 311.0 | |
| | | 3-28-60 | 27.6 | 308.4 | |
| | | 4-28-60 | 33.8 | 302.2 | |
| | | 5-27-60 | 34.6 | 301.4 | |
| | | 6-28-60 | 32.6 | 303.4 | |
| 16S/25E-29A01 M | 364.0 | 7-28-59 | ▫ | | 4637 |
| | | 8-28-59 | ▫ | | |
| | | 9-28-59 | ▫ | | |
| | | 10-29-59 | ▫ | | |
| | | 11-29-59 | 63.5 | 300.5 | |
| | | 12-29-59 | 50.2 | 313.8 | |
| | | 1-29-60 | 46.8 | 317.2 | |
| | | 2-26-60 | 44.5 | 319.5 | |
| | | 3-28-60 | 48.5 | 315.5 | |
| | | 4-28-60 | 61.4 | 302.6 | |
| | | 5-27-60 | 58.3 | 305.7 | |
| | | 6-28-60 | ▫ | | |
| 17S/22E-24R01 M | 275.0 | 7-29-59 | 18.3 | 256.7 | 4637 |
| | | 8-29-59 | 19.3 | 255.7 | |
| | | 9-29-59 | 19.3 | 255.7 | |
| | | 10-30-59 | 19.6 | 255.4 | |
| | | 11-30-59 | 20.5 | 254.5 | |
| | | 2-27-60 | 20.7 | 254.3 | |
| | | 3-29-60 | 23.6 | 251.4 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| ALTA IRRIGATION DISTRICT | | | 5-22.19 | | |
| 17S/22E-24R01 M | 275.0 | 4-30-60 | ¤ | | 4637 |
| CONT. | | 6-01-60 | ¤ | | |
| | | 6-29-60 | ¤ | | |
| 17S/25E-10C01 M | 335.0 | 7-28-59 | 31.9 | 303.1 | 4637 |
| | | 8-28-59 | 34.0 | 301.0 | |
| | | 9-28-59 | 35.5 | 299.5 | |
| | | 10-29-59 | 36.8 | 298.2 | |
| | | 11-28-59 | 37.5 | 297.5 | |
| | | 12-29-59 | 37.9 | 297.1 | |
| | | 1-29-60 | 38.2 | 296.8 | |
| | | 2-26-60 | 38.3 | 296.7 | |
| | | 3-28-60 | 45.9 | 289.1 | |
| | | 4-28-60 | 39.3 | 295.7 | |
| | | 5-30-60 | 41.0 | 294.0 | |
| | | 6-28-60 | 39.7 | 295.3 | |
| 17S/25E-18R01 M | 321.0 | 7-28-59 | 57.3 | 263.7 | 4637 |
| | | 8-28-59 | 56.5 | 264.5 | |
| | | 9-28-59 | 61.8 | 259.2 | |
| | | 10-29-59 | 59.4 | 261.6 | |
| | | 11-28-59 | 57.7 | 263.3 | |
| | | 12-29-59 | 53.3 | 267.7 | |
| | | 1-29-60 | 50.8 | 270.2 | |
| | | 2-26-60 | 49.7 | 271.3 | |
| | | 3-28-60 | 50.5 | 270.5 | |
| | | 4-28-60 | 52.5 | 268.5 | |
| | | 5-30-60 | 54.5 | 266.5 | |
| | | 6-28-60 | 56.9 | 264.1 | |
| LOWER KINGS RIVER AREA | | | 5-22.20 | | |
| 17S/20E-20B01 M | 227.0 | 10-20-59 | 28.9 | 198.1 | 5050 |
| | | 3-01-60 | 30.0 | 197.0 | |
| 17S/21E-11G01 M | 257.2 | 10-21-59 | 28.9 | 228.3 | 5050 |
| | | 3-02-60 | 25.2 | 232.0 | |
| 18S/18E-12N02 M | 222.0 | 7-30-59 | 140.8 | 81.2 | 6001 |
| | | 8-24-59 | 144.2 | 77.8 | |
| | | 9-28-59 | 119.8 | 102.2 | |
| | | 10-14-59 | 154.9 | 67.1 | 5060 |
| | | 10-29-59 | 120.2 | 101.8 | 6001 |
| | | 11-30-59 | 118.0 | 104.0 | |
| | | 1-04-60 | 115.8 | 106.2 | |
| | | 1-28-60 | 112.8 | 109.2 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| LOWER KINGS RIVER AREA | | | 5-22.20 | | |
| 18S/18E-12N02 M | 222.0 | 3-03-60 | 113.1 | 108.9 | 6001 |
| CONT. | | 3-24-60 | 116.8 | 105.2 | |
| | | 5-25-60 | 117.5 | 104.5 | |
| | | 6-24-60 | 120.0 | 102.0 | |
| 18S/19E-26E01 M | 211.5 | 10-19-59 | 6.9 | 204.6 | 5050 |
| | | 2-19-60 | 7.6 | 203.9 | |
| 18S/20E-16A01 M | 230.0 | 10-19-59 | 9.2 | 220.8 | 5050 |
| 18S/21E-10R01 M | 255.0 | 10-20-59 | 49.5 | 205.5 | 5050 |
| | | 2-18-60 | 45.2 | 209.8 | |
| 19S/19E-25A01 M | 208.5 | 10-19-59 | 6.2 | 202.3 | 5050 |
| | | 2-18-60 | 9.1 | 199.4 | |
| 19S/20E-21A01 M | 217.5 | 10-19-59 | 69.6 | 147.9 | 5050 |
| | | 2-18-60 | 66.7 | 150.8 | |
| 20S/20E-09C01 M | 208.5 | 10-14-59 | 7.7 | 200.8 | 5050 |
| | | 2-16-60 | 8.6 | 199.9 | |
| 20S/21E-03A01 M | 220.3 | 9-29-59 | 21.3 | 199.0 | 6603 |
| | | 2-16-60 | 16.2 | 204.1 | |
| 20S/21E-25L01 M | 208.0 | 9-29-59 | 7.8 | 200.2 | 6603 |
| | | 2-16-60 | 7.1 | 200.9 | |
| 21S/21E-04A01 M | 198.0 | 10-14-59 | 58.6 | 139.4 | 5050 |
| | | 2-16-60 | 38.2 | 159.8 | |
| ORANGE COVE IRRIGATION DISTRICT | | | 5-22.21 | | |
| 14S/25E-30D01 M | 510.0 | 10-07-59 | 25.6 | 484.4 | 6001 |
| | | 2-17-60 | 26.6 | 483.4 | |
| 15S/25E-22N01 M | 485.3 | 7-01-59 | 33.7 | 451.6 | 6600 |
| | | 7-29-59 | 36.0 | 449.3 | |
| | | 8-21-59 | 36.3 | 449.0 | |
| | | 9-22-59 | 34.0 | 451.3 | |
| | | 10-22-59 | 32.1 | 453.2 | |
| | | 11-20-59 | 31.5 | 453.8 | |
| | | 12-22-59 | 30.4 | 454.9 | |
| | | 1-28-60 | 30.1 | 455.2 | |
| | | 3-01-60 | 29.1 | 456.2 | |
| | | 3-30-60 | 29.4 | 455.9 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| ORANGE COVE IRRIGATION DISTRICT | | | 5-22.21 | | |
| 15S/25E-22N01 M | 485.3 | 5-27-60 | 28.6 | 456.7 | 6600 |
| CONT. | | 6-29-60 | 31.1 | 454.2 | |
| STONE CORRAL IRRIGATION DISTRICT | | | 5-22.22 | | |
| 16S/26E-32P01 M | 403.0 | 10-07-59 | 9.0 | 394.0 | 6001 |
| | | 2-17-60 | 8.6 | 394.4 | |
| 7S/26E-17P02 M | 385.5 | 10-12-59 | 29.7 | 355.8 | 6001 |
| | | 2-17-60 | 27.8 | 357.7 | |
| IVANHOE IRRIGATION DISTRICT | | | 5-22.23 | | |
| 16S/25E-12Q01 M | 364.4 | 10-16-59 | 49.8 | 314.6 | 6603 |
| | | 2-20-60 | 48.6 | 315.8 | |
| KAWEAH DELTA WATER CONSERV DIST | | | 5-22.24 | | |
| 17S/27E-34P01 M | 470.0 | 10-07-59 | 11.0 | 459.0 | 6001 |
| | | 2-16-60 | 10.5 | 459.5 | |
| 18S/22E-29A01 M | 251.5 | 10-07-59 | 62.2 | 189.3 | 6001 |
| 18S/23E-34A01 M | 272.0 | 10-21-59 | 97.6 | 174.4 | 5050 |
| | | 2-24-60 | □ | | |
| 18S/24E-26A01 M | 312.5 | 10-01-59 | 54.3 | 258.2 | 6603 |
| | | 2-20-60 | 51.0 | 261.5 | |
| 18S/25E-33F01 M | 339.0 | 10-01-59 | 37.2 | 301.8 | 6603 |
| | | 2-21-60 | 39.8 | 299.2 | |
| 18S/26E-27E01 M | 389.0 | 9-30-59 | 30.9 | 358.1 | 6603 |
| | | 2-18-60 | 28.7 | 360.3 | |
| 19S/22E-01N01 M | 247.0 | 9-29-59 | 49.6 | 197.4 | 6603 |
| | | 2-16-60 | 52.8 | 194.2 | |
| 19S/22E-36E01 M | 236.0 | 9-29-59 | 77.2 | 158.8 | 6603 |
| | | 2-16-60 | 79.0 | 157.0 | |
| 19S/25E-25D01 M | 337.0 | 10-22-59 | □ | | 5050 |
| | | 3-09-60 | □ | | |
| 20S/22E-10C01 M | 227.0 | 10-21-59 | 90.6 | 136.4 | 5050 |
| | | 2-19-60 | 93.3 | 133.7 | |

| State Well Number | RP Elev., in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| TULARE IRRIGATION DISTRICT | | | 5-22.25 | | |
| 19S/23E-24G01 M | 272.5 | 9-28-59 | 77.0 | 195.5 | 6604 |
| | | 2-11-60 | 74.6 | 197.9 | |
| 19S/23E-32H01 M | 251.0 | 9-28-59 | 85.4 | 165.6 | 6604 |
| | | 2-11-60 | 77.7 | 173.3 | |
| 19S/24E-16P01 M | 290.0 | 9-28-59 | 75.3 | 214.7 | 6604 |
| | | 2-10-60 | 69.7 | 220.3 | |
| 20S/23E-09J01 M | 245.6 | 9-28-59 | 82.3 | 163.3 | 6604 |
| | | 2-11-60 | 79.6 | 156.0 | |
| 20S/24E-23K01 M | 270.0 | 9-29-59 | 62.1 | 207.9 | 6603 |
| | | 2-17-60 | 60.2 | 209.8 | |
| EXETER IRRIGATION DISTRICT | | | 5-22.26 | | |
| 18S/27E-29D01 M | 446.0 | 10-07-59 | 31.3 | 414.7 | 6605 |
| | | 2-15-60 | 30.5 | 415.5 | |
| 19S/26E-23E01 M | 359.0 | 10-08-59 | 100.0 | 259.0 | 6605 |
| | | 2-16-60 | 90.3 | 268.7 | |
| LINDSAY-STRATHMORE IRRIG DIST | | | 5-22.27 | | |
| 19S/27E-29D01 M | 390.0 | 10-07-59 | □ | | 6606 |
| | | 2-15-60 | 72.0 | 318.0 | |
| 20S/27E-06B01 M | 373.0 | 10-07-59 | 59.7 | 313.3 | 6606 |
| | | 2-15-60 | 63.0 | 310.0 | |
| 20S/27E-29J01 M | 407.0 | 10-07-59 | 66.4 | 340.6 | 6606 |
| | | 2-15-60 | 60.8 | 346.2 | |
| LINDMORE IRRIGATION DISTRICT | | | 5-22.28 | | |
| 20S/26E-22C02 M | 342.8 | 10-02-59 | 131.0 | 211.8 | 6607 |
| | | 2-11-60 | 114.1 | 228.7 | |
| PORTERVILLE IRRIGATION DISTRICT | | | 5-22.29 | | |
| 21S/27E-23N01 M | 439.0 | 10-06-59 | 48.5 | 390.5 | 6001 |
| | | 2-15-60 | 44.0 | 395.0 | 5050 |
| 22S/27E-10R01 M | 468.0 | 10-07-59 | 117.1 | 350.9 | 6608 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| PORTERVILLE IRRIGATION DISTRICT | | | 5-22.29 | | |
| 22S/27E-10R01 M | 468.0 | 12-04-59 | 113.6 | 354.4 | 6608 |
| CONT. | | 2-17-60 | 108.5 | 359.5 | |
| | | 4-14-60 | ▫ | | |
| | | 6-14-60 | 118.6 | 349.4 | |
| LOWER TULE RIVER IRRIGATION DIST | | | 5-22.30 | | |
| 21S/23E-22J01 M | 222.5 | 10-07-59 | 64.2* | 158.3 | 6001 |
| | | 2-15-60 | 65.8* | 156.7 | |
| 21S/24E-15H01 M | 253.8 | 10-05-59 | 69.0 | 184.8 | 6609 |
| | | 2-23-60 | ▫ | | |
| 21S/25E-08H01 M | 286.5 | 10-12-59 | 50.0 | 236.5 | 6609 |
| | | 2-24-60 | 55.0 | 231.5 | |
| 21S/26E-10H01 M | 360.1 | 10-06-59 | ▫ | | 6609 |
| | | 2-09-60 | 59.0 | 301.1 | |
| 22S/23E-15R01 M | 206.5 | 10-15-59 | 76.6 | 129.9 | 5050 |
| | | 2-16-60 | 67.5 | 139.0 | |
| 22S/24E-15A01 M | 251.5 | 7-11-59 | 127.0 | 124.5 | 6609 |
| | | 8-11-59 | 131.2 | 120.3 | |
| | | 10-05-59 | 114.0 | 137.5 | |
| | | 11-13-59 | 113.0 | 138.5 | |
| | | 12-11-59 | 120.0 | 131.5 | |
| | | 1-25-60 | 110.0 | 141.5 | |
| | | 2-23-60 | 117.0 | 134.5 | |
| | | 3-18-60 | 122.0 | 129.5 | |
| | | 4-11-60 | 105.0 | 146.5 | |
| | | 5-04-60 | 101.0 | 150.5 | |
| | | 6-08-60 | 125.0 | 126.5 | |
| 22S/25E-15A01 M | 301.0 | 7-11-59 | 146.0 | 155.0 | 6609 |
| | | 8-11-59 | 150.0 | 151.0 | |
| | | 10-11-59 | 135.2 | 165.8 | |
| | | 11-13-59 | 137.0 | 164.0 | |
| | | 12-14-59 | 135.0 | 166.0 | |
| | | 1-26-60 | 140.0 | 161.0 | |
| | | 2-16-60 | 138.8 | 162.2 | |
| | | 3-28-60 | 129.0 | 172.0 | |
| | | 4-12-60 | 130.0 | 171.0 | |
| | | 5-04-60 | 127.5 | 173.5 | |
| | | 6-09-60 | 130.0 | 171.0 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| LOWER TULE RIVER IRRIGATION DIST | | | 5-22.30 | | |
| 22S/26E-06A01 M | 337.0 | 9-24-59 | 111.3 | 225.7 | 6611 |
| | | 2-25-60 | 90.0 | 247.0 | |
| VANDALIA IRRIGATION DISTRICT | | | 5-22.31 | | |
| 22S/28E-18A01 M | 550.0 | 10-06-59 | ▫ | | 6001 |
| | | 2-11-60 | 111.4 | 438.6 | 5050 |
| SAUCELITO IRRIGATION DISTRICT | | | 5-22.32 | | |
| 22S/26E-15J01 M | 372.5 | 9-18-59 | 143.0 | 229.5 | 6611 |
| | | 2-25-60 | 125.9 | 246.6 | |
| 23S/26E-02R01 M | 397.0 | 9-22-59 | 171.7 | 225.3 | 6611 |
| | | 2-26-60 | 149.2 | 247.8 | |
| PIXLEY IRRIGATION DISTRICT | | | 5-22.33 | | |
| 23S/23E-02B01 M | 208.2 | 10-01-59 | 42.0 | 166.2 | 6001 |
| | | 2-16-60 | 32.9 | 175.3 | |
| 23S/24E-05A01 M | 226.3 | 10-15-59 | 127.7* | 98.6 | 5050 |
| | | 2-16-60 | ▫ | | |
| 23S/25E-14C01 M | 301.5 | 7-27-59 | 108.2* | 193.3 | 6001 |
| | | 8-24-59 | 106.6* | 194.9 | |
| | | 10-05-59 | 102.4 | 199.1 | |
| | | 10-28-59 | 100.6 | 200.9 | |
| | | 11-23-59 | 99.5 | 202.0 | |
| | | 12-28-59 | 99.4 | 202.1 | |
| | | 1-25-60 | 98.4 | 203.1 | |
| | | 2-15-60 | 98.2 | 203.3 | |
| | | 3-28-60 | 102.2 | 199.3 | |
| | | 4-25-60 | 102.9 | 198.6 | |
| | | 5-31-60 | 102.0 | 199.5 | |
| | | 6-27-60 | 101.0 | 200.5 | |
| 23S/25E-16N03 M | 263.0 | 8-19-59 | 233.4 | 29.6 | 5000 |
| | | 9-15-59 | 197.1 | 65.9 | |
| | | 10-13-59 | 170.6 | 92.4 | |
| | | 11-09-59 | 158.4 | 104.6 | |
| | | 12-09-59 | 152.3 | 110.7 | |
| | | 1-07-60 | 147.8 | 115.2 | |
| | | 2-02-60 | 140.0 | 123.0 | |
| | | 3-03-60 | 137.4 | 125.6 | |
| | | 5-25-60 | 181.1 | 81.9 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| PIXLEY IRRIGATION DISTRICT | | | 5-22.33 | | |
| 23S/25E-16N03 M | 263.0 | 6-22-60 | 230.4* | 32.6 | 5000 |
| 23S/25E-16N04 M | 263.0 | 8-19-59 | 118.4 | 144.6 | 5000 |
| | | 9-15-59 | 116.4 | 146.6 | |
| | | 10-13-59 | 114.2 | 148.8 | |
| | | 11-09-59 | 112.8 | 150.2 | |
| | | 12-09-59 | 111.4 | 151.6 | |
| | | 1-07-60 | 110.4 | 152.6 | |
| | | 2-02-60 | 110.9 | 152.1 | |
| | | 3-03-60 | 110.2 | 152.8 | |
| | | 5-25-60 | 115.2 | 147.8 | |
| | | 6-22-60 | 118.5 | 144.5 | |
| 23S/25E-17Q03 M | 270.0 | 7-21-59 | 120.0 | 150.0 | 5000 |
| | | 8-18-59 | 122.6 | 147.4 | |
| | | 9-15-59 | 120.3 | 149.7 | |
| | | 10-13-59 | 118.4 | 151.6 | |
| | | 11-09-59 | 117.0 | 153.0 | |
| | | 11-11-59 | 117.0 | 153.0 | |
| | | 12-09-59 | 115.8 | 154.2 | |
| | | 1-07-60 | 115.0 | 155.0 | |
| | | 2-02-60 | 114.8 | 155.2 | |
| | | 3-31-60 | 117.4 | 152.6 | |
| | | 4-28-60 | 118.1 | 151.9 | |
| | | 5-25-60 | 118.8 | 151.2 | |
| | | 6-22-60 | 122.6 | 147.4 | |
| ALPAUGH-ALLENSWORTH AREA | | | 5-22.34 | | |
| 23S/24E-36A01 M | 247.0 | 10-01-59 | 98.4 | 148.6 | 6001 |
| | | 2-15-60 | ¤ | | 5050 |
| 24S/23E-21B02 M | 206.0 | 9-30-59 | 53.7 | 152.3 | 6001 |
| | | 10-15-59 | 45.3 | 160.7 | 5050 |
| | | 2-15-60 | 55.7 | 150.3 | 6001 |
| 24S/24E-23Q01 M | 236.0 | 9-29-59 | ¤ | | 6001 |
| | | 2-12-60 | 44.3 | 191.7 | |
| DELANO-EARLIMART IRRIG DIST | | | 5-22.35 | | |
| 23S/25E-27J02 M | 296.0 | 9-28-59 | 115.0 | 181.0 | 6613 |
| | | 2-10-60 | 106.0 | 190.0 | |
| 23S/26E-29P01 M | 357.0 | 9-30-59 | 201.0 | 156.0 | 6613 |
| | | 2-19-60 | 192.0 | 165.0 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| DELANO-EARLIMART IRRIG DIST | | | 5-22.35 | | |
| 23S/27E-28J01 M | 531.3 | 10-06-59 | ¤ | | 6001 |
| | | 2-10-60 | 318.0 | 213.3 | |
| 24S/25E-10A01 M | 304.5 | 9-30-59 | 160.0 | 144.5 | 6613 |
| | | 2-10-60 | 132.0 | 172.5 | |
| 24S/25E-33J01 M | 294.1 | 9-30-59 | 100.3 | 193.8 | 6001 |
| | | 2-10-60 | 90.6 | 203.5 | 5050 |
| 24S/26E-05R01 M | 376.0 | 10-02-59 | 196.0 | 180.0 | 6613 |
| | | 2-11-60 | 188.0 | 188.0 | |
| 24S/26E-20H01 M | 379.0 | 10-02-59 | 187.0 | 192.0 | 6613 |
| | | 2-19-60 | 164.0 | 215.0 | |
| 24S/26E-29R01 M | 399.9 | 10-05-59 | ¤ | | 6613 |
| | | 2-13-60 | ¤ | | |
| 24S/26E-29R02 M | 400.0 | 7-30-59 | 175.4 | 224.6 | 5000 |
| | | 8-31-59 | 171.7 | 228.3 | |
| | | 9-15-59 | 168.8 | 231.2 | |
| | | 10-12-59 | 163.5 | 236.5 | |
| | | 11-12-59 | 159.8 | 240.2 | |
| | | 12-14-59 | 159.2 | 240.8 | |
| | | 1-16-60 | 157.0 | 243.0 | |
| | | 2-15-60 | 158.3 | 241.7 | |
| | | 3-14-60 | 165.0 | 235.0 | |
| | | 4-22-60 | 175.1 | 224.9 | |
| | | 5-17-60 | 174.6 | 225.4 | |
| | | 6-15-60 | 176.0 | 224.0 | |
| 24S/26E-32G01 M | 397.5 | 10-05-59 | 152.0 | 245.5 | 6613 |
| | | 2-13-60 | 148.0 | 249.5 | |
| 24S/26E-34F01 M | 445.0 | 7-21-59 | 295.1 | 149.9 | 5000 |
| | | 8-18-59 | 297.9 | 147.1 | |
| | | 9-15-59 | 289.3 | 155.7 | |
| | | 10-13-59 | 281.5 | 163.5 | |
| | | 11-09-59 | 275.1 | 169.9 | |
| | | 12-09-59 | 269.8 | 175.2 | |
| | | 1-07-60 | 265.9 | 179.1 | |
| | | 2-02-60 | 258.1 | 186.9 | |
| | | 3-31-60 | 283.3 | 161.7 | |
| | | 4-28-60 | 291.2 | 153.8 | |
| | | 5-26-60 | 299.7 | 145.3 | |
| | | 6-22-60 | 307.8 | 137.2 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| DELANO-EARLIMART IRRIG DIST | | | 5-22.35 | | |
| 24S/27E-10E01 M | 545.5 | 10-06-59 | 179.3 | 366.2 | 6001 |
| | | 2-11-60 | 180.0 | 365.5 | |
| 24S/27E-31P01 M | 527.0 | 10-05-59 | 414.2 | 112.8 | 6001 |
| | | 2-11-60 | 390.5 | 136.5 | |
| 25S/26E-01A02 M | 507.0 | 7-21-59 | 449.5 | 57.5 | 5000 |
| | | 8-18-59 | 433.0 | 74.0 | |
| | | 9-15-59 | 429.0 | 78.0 | |
| | | 10-07-59 | ¤ | | 6613 |
| | | 10-13-59 | 396.5 | 110.5 | 5000 |
| | | 11-10-59 | 389.5 | 117.5 | |
| | | 12-09-59 | 390.5 | 116.5 | |
| | | 1-07-60 | 380.0 | 127.0 | |
| | | 2-02-60 | 362.0 | 145.0 | |
| | | 2-18-60 | 358.0 | 149.0 | 6613 |
| | | 3-31-60 | 403.0 | 104.0 | 5000 |
| | | 4-28-60 | 431.0 | 76.0 | |
| | | 5-26-60 | 488.0 | 19.0 | |
| | | 6-22-60 | 462.0 | 45.0 | |
| 25S/26E-10B03 M | 430.5 | 10-06-59 | 258.0 | 172.5 | 6613 |
| | | 2-17-60 | 246.0 | 184.5 | |
| 25S/27E-22H01 M | 751.0 | 10-02-59 | 373.0 | 378.0 | 6001 |
| | | 2-11-60 | 373.6 | 377.4 | |
| SOUTH SAN JOAQUIN MUD | | | 5-22.36 | | |
| 25S/25E-06H01 M | 259.0 | 10-01-59 | 90.0 | 169.0 | 6614 |
| | | 2-10-60 | 86.5 | 172.5 | |
| 25S/25E-35P01 M | 322.4 | 10-02-59 | 205.6* | 116.8 | 6614 |
| | | 2-16-60 | 133.5 | 188.9 | |
| 25S/26E-28H02 M | 415.0 | 2-16-60 | 208.8 | 206.2 | 6614 |
| 26S/26E-10R01 M | 503.0 | 7-30-59 | 372.0 | 131.0 | 5000 |
| | | 8-31-59 | 375.8 | 127.2 | |
| | | 9-15-59 | 375.0 | 128.0 | |
| | | 10-09-59 | 380.0 | 123.0 | 5050 |
| | | 10-12-59 | 367.3 | 135.7 | 5000 |
| | | 11-12-59 | 360.8 | 142.2 | |
| | | 12-14-59 | 360.8 | 142.2 | |
| | | 1-16-60 | 358.0 | 145.0 | |
| | | 2-11-60 | 354.9 | 148.1 | 5050 |

| State Well Number | R P Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SOUTH SAN JOAQUIN MUD | | | 5-22.36 | | |
| 26S/26E-10R01 M CONT. | 503.0 | 2-16-60 | 354.0 | 149.0 | 5000 |
| | | 3-14-60 | 367.2 | 135.8 | |
| | | 4-22-60 | 366.3 | 136.7 | |
| | | 5-17-60 | 363.5 | 139.5 | |
| | | 6-15-60 | 366.0 | 137.0 | |
| 26S/26E-16P01 M | 443.2 | 10-02-59 | 345.6 | 97.6 | 6614 |
| | | 2-03-60 | 250.0 | 193.2 | 1700 |
| | | 2-17-60 | ¤ | | 6614 |
| NORTH KERN WATER STORAGE DIST | | | 5-22.37 | | |
| 26S/25E-15R01 M | 354.7 | 7-01-59 | ¤ | | 1700 |
| | | 7-15-59 | ¤ | | |
| | | 8-03-59 | ¤ | | |
| | | 8-17-59 | ¤ | | |
| | | 9-09-59 | 264.0 | 90.7 | |
| | | 12-14-59 | 181.0 | 173.7 | |
| | | 1-05-60 | ¤ | | |
| | | 1-15-60 | ¤ | | |
| | | 2-04-60 | 163.0 | 191.7 | |
| | | 2-17-60 | 160.0 | 194.7 | |
| | | 4-22-60 | ¤ | | |
| | | 6-21-60 | 275.0 | 79.7 | |
| 26S/25E-31R01 M | 337.5 | 7-02-59 | ¤ | | 1700 |
| | | 7-15-59 | ¤ | | |
| | | 8-04-59 | 271.0 | 66.5 | |
| | | 8-17-59 | ¤ | | |
| | | 9-10-59 | ¤ | | |
| | | 10-15-59 | ¤ | | |
| | | 11-12-59 | 186.0 | 151.5 | |
| | | 12-14-59 | 178.0 | 159.5 | |
| | | 1-06-60 | 175.0 | 162.5 | |
| | | 1-18-60 | 168.0 | 169.5 | |
| | | 2-04-60 | 160.0 | 177.5 | |
| | | 2-18-60 | 159.0 | 178.5 | |
| | | 3-15-60 | 190.0 | 147.5 | |
| | | 4-28-60 | 200.0 | 137.5 | |
| 26S/26E-30P01 M | 393.0 | 7-01-59 | 272.0 | 121.0 | 1700 |
| | | 7-16-59 | ¤ | | |
| | | 8-03-59 | ¤ | | |
| | | 8-17-59 | ¤ | | |
| | | 9-11-59 | ¤ | | |
| | | 12-15-59 | 222.0 | 171.0 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| NORTH KERN WATER STORAGE DIST | | 5-22.37 | | | |
| 26S/26E-30P01 M | 393.0 | 1-05-60 | 217.0 | 176.0 | 1700 |
| CONT. | | 1-15-60 | 214.0 | 179.0 | |
| | | 2-04-60 | 209.0 | 184.0 | |
| | | 2-17-60 | 209.0 | 184.0 | |
| 27S/25E-01A01 M | 402.0 | 2-09-60 | 72.8 | 329.2 | 6001 |
| 27S/25E-06F01 M | 333.0 | 2-10-60 | 162.0 | 171.0 | 5050 |
| 27S/26E-06H02 M | 416.0 | 10-06-59 | 139.9 | 276.1 | 5050 |
| | | 2-09-60 | 163.4 | 252.6 | 6001 |
| 27S/26E-20E01 M | 437.1 | 9-08-59 | ▫ | | 1700 |
| | | 12-18-59 | 176.0 | 261.1 | 6001 |
| | | 1-08-60 | 257.0 | 180.1 | |
| | | 1-20-60 | 254.0 | 183.1 | |
| | | 2-09-60 | 251.0 | 186.1 | |
| | | 2-23-60 | 273.0 | 164.1 | |
| | | 6-24-60 | ▫ | | 1700 |
| 27S/27E-30H02 M | 528.0 | 10-02-59 | ▫ | | 6001 |
| | | 2-09-60 | 254.0 | 274.0 | |
| 28S/25E-13L01 M | 362.0 | 7-10-59 | ▫ | | 1700 |
| | | 7-28-59 | ▫ | | |
| | | 8-11-59 | ▫ | | |
| | | 8-21-59 | ▫ | | |
| | | 9-03-59 | ▫ | | |
| | | 12-18-59 | 173.0 | 189.0 | |
| | | 1-11-60 | 173.0 | 189.0 | |
| | | 1-21-60 | 170.0 | 192.0 | |
| | | 2-10-60 | 168.0 | 194.0 | |
| | | 2-24-60 | 172.0 | 190.0 | |
| | | 5-25-60 | ▫ | | |
| | | 6-28-60 | ▫ | | |
| 28S/26E-22L01 M | 395.9 | 10-01-59 | 184.7 | 211.2 | 5050 |
| | | 2-10-60 | 127.0 | 268.9 | |
| 28S/27E-21F01 M | 615.0 | 10-02-59 | 434.9 | 180.1 | 6001 |
| | | 2-10-60 | 430.0* | 185.0 | 5050 |
| SHAFTER-WASCO IRRIGATION DIST | | 5-22.38 | | | |
| 27S/24E-35C01 M | 317.2 | 7-06-59 | ▫ | | 1700 |
| | | 7-23-59 | 223.0 | 94.2 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SHAFTER-WASCO IRRIGATION DIST | | 5-22.38 | | | |
| 27S/24E-35C01 M | 317.2 | 8-07-59 | ▫ | | 1700 |
| CONT. | | 8-19-59 | 225.0 | 92.2 | |
| | | 9-08-59 | ▫ | | |
| | | 2-08-60 | 164.0 | 153.2 | |
| 27S/25E-28F01 M | 370.2 | 10-06-59 | 207.5 | 162.7 | 5050 |
| | | 2-10-60 | 180.9 | 189.3 | |
| 28S/24E-01R01 M | 329.0 | 10-09-59 | 179.3 | 149.7 | 6616 |
| | | 2-11-60 | ▫ | | |
| KERN RIVER DELTA AREA | | 5-22.40 | | | |
| 28S/25E-34J01 M | 329.0 | 9-28-59 | 140.3 | 188.7 | 6616 |
| | | 2-09-60 | 143.6 | 185.4 | |
| | | 2-23-60 | 155.3 | 173.7 | |
| | | 3-16-60 | 129.9 | 199.1 | |
| | | 4-15-60 | 135.7 | 193.3 | |
| | | 5-17-60 | 133.5 | 195.5 | |
| | | 6-22-60 | 147.9 | 181.1 | |
| 28S/26E-29L01 M | 349.9 | 7-10-59 | ▫ | | 1700 |
| | | 7-28-59 | ▫ | | |
| | | 8-11-59 | ▫ | | |
| | | 8-21-59 | ▫ | | |
| | | 9-03-59 | 124.0 | 225.9 | |
| | | 10-20-59 | 124.4 | 225.5 | |
| | | 1-27-60 | 309.0 | 40.9 | |
| | | 2-10-60 | 117.0 | 232.9 | |
| | | 2-24-60 | 120.0 | 229.9 | |
| | | 5-25-60 | ▫ | | |
| | | 6-28-60 | ▫ | | |
| 29S/25E-12M01 M | 326.3 | 9-23-59 | 117.0 | 209.3 | 5620 |
| | | 9-28-59 | 118.7 | 207.6 | 6001 |
| | | 2-09-60 | 110.9 | 215.4 | |
| | | 2-10-60 | ▫ | | 5620 |
| 29S/26E-10L01 M | 351.0 | 9-24-59 | 105.5 | 245.5 | 5620 |
| | | 2-10-60 | 97.4 | 253.6 | |
| 29S/27E-04J01 M | 448.8 | 9-09-59 | ▫ | | 5620 |
| | | 2-10-60 | ▫ | | |
| 29S/27E-26D01 M | 398.3 | 9-09-59 | ▫ | | 5620 |
| | | 2-09-60 | 36.7 | 361.6 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| KERN RIVER DELTA AREA | | | 5-22.40 | | |
| 30S/24E-24Q01 M | 296.0 | 9-23-59 | ¤ | | 5620 |
| | | 2-08-60 | ¤ | | |
| 30S/25E-03H01 M | 320.6 | 7-08-59 | ¤ | | 1700 |
| | | 7-20-59 | ¤ | | |
| | | 8-05-59 | ¤ | | |
| | | 8-28-59 | ¤ | | |
| | | 9-14-59 | ¤ | | |
| | | 9-21-59 | ¤ | | |
| | | 1-06-60 | 67.0 | 253.6 | |
| | | 1-20-60 | 66.0 | 254.6 | |
| | | 2-11-60 | 81.0* | 239.6 | |
| | | 2-18-60 | 80.0* | 240.6 | |
| 30S/25E-21L01 M | 305.7 | 2-01-60 | 40.2 | 265.5 | 1700 |
| 30S/26E-16J01 M | 340.1 | 9-09-59 | 30.5 | 309.6 | 5620 |
| | | 2-03-60 | 31.0 | 309.1 | 1700 |
| | | 2-05-60 | 33.7 | 306.4 | 5620 |
| 30S/26E-27A01 M | 340.0 | 7-09-59 | ¤ | | 1700 |
| | | 7-24-59 | ¤ | | |
| | | 8-06-59 | 50.0 | 290.0 | |
| | | 8-21-59 | ¤ | | |
| | | 9-14-59 | ¤ | | |
| | | 9-24-59 | ¤ | | |
| | | 12-01-59 | ¤ | | |
| | | 1-07-60 | 65.0* | 275.0 | |
| | | 1-20-60 | 65.0* | 275.0 | |
| | | 2-11-60 | 43.0 | 297.0 | |
| | | 2-18-60 | 45.0 | 295.0 | |
| 30S/27E-03G01 M | 385.0 | 7-08-59 | 76.0 | 309.0 | 1700 |
| | | 7-23-59 | 78.0 | 307.0 | |
| | | 8-06-59 | 79.0 | 306.0 | |
| | | 8-28-59 | 79.0 | 306.0 | |
| | | 9-14-59 | 75.0 | 310.0 | |
| | | 1-07-60 | 70.0 | 315.0 | |
| | | 1-21-60 | 71.0 | 314.0 | |
| | | 2-11-60 | 75.0 | 310.0 | |
| | | 2-18-60 | 82.0 | 303.0 | |
| 30S/27E-28A02 M | 361.0 | 9-23-59 | ¤ | | 5620 |
| | | 2-05-60 | ¤ | | |
| 30S/28E-32B01 M | 354.4 | 9-29-59 | 93.5 | 260.9 | 5050 |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| KERN RIVER DELTA AREA | | | 5-22.40 | | |
| 30S/28E-32B01 M | 354.4 | 2-01-60 | 81.0 | 273.4 | 6001 |
| 30S/28E-34R02 M | 360.0 | 8-27-59 | 134.9 | 225.1 | 5000 |
| | | 9-17-59 | 102.7* | 257.3 | |
| | | 9-29-59 | 100.7 | 259.3 | 6001 |
| | | 10-08-59 | 119.7 | 240.3 | 5000 |
| | | 11-13-59 | 94.9 | 265.1 | |
| | | 12-16-59 | 95.5 | 264.5 | |
| | | 1-15-60 | 95.3 | 264.7 | |
| | | 2-02-60 | 91.5 | 268.5 | 6001 |
| | | 2-19-60 | 92.4 | 267.6 | 5000 |
| | | 3-16-60 | 96.7 | 263.3 | |
| | | 4-26-60 | 95.8 | 264.2 | |
| | | 5-11-60 | 97.2 | 262.8 | |
| | | 6-15-60 | 105.8 | 254.2 | |
| 31S/26E-01A01 M | 333.1 | 9-10-59 | 60.0* | 273.1 | 5620 |
| | | 2-04-60 | 52.1 | 281.0 | |
| 31S/26E-35D01 M | 295.3 | 9-10-59 | 62.0* | 233.3 | 5620 |
| | | 2-04-60 | 44.9 | 250.4 | |
| 31S/27E-04L01 M | 341.5 | 7-13-59 | ¤ | | 1700 |
| | | 7-24-59 | ¤ | | |
| | | 8-07-59 | ¤ | | |
| | | 8-31-59 | ¤ | | |
| | | 9-15-59 | 93.0 | 248.5 | |
| | | 1-08-60 | 71.0 | 270.5 | |
| | | 1-20-60 | 70.0 | 271.5 | |
| | | 2-12-60 | 85.0* | 256.5 | |
| | | 2-19-60 | 88.0* | 253.5 | |
| 31S/27E-28J01 M | 312.6 | 9-21-59 | 43.0 | 269.6 | 5620 |
| | | 2-05-60 | 37.7 | 274.9 | |
| 31S/28E-17P02 M | 321.6 | 9-22-59 | 17.6 | 304.0 | 6001 |
| | | 2-04-60 | 12.0 | 309.6 | 1700 |
| 31S/28E-30M01 M | 314.7 | 7-10-59 | ¤ | | 1700 |
| | | 7-27-59 | 87.0 | 227.7 | |
| | | 8-07-59 | ¤ | | |
| | | 9-01-59 | ¤ | | |
| | | 9-16-59 | 75.0 | 239.7 | |
| | | 10-19-59 | 59.0 | 255.7 | |
| | | 11-13-59 | 50.0 | 264.7 | |
| | | 1-08-60 | 52.0 | 262.7 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| KERN RIVER DELTA AREA | | | 5-22.40 | | |
| 31S/28E-30M01 M | 314.7 | 1-21-60 | 45.0 | 269.7 | 1700 |
| CONT. | | 2-12-60 | 43.0 | 271.7 | |
| | | 2-19-60 | 45.0 | 269.7 | |
| | | 3-16-60 | 60.0 | 254.7 | |
| 32S/26E-36G01 M | 378.8 | 9-21-59 | 170.1 | 208.7 | 5620 |
| | | 2-01-60 | 185.0 | 193.8 | |
| 32S/27E-18E01 M | 294.3 | 7-14-59 | 142.0 | 152.3 | 1700 |
| | | 7-27-59 | 125.0 | 169.3 | |
| | | 8-10-59 | 132.0 | 162.3 | |
| | | 9-01-59 | 122.0 | 172.3 | |
| | | 9-16-59 | ▫ | | |
| | | 9-28-59 | 110.0 | 184.3 | |
| | | 1-15-60 | 177.0* | 117.3 | |
| | | 1-22-60 | 174.0* | 120.3 | |
| | | 2-12-60 | 80.0 | 214.3 | |
| | | 2-23-60 | 88.0 | 206.3 | |
| 32S/28E-04A01 M | 304.1 | 9-22-59 | 66.0 | 238.1 | 5050 |
| | | 2-04-60 | 34.0 | 270.1 | 1700 |
| EDISON-MARICOPA AREA | | | 5-22.41 | | |
| 29S/28E-26J01 M | 535.0 | 9-21-59 | DRY | | 6001 |
| | | 2-09-60 | DRY | | |
| 29S/29E-33N01 M | 578.0 | 9-22-59 | DRY | | 6001 |
| | | 2-10-60 | 410.5 | 167.5 | |
| 30S/28E-02R01 M | 411.0 | 10-01-59 | ▫ | | 5050 |
| | | 2-09-60 | 156.0 | 255.0 | |
| 30S/29E-05F01 M | 517.0 | 9-23-59 | ▫ | | 5050 |
| | | 2-09-60 | 302.3 | 214.7 | |
| 30S/29E-26A01 M | 625.0 | 9-30-59 | 427.0 | 198.0 | 5050 |
| | | 2-05-60 | 433.8 | 191.2 | |
| 30S/29E-31H01 M | 412.0 | 9-17-59 | 213.4 | 198.6 | 5000 |
| | | 10-13-59 | 209.1 | 202.9 | |
| | | 11-13-59 | 204.8 | 207.2 | |
| | | 12-16-59 | 205.8 | 206.2 | |
| | | 1-18-60 | 204.0 | 208.0 | |
| | | 2-19-60 | 199.0 | 213.0 | |
| | | 3-16-60 | 208.5 | 203.5 | |

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| EDISON-MARICOPA AREA | | | 5-22.41 | | |
| 30S/29E-31H01 M | 412.0 | 4-26-60 | 204.6 | 207.4 | 5000 |
| CONT. | | 5-11-60 | 205.3 | 206.7 | |
| | | 6-14-60 | 210.0 | 202.0 | |
| 30S/29E-31R01 M | 421.0 | 9-30-59 | 131.8 | 289.2 | 6001 |
| | | 2-03-60 | 194.2 | 226.8 | |
| 30S/30E-20R01 M | 793.0 | 9-24-59 | 177.7 | 615.3 | 5050 |
| | | 2-03-60 | 177.1 | 615.9 | |
| 31S/29E-09A01 M | 473.5 | 9-30-59 | ▫ | | 5050 |
| | | 2-03-60 | ▫ | | |
| 31S/29E-29A01 M | 400.5 | 9-23-59 | ▫ | | 6001 |
| | | 2-05-60 | 148.6 | 251.9 | |
| 31S/30E-21G01 M | 537.0 | 9-30-59 | ▫ | | 6001 |
| | | 2-04-60 | ▫ | | |
| 32S/25E-35N02 M | 442.5 | 9-21-59 | 199.0 | 243.5 | 5620 |
| | | 2-01-60 | 167.6 | 274.9 | |
| 32S/28E-23R01 M | 387.7 | 9-22-59 | ▫ | | 5050 |
| | | 2-02-60 | 236.8 | 150.9 | 6001 |
| 32S/29E-08R02 M | 409.0 | 8-27-59 | 165.2 | 243.8 | 5000 |
| | | 9-17-59 | 163.1 | 245.9 | |
| | | 10-08-59 | 166.4 | 242.6 | |
| | | 11-13-59 | ▫ | | |
| 32S/29E-16R02 M | 471.0 | 9-28-59 | 305.6 | 165.4 | 6001 |
| | | 11-24-59 | 303.9 | 167.1 | 5000 |
| | | 12-16-59 | 301.8 | 169.2 | |
| | | 1-15-60 | 301.0 | 167.3 | |
| | | 2-05-60 | 298.0 | 173.0 | 6001 |
| | | 2-19-60 | 296.3 | 172.0 | 5000 |
| | | 3-16-60 | 297.8 | 170.5 | |
| | | 4-26-60 | 299.6 | 168.7 | |
| | | 5-11-60 | 299.7 | 168.6 | |
| | | 6-15-60 | 302.9 | 168.1 | |
| 32S/29E-21P01 M | 473.0 | 7-28-59 | 208.6 | 264.4 | 6001 |
| | | 8-25-59 | 211.4 | 261.6 | |
| | | 9-29-59 | 214.8 | 258.2 | |
| | | 10-27-59 | 210.7 | 262.3 | |
| | | 11-24-59 | 210.1 | 262.9 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| EDISON-MARICOPA AREA | | | 5-22.41 | | |
| 32S/29E-21P01 M | 473.0 | 12-29-59 | 210.8 | 262.2 | 6001 |
| CONT. | | 1-26-60 | 206.4 | 266.6 | |
| | | 2-08-60 | 205.5 | 267.5 | |
| | | 3-29-60 | 207.5 | 265.5 | |
| | | 4-27-60 | 205.8 | 267.2 | |
| | | 6-02-60 | 205.5 | 267.5 | |
| | | 6-28-60 | 207.4 | 265.6 | |
| 11N/18W-06P01 S | 658.3 | 9-29-59 | ◘ | | 5050 |
| | | 2-02-60 | ◘ | | |
| 11N/18W-28D01 S | 854.3 | 9-29-59 | 66.9 | 787.4 | 5050 |
| | | 2-02-60 | 69.0 | 785.3 | |
| 11N/19W-04H01 S | 577.1 | 9-23-59 | ◘ | | 6001 |
| | | 2-04-60 | ◘ | | |
| 11N/20W-07Q01 S | 454.4 | 11-05-59 | 355.0 | 99.4 | 1700 |
| | | 2-15-60 | ◘ | | |
| | | 2-23-60 | 357.0 | 97.4 | |
| 11N/20W-18F01 S | 486.2 | 9-22-59 | 339.0 | 147.2 | 1700 |
| | | 2-03-60 | 333.0 | 153.2 | 6001 |
| | | 2-08-60 | 340.0 | 146.2 | 1700 |
| 11N/20W-24A01 S | 731.6 | 9-03-59 | 480.0 | 251.6 | 1700 |
| | | 11-02-59 | 479.0 | 252.6 | |
| | | 2-15-60 | 482.0 | 249.6 | |
| | | 2-23-60 | 480.0 | 251.6 | |
| | | 4-14-60 | ◘ | | |
| | | 6-28-60 | ◘ | | |
| 11N/21W-05M01 S | 516.8 | 9-04-59 | 451.0 | 65.8 | 5050 |
| | | 11-05-59 | 437.0 | 79.8 | |
| | | 1-18-60 | ◘ | | 1700 |
| | | 1-29-60 | ◘ | | |
| | | 2-15-60 | ◘ | | |
| | | 2-23-60 | ◘ | | |
| 11N/21W-14D02 S | 578.0 | 9-11-59 | 478.2 | 99.8 | 5620 |
| | | 2-02-60 | ◘ | | |
| 11N/22W-04H01 S | 529.7 | 11-04-59 | 419.0 | 110.7 | 1700 |
| | | 1-29-60 | 421.0 | 108.7 | |
| | | 2-15-60 | ◘ | | |
| 11N/23W-12P01 S | 748.0 | 9-28-59 | 466.0 | 282.0 | 5620 |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| EDISON-MARICOPA AREA | | | 5-22.41 | | |
| 11N/23W-12P01 S | 748.0 | 2-02-60 | 462.3 | 285.7 | 5620 |
| 12N/19W-32E01 S | 500.0 | 9-22-59 | 224.0 | 276.0 | 6001 |
| | | 2-02-60 | 238.0 | 262.0 | |
| 12N/20W-31R01 S | 364.0 | 7-28-59 | 258.9 | 105.1 | 6001 |
| | | 8-25-59 | 255.8 | 108.2 | |
| | | 9-29-59 | 230.5 | 133.5 | |
| | | 10-27-59 | 229.2 | 134.8 | |
| | | 11-24-59 | 218.8 | 145.2 | |
| | | 12-29-59 | 218.7 | 145.3 | |
| | | 1-26-60 | 234.6 | 129.4 | |
| | | 2-01-60 | 236.9 | 127.1 | |
| | | 3-29-60 | 250.6 | 113.4 | |
| | | 4-26-60 | 242.4 | 121.6 | |
| | | 6-28-60 | 259.6 | 104.4 | |
| 12N/20W-36Q02 S | 512.0 | 9-22-59 | 201.0 | 311.0 | 6001 |
| | | 2-03-60 | 208.0* | 304.0 | |
| 12N/21W-29N01 S | 423.3 | 9-11-59 | 257.5 | 165.8 | 5620 |
| | | 2-03-60 | ◘ | | |
| 12N/22W-31E01 S | 492.0 | 9-11-59 | 295.9 | 196.1 | 5620 |
| | | 2-02-60 | 266.5 | 225.5 | 5000 |
| 12N/22W-36R01 S | 495.0 | 9-29-59 | ◘ | | 5620 |
| | | 2-04-60 | ◘ | | |
| BUENA VISTA WATER STORAGE DIST | | | 5-22.42 | | |
| 26S/22E-32R01 M | 238.6 | 7-07-59 | 55.2 | 183.4 | 4640 |
| | | 8-03-59 | ◘ | | |
| | | 9-03-59 | 75.2 | 163.4 | |
| | | 10-05-59 | ◘ | | |
| | | 11-02-59 | 63.8 | 174.8 | |
| | | 12-02-59 | 60.1 | 178.5 | |
| | | 1-04-60 | 60.8 | 177.8 | |
| | | 2-05-60 | 61.3 | 177.3 | |
| | | 3-02-60 | ◘ | | |
| | | 4-04-60 | 84.2 | 154.4 | |
| | | 5-09-60 | 63.0 | 175.6 | |
| | | 6-05-60 | ◘ | | |
| 27S/22E-16B01 M | 240.0 | 12-15-59 | 70.5 | 169.5 | 5000 |
| | | 1-15-60 | 70.1 | 169.9 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| BUENA VISTA WATER STORAGE DIST | | 5-22.42 | | | |
| 27S/22E-16B01 M | 240.0 | 2-16-60 | 73.6 | 166.4 | 5000 |
| CONT. | | 3-15-60 | 111.6 | 128.4 | |
| | | 4-11-60 | 111.4 | 128.6 | |
| | | 5-18-60 | ¤ | | |
| | | 6-16-60 | ¤ | | |
| 27S/22E-21F02 M | 242.0 | 9-07-59 | 58.9 | 183.1 | 5620 |
| | | 2-10-60 | 40.7 | 201.3 | |
| 27S/22E-32H01 M | 242.0 | 9-27-59 | 95.9 | 146.1 | 5620 |
| | | 12-15-59 | 75.2 | 166.8 | 5000 |
| | | 1-15-60 | 74.2 | 167.8 | |
| | | 2-08-60 | 70.2 | 171.8 | 5620 |
| | | 2-16-60 | 69.6 | 172.4 | 5000 |
| | | 3-15-60 | 77.0 | 165.0 | |
| | | 4-11-60 | 99.4* | 142.6 | |
| | | 5-18-60 | 80.2 | 161.8 | |
| | | 6-16-60 | 78.6 | 163.4 | |
| 28S/22E-10D02 M | 245.0 | 9-28-59 | 28.6 | 216.4 | 5620 |
| | | 2-11-60 | 20.8 | 224.2 | |
| 28S/22E-36P01 M | 253.7 | 7-07-59 | ¤ | | 4640 |
| | | 8-03-59 | 44.5 | 209.2 | |
| | | 9-02-59 | ¤ | | |
| | | 10-05-59 | 27.7 | 226.0 | |
| | | 11-02-59 | 26.0 | 227.7 | |
| | | 12-02-59 | 25.2 | 228.5 | |
| | | 1-05-60 | 24.0 | 229.7 | |
| | | 2-05-60 | 24.6 | 229.1 | |
| | | 3-02-60 | ¤ | | |
| | | 4-04-60 | ¤ | | |
| | | 5-09-60 | 32.4 | 221.3 | |
| | | 6-05-60 | ¤ | | |
| 28S/23E-31R01 M | 258.6 | 7-07-59 | ¤ | | 4640 |
| | | 8-03-59 | ¤ | | |
| | | 9-02-59 | 41.6 | 217.0 | |
| | | 10-05-59 | 28.9 | 229.7 | |
| | | 11-02-59 | 28.6 | 230.0 | |
| | | 12-02-59 | 28.0 | 230.6 | |
| | | 1-05-60 | 25.7 | 232.9 | |
| | | 2-05-60 | ¤ | | |
| | | 3-02-60 | 66.9 | 191.7 | |
| | | 4-04-60 | ¤ | | |
| | | 5-09-60 | 30.2 | 228.4 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| BUENA VISTA WATER STORAGE DIST | | 5-22.42 | | | |
| 28S/23E-31R01 M | 258.6 | 6-05-60 | 63.0 | 195.6 | 4640 |
| 29S/23E-08A01 M | 260.3 | 7-07-59 | 49.0 | 211.3 | 4640 |
| | | 8-03-59 | ¤ | | |
| | | 9-02-59 | 39.6 | 220.7 | |
| | | 10-05-59 | 31.5 | 228.8 | |
| | | 11-02-59 | 30.4 | 229.9 | |
| | | 12-02-59 | 31.1 | 229.2 | |
| | | 1-05-60 | 28.6 | 231.7 | |
| | | 2-05-60 | 38.0 | 222.3 | |
| | | 3-02-60 | ¤ | | |
| | | 4-04-60 | 42.2 | 218.1 | |
| | | 5-09-60 | 31.9 | 228.4 | |
| | | 6-05-60 | 55.2 | 205.1 | |
| 29S/23E-36R01 M | 277.0 | 9-09-59 | 41.1 | 235.9 | 5620 |
| | | 2-08-60 | 41.6 | 235.4 | |
| 29S/24E-32Q01 M | 281.3 | 7-07-59 | 56.4 | 224.9 | 4640 |
| | | 8-03-59 | 64.0 | 217.3 | |
| | | 9-02-59 | 49.4 | 231.9 | |
| | | 10-05-59 | 41.0 | 240.3 | |
| | | 11-02-59 | 38.7 | 242.6 | |
| | | 12-02-59 | 39.7 | 241.6 | |
| | | 1-05-60 | 45.0 | 236.3 | |
| | | 2-05-60 | 44.0 | 237.3 | |
| | | 3-02-60 | ¤ | | |
| 30S/23E-01C01 M | 276.8 | 7-07-59 | 36.4 | 240.4 | 4640 |
| | | 8-03-59 | 48.6 | 228.2 | |
| | | 9-02-59 | 38.0 | 238.8 | |
| | | 10-05-59 | 36.4 | 240.4 | |
| | | 11-02-59 | 36.0 | 240.8 | |
| | | 12-02-59 | 35.8 | 241.0 | |
| | | 1-05-60 | 36.3 | 240.5 | |
| | | 2-05-60 | 36.7 | 240.1 | |
| | | 3-02-60 | 41.7 | 235.1 | |
| | | 4-04-60 | 42.7 | 234.1 | |
| | | 5-09-60 | 39.4 | 237.4 | |
| | | 6-05-60 | 39.0 | 237.8 | |
| 30S/24E-02C01 M | 289.2 | 7-07-59 | 59.1 | 230.1 | 4640 |
| | | 8-03-59 | ¤ | | |
| | | 9-02-59 | 52.4 | 236.8 | |
| | | 10-05-59 | 48.2 | 241.0 | |
| | | 11-02-59 | 48.2 | 241.0 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| BUENA VISTA WATER STORAGE DIST | | | 5-22.42 | | |
| 30S/24E-02C01 M | 289.2 | 12-02-59 | 49.0 | 240.2 | 4640 |
| CONT. | | 1-05-60 | ¤ | | |
| | | 2-05-60 | 50.5 | 238.7 | |
| | | 3-02-60 | 57.5 | 231.7 | |
| | | 4-04-60 | 56.2 | 233.0 | |
| | | 5-09-60 | 62.3 | 226.9 | |
| | | 6-05-60 | 64.8 | 224.4 | |
| SEMITROPIC WATER STORAGE DIST | | | 5-22.43 | | |
| 25S/22E-02E01 M | 212.5 | 7-30-59 | 77.8 | 134.7 | 5000 |
| | | 8-31-59 | 81.7 | 130.8 | |
| | | 9-15-59 | 82.9 | 129.6 | |
| | | 10-12-59 | 83.8 | 128.7 | |
| | | 11-13-59 | 83.0 | 129.5 | |
| | | 12-15-59 | 80.1 | 132.4 | |
| | | 1-18-60 | 76.6 | 135.9 | |
| | | 2-16-60 | 73.9 | 138.6 | |
| | | 3-15-60 | 74.1 | 138.4 | |
| | | 4-11-60 | 76.4 | 136.1 | |
| | | 5-18-60 | 76.0 | 136.5 | |
| | | 6-16-60 | 79.0 | 133.5 | |
| 25S/22E-02N02 M | 212.6 | 7-30-59 | 43.4 | 169.2 | 5000 |
| | | 8-31-59 | 45.1 | 167.5 | |
| | | 9-15-59 | 45.7 | 166.9 | |
| | | 10-12-59 | 46.7 | 165.9 | |
| | | 11-13-59 | 47.1 | 165.5 | |
| | | 12-15-59 | 46.4 | 166.2 | |
| | | 1-18-60 | 45.1 | 167.5 | |
| | | 2-16-60 | 44.0 | 168.6 | |
| | | 3-15-60 | 43.4 | 169.2 | |
| | | 4-11-60 | 43.9 | 168.7 | |
| | | 5-18-60 | 47.4 | 165.2 | |
| | | 6-16-60 | 44.6 | 168.0 | |
| 25S/22E-14G01 M | 215.5 | 9-30-59 | 149.5 | 66.0 | 5620 |
| | | 2-17-60 | 113.3 | 102.2 | |
| 25S/23E-03R01 M | 209.0 | 9-30-59 | ¤ | | 5620 |
| | | 2-17-60 | 133.5 | 75.5 | |
| 25S/23E-30G01 M | 216.7 | 9-04-59 | ¤ | | 5620 |
| | | 2-17-60 | ¤ | | |
| 25S/24E-07R01 M | 231.0 | 10-02-59 | 95.7 | 135.3 | 6001 |

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SEMITROPIC WATER STORAGE DIST | | | 5-22.43 | | |
| 25S/24E-07R01 M | 231.0 | 2-11-60 | 81.9 | 149.1 | 6001 |
| 25S/24E-30H01 M | 237.9 | 10-01-59 | 192.0 | 45.9 | 5050 |
| | | 2-11-60 | 115.0 | 122.9 | |
| 26S/21E-14E01 M | 244.0 | 9-14-59 | 38.3 | 205.7 | 5000 |
| | | 10-08-59 | 35.9 | 208.1 | |
| | | 10-14-59 | 36.1 | 207.9 | 5050 |
| | | 11-16-59 | 34.2 | 209.8 | 5000 |
| | | 12-17-59 | 34.8 | 209.2 | |
| | | 1-13-60 | 34.3 | 209.7 | |
| | | 2-17-60 | 34.5 | 209.5 | |
| | | 3-15-60 | 36.3 | 207.7 | |
| | | 4-25-60 | 36.6 | 207.4 | |
| | | 5-18-60 | 41.8 | 202.2 | |
| | | 6-14-60 | 38.8 | 205.2 | |
| 26S/21E-14J01 M | 238.0 | 9-05-59 | 36.9* | 201.1 | 5620 |
| | | 2-16-60 | 26.5 | 211.5 | |
| 26S/22E-10G01 M | 227.0 | 9-28-59 | ¤ | | 5620 |
| | | 10-13-59 | 26.8 | 200.2 | 5050 |
| | | 2-15-60 | 60.8 | 166.2 | 5620 |
| 26S/22E-35E01 M | 254.0 | 9-28-59 | 200.8 | 53.2 | 5620 |
| | | 2-15-60 | 156.0 | 98.0 | |
| 26S/23E-02R01 M | 236.8 | 9-28-59 | 99.7 | 137.1 | 5620 |
| | | 10-14-59 | 107.0 | 129.8 | 5050 |
| | | 2-11-60 | 100.5 | 136.3 | 5620 |
| 26S/24E-23H01 M | 296.7 | 7-02-59 | 222.0 | 74.7 | 1700 |
| | | 7-20-59 | ¤ | | |
| | | 8-05-59 | ¤ | | |
| | | 8-19-59 | ¤ | | |
| | | 9-08-59 | 239.0 | 57.7 | |
| | | 12-14-59 | 170.0 | 126.7 | |
| | | 1-06-60 | 164.0 | 132.7 | |
| | | 1-18-60 | 164.0 | 132.7 | |
| | | 2-05-60 | 150.0 | 146.7 | |
| | | 2-17-60 | 144.0 | 152.7 | |
| | | 3-14-60 | ¤ | | |
| 27S/22E-02Q01 M | 265.5 | 9-27-59 | 67.3 | 198.2 | 5620 |
| | | 2-10-60 | 63.5 | 202.0 | |
| 27S/23E-06L01 M | 260.7 | 9-07-59 | ¤ | | 5620 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| SEMITROPIC WATER STORAGE DIST | | | 5-22.43 | | |
| 27S/23E-06L01 M | 260.7 | 9-24-59 | □ | | 5620 |
| CONT. | | 2-09-60 | 82.0* | 178.7 | |
| 28S/23E-11E01 M | 254.9 | 7-07-59 | 22.0 | 232.9 | 4640 |
| | | 8-03-59 | 23.2 | 231.7 | |
| | | 9-02-59 | 23.4 | 231.5 | |
| | | 10-05-59 | 31.5 | 223.4 | |
| | | 11-02-59 | 25.0 | 229.9 | |
| | | 12-02-59 | 23.1 | 231.8 | |
| | | 1-04-60 | 24.5 | 230.4 | |
| | | 2-05-60 | 25.5 | 229.4 | |
| | | 3-02-60 | 26.3 | 228.6 | |
| | | 4-04-60 | 25.2 | 229.7 | |
| | | 5-09-60 | 30.6 | 224.3 | |
| | | 6-05-60 | 27.0 | 227.9 | |
| 29S/24E-14R01 M | 290.0 | 9-23-59 | □ | | 5620 |
| | | 2-09-60 | 76.6 | 213.4 | |
| AVENAL-MCKITTRICK AREA | | | 5-22.44 | | |
| 22S/19E-18P02 M | 257.0 | 10-13-59 | 145.0 | 112.0 | 5050 |
| 22S/19E-30A01 M | 267.0 | 10-13-59 | 173.5 | 93.5 | 5050 |
| 23S/18E-29E01 M | 560.0 | 10-14-59 | 136.7 | 423.3 | 5050 |
| 23S/18E-29E02 M | 561.0 | 8-26-59 | 133.9 | 427.1 | 5000 |
| | | 9-14-59 | 134.7 | 426.3 | |
| | | 10-08-59 | 134.2 | 426.8 | |
| | | 10-14-59 | 136.1 | 424.9 | 5050 |
| | | 11-16-59 | 134.7 | 426.3 | 5000 |
| | | 12-17-59 | 134.3 | 426.7 | |
| | | 1-13-60 | 134.0 | 427.0 | |
| | | 2-17-60 | 146.7 | 414.3 | |
| | | 3-15-60 | 134.1 | 426.9 | |
| | | 4-25-60 | 133.9 | 427.1 | |
| | | 5-18-60 | 143.0* | 418.0 | |
| | | 6-14-60 | 134.1 | 426.9 | |
| 23S/19E-14R01 M | 236.0 | 10-13-59 | 43.6 | 192.4 | 5050 |
| 23S/19E-26M01 M | 267.0 | 10-13-59 | 76.3 | 190.7 | 5050 |
| 24S/17E-11P01 M | 767.0 | 9-14-59 | 80.2 | 686.8 | 5000 |
| | | 10-08-59 | 80.3* | 686.7 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| AVENAL-MCKITTRICK AREA | | | 5-22.44 | | |
| 24S/17E-11P01 M | 767.0 | 11-16-59 | 80.3 | 686.7 | 5000 |
| CONT. | | 12-17-59 | 79.2 | 687.8 | |
| | | 1-13-60 | 79.0 | 688.0 | |
| | | 2-17-60 | 77.8 | 689.2 | |
| | | 3-15-60 | 74.0 | 693.0 | |
| | | 4-25-60 | 74.1 | 692.9 | |
| | | 5-18-60 | 80.8 | 686.2 | |
| | | 6-14-60 | 73.8 | 693.2 | |
| 24S/17E-23A01 M | 741.0 | 10-14-59 | DRY | | 5050 |
| 24S/17E-35B02 M | 756.0 | 10-14-59 | 94.8 | 661.2 | 5050 |
| 24S/18E-11D01 M | 470.0 | 10-14-59 | 40.9 | 429.1 | 5050 |
| 24S/19E-02L01 M | 300.0 | 10-13-59 | 83.9 | 216.1 | 5050 |
| 24S/19E-12E01 M | 293.0 | 10-13-59 | 89.2 | 203.8 | 5050 |
| 25S/19E-15G01 M | 426.0 | 10-14-59 | 112.1 | 313.9 | 5050 |
| 25S/19E-20Q02 M | 481.4 | 8-26-59 | 127.5 | 353.9 | 5000 |
| | | 9-14-59 | 128.0 | 353.4 | |
| | | 10-08-59 | 127.7 | 353.7 | |
| | | 10-14-59 | 127.8 | 353.6 | 5050 |
| | | 11-16-59 | 127.6 | 353.8 | 5000 |
| | | 12-17-59 | 127.0 | 354.4 | |
| | | 1-13-60 | 126.9 | 354.5 | |
| | | 2-17-60 | 127.3 | 354.1 | |
| | | 3-15-60 | □ | | |
| | | 4-25-60 | 127.6 | 353.8 | |
| | | 5-18-60 | 135.3 | 346.1 | |
| | | 6-14-60 | 127.2 | 354.2 | |
| 25S/19E-25B01 M | 410.0 | 10-14-59 | 95.4 | 314.6 | 5050 |
| 25S/20E-04C01 M | 268.0 | 9-14-59 | 63.6 | 204.4 | 5000 |
| | | 10-08-59 | 74.5* | 193.5 | |
| | | 10-13-59 | 63.0 | 205.0 | 5050 |
| | | 11-13-59 | 73.3 | 194.7 | 5000 |
| | | 12-17-59 | 63.0 | 205.0 | |
| | | 1-13-60 | 64.1 | 203.9 | |
| | | 2-17-60 | 68.6 | 199.4 | |
| | | 3-15-60 | 63.4 | 204.6 | |
| | | 4-25-60 | 63.3 | 204.7 | |
| | | 5-18-60 | 63.1 | 204.9 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| AVENAL-MCKITTRICK AREA | | | 5-22.44 | | |
| 25S/20E-04C01 M | 268.0 | 6-14-60 | 62.9 | 205.1 | 5000 |
| 25S/20E-15Q01 M | 290.0 | 10-14-59 | 84.7 | 205.3 | 5050 |
| 25S/20E-35B01 M | 290.0 | 10-14-59 | 83.3 | 206.7 | 5050 |
| 25S/21E-22H01 M | 217.0 | 8-26-59 | 84.3 | 132.7 | 5000 |
| | | 9-04-59 | 84.9 | 132.1 | 5620 |
| | | 9-14-59 | 85.0 | 132.0 | 5000 |
| | | 10-08-59 | 87.0 | 130.0 | |
| | | 11-13-59 | 87.5 | 129.5 | |
| | | 12-17-59 | 89.4 | 127.6 | |
| | | 1-13-60 | 89.5 | 127.5 | |
| | | 2-16-60 | 86.3 | 130.7 | 5620 |
| | | 2-17-60 | 87.3 | 129.7 | 5000 |
| | | 3-15-60 | 85.4 | 131.6 | |
| | | 4-25-60 | 85.0 | 132.0 | |
| | | 5-18-60 | 91.0 | 126.0 | |
| | | 6-14-60 | 85.9 | 131.1 | |
| 26S/17E-13L02 M | 910.5 | 10-15-59 | 165.8 | 744.7 | 5050 |
| 26S/18E-16H01 M | 685.0 | 10-15-59 | 162.0 | 523.0 | 5050 |
| 26S/18E-19B02 M | 875.0 | 10-14-59 | 152.3 | 722.7 | 5050 |
| 26S/18E-27F01 M | 731.0 | 10-14-59 | 206.8 | 524.2 | 5050 |
| 26S/19E-12L01 M | 530.0 | 10-14-59 | 200.8 | 392.2 | 5050 |
| 26S/21E-06F03 M | 263.0 | 10-14-59 | 53.0 | 210.0 | 5050 |
| 27S/18E-15R01 M | 1220.0 | 10-14-59 | 36.9* | 1183.1 | 5050 |
| 28S/21E-13E01 M | 375.0 | 8-26-59 | 176.0* | 199.0 | 5000 |
| | | 9-14-59 | 177.1 | 197.9 | |
| | | 10-08-59 | 195.6 | 179.4 | |
| | | 10-13-59 | 176.1 | 198.9 | 5050 |
| | | 11-16-59 | 175.2 | 199.8 | 5000 |
| | | 12-17-59 | 172.6 | 202.4 | |
| | | 1-13-60 | 171.8 | 203.2 | |
| | | 2-17-60 | 170.1 | 204.9 | |
| | | 3-15-60 | 172.0 | 203.0 | |
| | | 4-25-60 | 173.4 | 201.6 | |
| | | 5-18-60 | 170.6 | 204.4 | |
| | | 6-14-60 | 173.3 | 201.7 | |

| State Well Number | R.P Elev., in feet | Date | Disf. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| TULARE LAKE-LOST HILLS AREA | | | 5-22.45 | | |
| 24S/22E-36R01 M | 211.5 | 10-07-59 | 69.1 | 142.4 | 5050 |
| CORCORAN IRRIGATION DISTRICT | | | 5-22.46 | | |
| 21S/22E-16Q01 M | 196.5 | 10-15-59 | 27.9 | 168.6 | 5050 |
| | | 2-16-60 | 24.3 | 172.2 | |
| 21S/22E-24K01 M | 209.0 | 10-15-59 | 38.3 | 170.7 | 5050 |
| | | 2-17-60 | 37.7 | 171.3 | |
| MENDOTA-HURON AREA | | | 5-22.47 | | |
| 14S/13E-15M01 M | 322.0 | 10-16-59 | 432.6* | - 110.6 | 5050 |
| | | 5-11-60 | 513.5 | - 191.5 | 5000 |
| 14S/13E-28P01 M | 365.5 | 5-12-60 | 388.7 | - 23.2 | 5000 |
| 14S/13E-29Q01 M | 378.0 | 10-15-59 | 563.8 | - 185.8 | 5050 |
| 14S/14E-05H01 M | 221.0 | 7-22-59 | 93.9 | 127.1 | 5000 |
| | | 8-21-59 | 95.1 | 125.9 | |
| | | 9-17-59 | 93.4 | 127.6 | |
| | | 10-14-59 | 91.6 | 129.4 | |
| | | 11-12-59 | 90.5 | 130.5 | |
| | | 12-10-59 | 86.7 | 134.3 | |
| | | 1-05-60 | 84.3 | 136.7 | |
| | | 2-04-60 | 84.0 | 137.0 | |
| | | 3-29-60 | 86.0 | 135.0 | |
| | | 4-26-60 | 89.0 | 132.0 | |
| | | 5-09-60 | 90.6 | 130.4 | |
| | | 5-24-60 | 90.0 | 131.0 | |
| | | 6-21-60 | 91.2 | 129.8 | |
| 14S/14E-17Q01 M | 254.0 | 10-16-59 | 321.8 | - 67.8 | 5050 |
| | | 5-10-60 | 180.6 | 73.4 | 5000 |
| 14S/14E-25M01 M | 200.7 | 10-16-59 | 120.2 | 80.5 | 5050 |
| | | 11-02-59 | 120.0 | 80.7 | |
| | | 3-04-60 | ▫ | | |
| 14S/14E-28E02 M | 261.4 | 7-31-59 | 64.7 | 196.7 | 6001 |
| | | 8-25-59 | 64.7 | 196.7 | |
| | | 9-29-59 | 64.0 | 197.4 | |
| | | 10-30-59 | 63.1 | 198.3 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| MENDOTA-HURON AREA | | | 5-22.47 | | |
| 14S/14E-28E02 M | 261.4 | 12-01-59 | 62.2 | 199.2 | 6001 |
| CONT. | | 1-05-60 | 61.2 | 200.2 | |
| | | 1-28-60 | 60.7 | 200.7 | |
| | | 3-03-60 | 60.4 | 201.0 | |
| | | 3-24-60 | 60.9 | 200.5 | |
| | | 4-28-60 | 61.5 | 199.9 | |
| | | 5-26-60 | 61.2 | 200.2 | |
| | | 6-23-60 | 61.1 | 200.3 | |
| 14S/15E-18E02 M | 180.5 | | | | |
| | | 10-16-59 | ¤ | | 5050 |
| | | 5-14-60 | 192.2 | - 11.7 | 5000 |
| 14S/15E-35N01 M | 162.0 | 10-12-59 | 55.9 | 106.1 | 6001 |
| | | 2-25-60 | 47.3 | 114.7 | |
| | | 5-14-60 | 50.8 | 111.2 | 5000 |
| 15S/13E-14N01 M | 431.0 | 10-17-59 | 511.6 | - 80.6 | 5050 |
| 15S/13E-26N01 M | 473.0 | 10-17-59 | ¤ | | 5050 |
| | | 5-13-60 | 692.4 | - 219.4 | 5000 |
| 15S/14E-07B02 M | 283.0 | 7-31-59 | 236.9 | 46.1 | 6001 |
| | | 8-25-59 | 236.8 | 46.2 | |
| | | 9-29-59 | 234.3 | 48.7 | |
| | | 10-30-59 | 231.7 | 50.3 | |
| | | 12-01-59 | 228.9 | 54.1 | |
| | | 1-05-60 | 226.0 | 57.0 | |
| | | 1-28-60 | 226.4 | 56.6 | |
| | | 3-03-60 | 226.5 | 56.5 | |
| | | 3-24-60 | 227.8 | 55.2 | |
| | | 4-28-60 | 231.2 | 51.8 | |
| | | 5-26-60 | 230.9 | 52.1 | |
| | | 6-23-60 | 232.7 | 50.3 | |
| 15S/14E-11E01 M | 223.0 | 10-16-59 | 252.9 | - 29.9 | 5050 |
| 15S/15E-19N01 M | 199.0 | 10-16-59 | 133.7 | 65.3 | 5050 |
| 15S/15E-22Q01 M | 175.5 | 10-14-59 | 117.9 | 57.6 | 6001 |
| | | 2-24-60 | 113.9 | 61.6 | |
| | | 5-14-60 | 104.7 | 70.8 | 5000 |
| 15S/16E-20R01 M | 172.0 | 7-22-59 | 79.5 | 92.5 | 5000 |
| | | 8-20-59 | 80.7 | 91.3 | |

| State Well Number | R P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| MENDOTA-HURON AREA | | | 5-22.47 | | |
| 15S/16E-20R01 M | 172.0 | 9-16-59 | 76.3 | 95.7 | 5000 |
| CONT. | | 10-14-59 | 69.4 | 102.6 | |
| | | 10-15-59 | 70.3 | 101.7 | 6001 |
| | | 11-11-59 | 57.4 | 114.6 | 5000 |
| | | 12-07-59 | 61.9 | 110.1 | |
| | | 1-06-60 | 56.8 | 115.2 | |
| | | 2-03-60 | 54.2 | 117.8 | |
| | | 3-01-60 | 75.6 | 96.4 | 6001 |
| | | 3-30-60 | 73.8 | 98.2 | 5000 |
| | | 4-27-60 | 59.9 | 112.1 | |
| | | 5-24-60 | 57.0 | 115.0 | |
| | | 6-21-60 | 76.8 | 95.2 | |
| 15S/16E-34E01 M | 176.0 | 7-22-59 | 180.0 | - 4.0 | 5000 |
| | | 8-20-59 | 181.0 | - 5.0 | |
| | | 9-16-59 | 178.9 | - 2.9 | |
| | | 10-14-59 | 176.0 | 0.0 | |
| | | 10-15-59 | 176.0 | 0.0 | 6001 |
| | | 11-11-59 | 175.1 | 0.9 | 5000 |
| | | 12-07-59 | 172.6 | 3.4 | |
| | | 1-06-60 | 169.1 | 6.9 | |
| | | 2-03-60 | 167.4 | 8.6 | |
| | | 3-01-60 | 172.3 | 3.7 | 6001 |
| | | 3-30-60 | 175.8 | 0.2 | 5000 |
| | | 4-27-60 | 174.5 | 1.5 | |
| | | 5-24-60 | 174.1 | 1.9 | |
| | | 6-21-60 | 177.3 | - 1.3 | |
| 16S/14E-03E01 M | 287.0 | 10-17-59 | 222.8 | 64.2 | 5050 |
| 16S/15E-02N02 M | 219.5 | 7-30-59 | 110.7* | 108.8 | 6001 |
| | | 8-25-59 | 107.5* | 112.0 | |
| | | 9-29-59 | 98.0* | 121.5 | |
| | | 10-16-59 | ¤ | | 5050 |
| | | 10-30-59 | 92.8* | 126.7 | 6001 |
| | | 11-30-59 | 86.3 | 133.2 | |
| | | 1-04-60 | 66.1 | 153.4 | |
| | | 1-28-60 | 65.4 | 154.1 | |
| | | 2-24-60 | 67.1 | 152.4 | |
| | | 3-03-60 | 68.0 | 151.5 | |
| | | 3-24-60 | 93.3 | 126.2 | |
| | | 4-28-60 | 128.7 | 190.8 | |
| | | 5-25-60 | 139.0 | 180.5 | |
| | | 6-24-60 | 129.1 | 190.4 | |
| 16S/16E-18N01 M | 235.0 | 10-17-59 | ¤ | | 5050 |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| MENDOTA-HURON AREA | | | 5-22.47 | | |
| 16S/16E-18N01 M | 235.0 | 5-11-60 | 120.9 | 114.1 | 5000 |
| 16S/16E-28M01 M | 238.0 | 10-17-59 | ¤ | | 5050 |
| | | 5-11-60 | 185.7 | 52.3 | 5000 |
| 17S/14E-13R01 M | 458.0 | 10-17-59 | ¤ | | 5050 |
| | | 5-11-60 | 692.0 | - 234.0 | 5000 |
| 17S/15E-27K01 M | 403.0 | 10-17-59 | 508.0 | - 105.0 | 5050 |
| | | 5-12-60 | 520.0 | - 117.0 | 5000 |
| 17S/16E-02E01 M | 219.0 | 10-14-59 | ¤ | | 6001 |
| | | 10-15-59 | ¤ | | 5050 |
| | | 2-24-60 | 189.5 | 29.5 | 6001 |
| | | 5-10-60 | 201.2 | 17.8 | 5000 |
| 17S/16E-24R01 M | 238.5 | 7-30-59 | 205.2* | 33.3 | 6001 |
| | | 8-24-59 | 203.2* | 35.3 | |
| | | 9-28-59 | 183.5* | 55.0 | |
| | | 10-29-59 | 191.9 | 46.6 | |
| | | 11-30-59 | 175.2 | 63.3 | |
| | | 1-04-60 | 183.5 | 55.0 | |
| | | 1-28-60 | 174.9 | 63.6 | |
| | | 3-03-60 | 180.7 | 57.8 | |
| | | 3-24-60 | 188.6 | 49.9 | |
| | | 4-28-60 | 194.3 | 44.2 | |
| | | 5-25-60 | 186.2 | 52.3 | |
| | | 6-24-60 | 204.4 | 34.1 | |
| 17S/16E-27Q01 M | 250.0 | 10-17-59 | 307.8* | - 57.8 | 5050 |
| | | 5-10-60 | 269.8 | - 19.8 | 5000 |
| 17S/17E-21N02 M | 227.0 | 10-15-59 | 274.0* | - 47.0 | 5050 |
| 17S/17E-26E03 M | 228.0 | 10-15-59 | 221.8 | 6.2 | 5050 |
| 18S/16E-22Q01 M | 298.0 | 10-15-59 | 578.3 | - 280.3 | 5050 |
| 18S/16E-26F01 M | 305.0 | 10-15-59 | 272.2 | 32.8 | 5050 |
| 18S/17E-08R01 M | 267.0 | 10-16-59 | ¤ | | 5050 |
| | | 5-15-60 | 392.0 | - 125.0 | 5000 |
| 18S/17E-29N01 M | 306.0 | 10-15-59 | 419.3 | - 113.3 | 5050 |
| | | 5-16-60 | 471.6 | - 165.6 | 5000 |
| 18S/18E-03N01 M | 229.0 | 10-14-59 | ¤ | | 5050 |

| State Well Number | R.P Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| MENDOTA-HURON AREA | | | 5-22.47 | | |
| 18S/18E-03N01 M | 229.0 | 5-12-60 | 185.7 | 43.3 | 5000 |
| 18S/18E-07N01 M | 249.5 | 10-16-59 | ¤ | | 5050 |
| | | 5-13-60 | 224.0 | 25.5 | 5000 |
| 18S/18E-24Q01 M | 236.0 | 10-14-59 | 71.3 | 164.7 | 5050 |
| 18S/18E-30N01 M | 269.0 | 10-16-59 | 293.5 | - 24.5 | 5050 |
| | | 5-13-60 | 247.3 | 21.7 | 5000 |
| 18S/18E-31P01 M | 284.0 | 7-21-59 | 185.4 | 98.6 | 5000 |
| | | 8-20-59 | 188.3 | 95.7 | |
| | | 9-16-59 | 185.1 | 98.9 | |
| | | 10-14-59 | 185.3 | 98.7 | |
| | | 11-10-59 | 185.4 | 98.6 | |
| | | 12-07-59 | 181.0 | 103.0 | |
| | | 1-06-60 | 176.8 | 107.2 | |
| | | 2-04-60 | 177.6 | 106.4 | |
| | | 3-30-60 | ¤ | | |
| 19S/17E-35N01 M | 368.5 | 7-21-59 | 495.0 | - 126.5 | 5000 |
| | | 8-21-59 | 501.8 | - 133.3 | |
| | | 9-16-59 | 473.0 | - 104.5 | |
| | | 10-14-59 | 462.0 | - 93.5 | |
| | | 11-10-59 | 445.0 | - 76.5 | |
| | | 12-07-59 | 428.4 | - 59.9 | |
| | | 1-06-60 | 470.6 | - 102.1 | |
| | | 2-03-60 | 492.0 | - 123.5 | |
| | | 3-30-60 | 453.1 | - 84.6 | |
| | | 4-27-60 | 454.9 | - 86.4 | |
| | | 5-24-60 | 464.0 | - 95.5 | |
| | | 6-21-60 | 494.0 | - 125.5 | |
| 19S/18E-15M01 M | 274.0 | 10-16-59 | ¤ | | 5050 |
| | | 5-10-60 | 343.1 | - 69.1 | 5000 |
| 19S/18E-20N01 M | 301.0 | 10-16-59 | 324.8 | - 23.8 | 5050 |
| 19S/18E-27M01 M | 286.5 | 7-30-59 | 409.3 | - 122.8 | 6001 |
| | | 8-24-59 | 409.9 | - 123.4 | |
| | | 9-28-59 | 385.9 | - 99.4 | |
| | | 10-29-59 | 373.0 | - 86.5 | |
| | | 11-30-59 | 357.0 | - 70.5 | |
| | | 1-28-60 | 363.0 | - 76.5 | |
| | | 3-03-60 | 400.4 | - 113.9 | |
| | | 3-24-60 | 383.8 | - 97.3 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| MENDOTA-HURON AREA | | 5-22.47 | | | |
| 19S/18E-27M01 M | 286.5 | 4-28-60 | 378.9 | - 92.4 | 6001 |
| CONT. | | 5-25-60 | 367.7 | - 81.2 | |
| | | 6-24-60 | 400.2 | - 113.7 | |
| 19S/18E-27N01 M | 282.0 | 10-14-59 | 81.7 | 200.3 | 5050 |
| 19S/18E-33Q01 M | 292.0 | 10-15-59 | 383.0 | - 91.0 | 5050 |
| | | 5-09-60 | 385.0 | - 93.0 | 5000 |
| 20S/15E-25D01 M | 620.0 | 10-12-59 | 168.7 | 451.3 | 5050 |
| | | 5-03-60 | 167.5 | 452.5 | 5000 |
| 20S/15E-32A01 M | 676.0 | 7-21-59 | 196.5 | 479.5 | 5000 |
| | | 8-21-59 | □ | | |
| | | 9-17-59 | 197.5 | 478.5 | |
| | | 10-14-59 | 198.0 | 478.0 | |
| | | 11-11-59 | 198.2 | 477.8 | |
| | | 12-08-59 | 198.5 | 477.5 | |
| | | 1-06-60 | 198.9 | 477.1 | |
| | | 2-04-60 | 199.1 | 476.9 | |
| | | 3-29-60 | 199.3 | 476.7 | |
| | | 4-27-60 | 199.8 | 476.2 | |
| | | 5-02-60 | 199.7 | 476.3 | |
| | | 5-24-60 | 200.0 | 476.0 | |
| | | 6-21-60 | 200.4 | 475.6 | |
| 20S/16E-22J02 M | 488.0 | 10-14-59 | 182.3 | 305.7 | 5050 |
| | | 5-04-60 | 181.0 | 307.0 | 5000 |
| 20S/16E-31N01 M | 601.0 | 10-12-59 | □ | | 5050 |
| | | 5-03-60 | 154.9 | 444.1 | 5000 |
| 20S/17E-01E01 M | 345.0 | 10-16-59 | 480.5 | - 135.5 | 5050 |
| | | 5-05-60 | 457.2 | - 112.2 | 5000 |
| 20S/17E-17N01 M | 438.0 | 10-15-59 | 453.0 | - 15.0 | 5050 |
| 20S/18E-11N01 M | 278.0 | 10-16-59 | 415.5 | - 137.5 | 5050 |
| | | 5-11-60 | 392.7 | - 114.7 | 5000 |
| 20S/18E-11Q01 M | 272.0 | 7-21-59 | 420.0 | - 148.0 | 5000 |
| | | 8-21-59 | 408.5 | - 136.5 | |
| | | 9-16-59 | 408.5 | - 136.5 | |
| | | 10-13-59 | 405.0 | - 133.0 | |
| | | 11-10-59 | 371.0 | - 99.0 | |
| | | 12-07-59 | 366.6 | - 94.6 | |

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| MENDOTA-HURON AREA | | 5-22.47 | | | |
| 20S/18E-11Q01 M | 272.0 | 1-06-60 | 382.0 | - 110.0 | 5000 |
| CONT. | | 2-04-60 | 378.5 | - 106.5 | |
| | | 3-30-60 | 415.0 | - 143.0 | |
| | | 4-27-60 | 412.1 | - 140.1 | |
| | | 5-25-60 | 406.3 | - 134.3 | |
| | | 6-21-60 | 430.2 | - 158.2 | |
| 20S/18E-36D01 M | 261.0 | 7-30-59 | 282.4 | - 21.4 | 6001 |
| | | 8-24-59 | 284.1 | - 23.1 | |
| | | 9-28-59 | 278.0 | - 17.0 | |
| | | 10-16-59 | 274.4 | - 13.4 | 5050 |
| | | 10-29-59 | 273.1 | - 12.1 | 6001 |
| | | 11-30-59 | 268.8 | - 7.8 | |
| | | 1-04-60 | 264.2* | - 3.2 | |
| | | 1-28-60 | 265.5* | - 4.5 | |
| | | 3-03-60 | 275.9 | - 14.9 | |
| | | 3-24-60 | 281.4 | - 20.4 | |
| | | 4-28-60 | 276.0 | - 15.0 | |
| | | 5-11-60 | 219.3 | 41.7 | 5000 |
| | | 5-25-60 | 275.2 | - 14.2 | 6001 |
| | | 6-24-60 | 280.4 | - 19.4 | |
| 21S/15E-01E01 M | 627.0 | 10-12-59 | 172.8 | 454.2 | 5050 |
| | | 5-03-60 | 177.2 | 449.8 | 5000 |
| 21S/16E-02N01 M | 571.0 | 10-14-59 | 134.4 | 434.6 | 5050 |
| 21S/16E-35D01 M | 683.0 | 10-13-59 | 270.0 | 413.0 | 5050 |
| | | 5-06-60 | 265.9 | 417.1 | 5000 |
| 21S/17E-05M01 M | 487.0 | 10-16-59 | 487.5 | - 0.5 | 5050 |
| | | 5-06-60 | 513.7 | - 26.7 | 5000 |
| 21S/17E-11E01 M | 416.0 | 10-14-59 | 421.9 | - 5.9 | 5050 |
| | | 5-06-60 | 446.5 | - 30.5 | 5000 |
| 21S/18E-28M02 M | 361.5 | 7-30-59 | 308.2* | 53.3 | 6001 |
| | | 8-24-59 | 310.3* | 51.2 | |
| | | 9-28-59 | 294.0* | 67.5 | |
| | | 10-29-59 | 294.8 | 66.7 | |
| | | 11-30-59 | 294.0 | 67.5 | |
| | | 1-04-60 | 287.5 | 74.0 | |
| | | 1-28-60 | 292.0 | 69.5 | |
| | | 3-03-60 | 304.1 | 57.4 | |
| | | 3-24-60 | 311.0 | 50.5 | |
| | | 4-28-60 | 296.0 | 65.5 | |

# GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | 50000 |
| MENDOTA-HURON AREA | | | 5-22.47 | | |
| 21S/18E-28M02 M | 361.5 | 5-25-60 | 314.2 | 47.3 | 6001 |
| CONT. | | 6-24-60 | 317.3 | 44.2 | |
| 21S/18E-29N01 M | 448.0 | 10-16-59 | 362.3 | 85.7 | 5050 |
| 21S/19E-19C01 M | 240.0 | 5-11-60 | 286.1 | - 46.1 | 5000 |
| 21S/19E-33N01 M | 191.0 | 5-11-60 | 249.9 | - 58.9 | 5000 |
| 22S/16E-12F01 M | 787.0 | 10-15-59 | 386.1 | 400.9 | 5050 |
| TERRA BELLA IRRIGATION DISTRICT | | | 5-22.50 | | |
| 22S/27E-36N01 M | 513.0 | 7-30-59 | 289.2 | 223.8 | 5000 |
| | | 8-31-59 | 301.9 | 211.1 | |
| | | 9-15-59 | 288.4* | 224.6 | |
| | | 10-12-59 | 287.4 | 225.6 | |
| | | 11-13-59 | 266.8* | 246.2 | |
| | | 12-14-59 | 265.9 | 247.1 | |
| | | 1-14-60 | 264.3 | 248.7 | |
| | | 2-15-60 | 238.9 | 274.1 | |
| | | 3-14-60 | 233.3 | 279.7 | |
| | | 4-22-60 | 254.5 | 258.5 | |
| | | 5-17-60 | 257.3 | 255.7 | |
| | | 6-15-60 | 264.0 | 249.0 | |
| 23S/27E-10H01 M | 518.0 | 10-06-59 | 249.0 | 269.0 | 6001 |
| | | 2-11-60 | 223.6 | 294.4 | 5050 |

# APPENDIX C

## PRIOR REPORTS CONTAINING BASIC GROUND WATER DATA

# PRIOR REPORTS CONTAINING BASIC GROUND WATER DATA

———— o ————

This appendix lists prior reports, issued by the Department of Water Resources or by the U. S. Geological Survey in cooperation with the department or with the U. S. Bureau of Reclamation, which contain basic ground water data, including water level measurements and well data for ground water basins of Central and Northern California.

———— o ————


California State Department of Engineering. "Water Resources of Kern River and Adjacent Streams and Their Utilization." Bulletin No. 9. 1920.

California State Department of Public Works, Division of Water Resources. "Water Resources of Tulare County and Their Utilization." Bulletin No. 3. 1922.

----. "Ground Water Resources of Southern San Joaquin Valley." Bulletin No. 11. 1927.

----. "Sacramento River Basin." Bulletin No. 26. 1931.

----. "San Joaquin River Basin." Bulletin No. 29. 1931.

----. "Pit River Investigation." Bulletin No. 41. 1933.

----. "Santa Clara Investigation." Bulletin No. 42. 1933.

----. "Salinas Basin Investigation." Basic Data. Bulletin No. 52-A. 1941. Seven Supplements. 1948 - 1958.

----. "Northeastern Counties Investigation. Report on Upper Feather River Service Area." April, 1955.

----. "Report to the California State Legislature on Putah Creek Cone Investigation." December, 1955.

California State Department of Water Resources, Division of Resources Planning. "Lake County Investigation." Bulletin No. 14. July 1957.

California State Department of Water Resources, Division of Resources Planning. "Shasta County Investigation." Bulletin No. 22. December 1960.

----. "Northeastern Counties Investigation." Bulletin No. 58. December 1957.

----. "West Walker River Investigation." Bulletin No. 64. December 1957.

----. "Intrusion of Salt Water into Ground Water Basins of Southern Alameda County." Bulletin No. 81. December 1960.

----. "Upper Pit River Investigation." Bulletin No. 86. November 1960.

----. "Clear Lake-Cache Creek Basin Investigation." Bulletin No. 90. March 1961.

California State Water Resources Board. "Santa Cruz-Monterey Counties Investigation." Bulletin No. 5. August 1953.

----. "Sutter-Yuba Counties Investigation." Bulletin No. 6. September 1952.

----. "Santa Clara Valley Investigation." Bulletin No. 7. September 1951.

----. "Placer County Investigation." Bulletin No. 10. July 1954.

----. "San Joaquin County Investigation." Bulletin No. 11. April 1954. Four Supplements. 1954 - 1958.

----. "Alameda County Investigation." Bulletin No. 13. July 1955.

----. "American River Basin Investigation." Bulletin No. 21. June 1955.

United States Department of the Interior, Geological Survey, Ground Water Branch. "Geology and Ground Water Hydrology of the Mokelumne Area, California." Water Supply Paper 780. 1939.

----. "Ground Water of the Lower Lake-Middletown Area, Lake County, California." Water Supply Paper 1927. 1955.

----. "Geology and Ground Water Features of the Smith River Plain, Del Norte County, California." Water Supply Paper 1254. 1957.

----. "Ground Water Conditions in the Mendota-Huron Area, Fresno and Kings Counties, California." Water Supply Paper 1360-G. 1957.

United States Department of the Interior, Geological Survey, Ground Water Branch. "Geology and Ground Water Features of Scott Valley, Siskiyou County, California." Water Supply Paper 1462. 1958.

----. "Geology and Ground Water in the Santa Rosa and Petaluma Valley Areas, Sonoma County, California." Water Supply Paper 1427. 1958.

----. "Ground Water Conditions in the Avenal-McKittrick Area, Kings and Kern Counties, California." Water Supply Paper 1457. 1959.

----. "Ground Water Conditions and Storage Capacity in the San Joaquin Valley, California." Water Supply Paper 1469. 1959.

----. "Geology and Ground Water Features of the Eureka Area, Humboldt County, California." Water Supply Paper 1470. 1959.

----. "Geology, Water Resources and Usable Ground Water Storage Capacity of Part of Solano County, California." Water Supply Paper 1464. 1960.

----. "Geology and Ground Water Features of Shasta Valley, Siskiyou County, California." Water Supply Paper 1484. 1960.

----. "Geology and Ground Water in Napa and Sonoma Valleys, Napa and Sonoma Counties, California." Water Supply Paper 1495. 1960.

----. "Geology and Ground Water Features of the Butte Valley Region, Siskiyou County, California." Typewritten Report. 1958. (in preparation as a Water Supply Paper).

----. "Geologic Features and Ground-Water Storage Capacity of Sacramento Valley, California." Duplicated Report. 1958.

----. "Geology and Ground-Water Resources of the Russian and Upper Eel River Valleys, Sonoma and Mendocino Counties, California." In preparation.

----. "Geology and Ground Water Features of the Edison-Maricopa Area, Kern County, California." In preparation.

----. Water Supply Papers giving information on the water levels and artesian pressure in observation wells in California:

Water Supply Paper 468 contains measurements for 1920 and prior years, 777 for 1935, 817 for 1936, 840 for 1937, 845 for 1938, 886 for 1939, 911 for 1940, 941 for 1941, 949 for 1942, 991 for 1943, 1021 for 1944, 1028 for 1945, 1076 for 1946, 1101 for 1947, 1131 for 1948, 1161 for 1949, 1170 for 1950, 1196 for 1951, 1226 for 1952, 1270 for 1953, 1326 for 1954, and 1409 for 1955. 1956-1960 (in preparation as one volume for the five years.

# APPENDIX D

## CONTEMPORARY REPORTS OF BASIC HYDROLOGIC DATA ISSUED ANNUALLY BY THE DEPARTMENT OF WATER RESOURCES

CONTEMPORARY REPORTS OF
BASIC HYDROLOGIC DATA
ISSUED ANNUALLY BY THE
DEPARTMENT OF WATER RESOURCES

———— o ————

Reports issued annually by the Department of Water Resources, designed primarily to record basic hydrologic data and to present conditions of water supply directly related thereto, include the following:

| Bulletin Series No. | Name |
|---|---|
| 23 | Surface Water Flow. (Formerly Sacramento-San Joaquin Water Supervision). |
| 39 | Water Supply Conditions in Southern California. |
| 65 | Quality of Surface Waters in California. |
| 66 | Quality of Ground Waters in California. |
| 77 | Ground Water Conditions in Central and Northern California. |
| -- | Water Conditions in California. (Publishe in February, March, April, and May of each year). |

**NORTH**

1- 1.00 S
1- 3.00 F
1- 4.00 S
1- 5.00 S
1- 8.00 A
1- 9.00 E
1-10.00 E
1-11.00 F
1-12.00 L
1-13.00 L
1-14.00 F
1-15.00 U
1-16.00 S
1-17.00 A
1-18.00 S
1-18.01
1-18.02
1-98.00 L

**SAN FRA**

2- 1.00 F
2- 2.00 M
2- 2.01
2- 2.02
2- 3.00 S
2- 6.00 Y
2- 9.00 S
2- 9.01
2- 9.02
2-10.00 L
2-22.00 H
2-24.00 S
2-26.00 F

**CENTRA**

3- 1.00 S
3-26.00 V
3- 2.00 P
3- 3.00 C
3- 3.01
3- 3.02
3- 4.00 S
3- 4.01
3- 4.02
3- 4.03
3- 4.04
3- 4.05
3- 7.00 C

PLATE 1

## GROUND WATER BASINS OR AREAS IN CENTRAL AND NORTHERN CALIFORNIA

### NORTH COASTAL REGION

| | |
|---|---|
| 1- 1.00 | Smith River Plain |
| 1- 3.00 | Butte Valley |
| 1- 4.00 | Shasta Valley |
| 1- 5.00 | Scott River Valley |
| 1- 8.00 | Mad River Valley |
| 1- 9.00 | Eureka Plain |
| 1-10.00 | Eel River Valley |
| 1-11.00 | Round Valley |
| 1-12.00 | Laytonville Valley |
| 1-13.00 | Little Lake Valley |
| 1-14.00 | Potter Valley |
| 1-15.00 | Ukiah Valley |
| 1-16.00 | Sanel Valley |
| 1-17.00 | Alexander Valley |
| 1-18.00 | Santa Rosa Valley |
| 1-18.01 | Santa Rosa Area |
| 1-18.02 | Healdsburg Area |
| 1-98.00 | Lower Russian River Valley |

### SAN FRANCISCO BAY REGION

| | |
|---|---|
| 2- 1.00 | Petaluma Valley |
| 2- 2.00 | Napa-Sonoma Valley |
| 2- 2.01 | Napa Valley |
| 2- 2.02 | Sonoma Valley |
| 2- 3.00 | Suisun-Fairfield Valley |
| 2- 6.00 | Ygnacio Valley |
| 2- 9.00 | Santa Clara Valley |
| 2- 9.01 | South Alameda County |
| 2- 9.02 | North Santa Clara County |
| 2-10.00 | Livermore Valley |
| 2-22.00 | Half Moon Bay Terrace |
| 2-24.00 | San Gregorio Valley |
| 2-26.00 | Pescadero Valley |

### CENTRAL COASTAL REGION

| | |
|---|---|
| 3- 1.00 | Soquel Valley |
| 3-26.00 | West Santa Cruz Terrace |
| 3- 2.00 | Pajaro Valley |
| 3- 3.00 | Gilroy-Hollister Valley |
| 3- 3.01 | South Santa Clara County |
| 3- 3.02 | San Benito County |
| 3- 4.00 | Salinas Valley |
| 3- 4.01 | Pressure Area |
| 3- 4.02 | East Side Area |
| 3- 4.03 | Forebay Area |
| 3- 4.04 | Arroyo Seco Cone |
| 3- 4.05 | Upper Valley Area |
| 3- 7.00 | Carmel Valley |

### CENTRAL VALLEY REGION

| | |
|---|---|
| 5- 1.00 | Goose Lake Valley |
| 5- 2.00 | Alturas Basin |
| 5- 4.00 | Big Valley |
| 5-36.00 | Round Valley |
| 5- 5.00 | Fall River Valley |
| 5- 6.00 | Redding Basin |
| 5-11.00 | Mohawk Valley |
| 5-12.00 | Sierra Valley |
| 5-13.00 | Upper Lake Valley |
| 5-14.00 | Scott Valley |
| 5-15.00 | Kelseyville Valley |
| 5-31.00 | Long Valley |
| 5-16.00 | High Valley |
| 5-17.00 | Burns Valley |
| 5-30.00 | Lower Lake Area |
| 5-18.00 | Coyote Valley |
| 5-19.00 | Collayomi Valley |
| 5-21.00 | Sacramento Valley |
| 5-21.01 | Tehama County |
| 5-21.02 | Glenn County |
| 5-21.03 | Butte County |
| 5-21.04 | Colusa County |
| 5-21.05 | Sutter County |
| 5-21.06 | Yuba County |
| 5-21.07 | Placer County |
| 5-21.08 | Sacramento County |
| 5-21.09 | Yolo County |
| 5-21.10 | Copay Valley |
| 5-21.11 | Solano County |
| 5-22.00 | San Joaquin Valley |
| 5-22.01 | Mokelumne River Area |
| 5-22.02 | Calaveras River Area |
| 5-22.03 | Formington-Collegeville Area |
| 5-22.04 | Tracy Area |
| 5-22.05 | South San Joaquin Irrigation District |
| 5-22.06 | Oakdale Irrigation District |
| 5-22.07 | Modesto Irrigation District |
| 5-22.08 | Turlock Irrigation District |
| 5-22.09 | Merced Irrigation District |
| 5-22.10 | El Nido Irrigation District |
| 5-22.11 | Delta-Mendota Area |
| 5-22.12 | Chowchilla Water District |
| 5-22.13 | Madera Irrigation District |
| 5-22.14 | West Chowchilla-Madera Area |
| 5-22.15 | Fresno Irrigation District |
| 5-22.16 | City of Fresno |
| 5-22.17 | Fresno Slough Area |
| 5-22.18 | Consolidated Irrigation District |
| 5-22.19 | Alta Irrigation District |
| 5-22.20 | Lower Kings River Area |
| 5-22.21 | Orange Cove Irrigation District |
| 5-22.22 | Stone Corral Irrigation District |
| 5-22.23 | Ivanhoe Irrigation District |
| 5-22.24 | Kaweah Delta Water Conservation District |
| 5-22.25 | Tulare Irrigation District |
| 5-22.26 | Exeter Irrigation District |
| 5-22.27 | Lindsay-Strathmore Irrigation District |
| 5-22.28 | Lindmore Irrigation District |
| 5-22.29 | Porterville Irrigation District |
| 5-22.30 | Lower Tule River Irrigation District |
| 5-22.31 | Vandalia Irrigation District |
| 5-22.32 | Saucelito Irrigation District |
| 5-22.33 | Pixley Irrigation District |
| 5-22.34 | Alpaugh-Allensworth Area |
| 5-22.35 | Delano-Earlimart Irrigation District |
| 5-22.36 | South San Joaquin Municipal Utility District |
| 5-22.37 | North Kern Water Storage District |
| 5-22.38 | Shafter-Wasco Irrigation District |
| 5-22.39 | City of Bakersfield |
| 5-22.40 | Kern River Delta Area |
| 5-22.41 | Edison-Maricopo Area |
| 5-22.42 | Buena Vista Water Storage District |
| 5-22.43 | Semitropic Water Storage District |
| 5-22.44 | Avenal-McKittrick Area |
| 5-22.45 | Tulare Lake-Lost Hills Area |
| 5-22.46 | Corcoran Irrigation District |
| 5-22.47 | Mendota-Huron Area |
| 5-22.50 | Terra Bella Irrigation District |

### LAHONTAN REGION

| | |
|---|---|
| 6- 1.00 | Surprise Valley |
| 6- 2.00 | Madeline Plains |
| 6- 3.00 | Willow Creek Valley |
| 6- 4.00 | Honey Lake Valley |



SMITH RIVER PLAIN (1-1.00)
DEL NORTE COUNTY
WELL 16N/1W-17K1, H.B.&M.
GROUND SURFACE ELEVATION 48




SCOTT RIVER VALLEY (1-5.00)
SISKIYOU COUNTY
WELL 43N/9W-24F1, M.D.B.&M.
GROUND SURFACE ELEVATION 2,756'




UKIAH VALLEY (1-15.00)
MENDOCINO COUNTY
WELL 15N/12W-8L1, M.D.B.&M.
GROUND SURFACE ELEVATION 665'




SANEL VALLEY (1-16.00)
MENDOCINO COUNTY
WELL 13N/11W-16E1, M.D.B.&M.
GROUND SURFACE ELEVATION 490'




YEAR

BUTTE VALLEY (1-3.00)
SISKIYOU COUNTY
WELL 45N/2W-3A1, 46N/1E-6N1, M.D.B.&M.
GROUND SURFACE ELEVATION 4,260, 4,246




EEL RIVER VALLEY (1-10.00)
HUMBOLDT COUNTY
WELL 2N/1W-8B1, 3N/2W-26R1, H.B.&M.
GROUND SURFACE ELEVATION 28', 32'




SANTA ROSA VALLEY (1-18.00) SANTA ROSA AREA (1-18.01)
SONOMA COUNTY
WELL 6N/8W-15J1, M.D.B.&M.
GROUND SURFACE ELEVATION 95'




YEAR

SHASTA VALLEY (1-4.00)
SISKIYOU COUNTY
WELL 44N/5W-34H1, M.D.B.&M.
GROUND SURFACE ELEVATION 2,637'




YEAR

ROUND VALLEY (1-11.00)
MENDOCINO COUNTY
WELL 22N/12W-19M1, M.D.B.&M.
GROUND SURFACE ELEVATION 1,410




YEAR

ELEVATION IN FEET - USGS DATUM

ELEVATION IN FEET - USGS DATUM

NOTE ---- CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1959-60

# FLUCTUATION OF WATER LEVEL IN WELLS NORTH COASTAL REGION

ELEVATION IN FEET - USGS DATUM

PETALUMA VALLEY (2-100)
SONOMA COUNTY
WELL 5N/7W-20B1,20B2,M D B&M
GROUND SURFACE ELEVATION 80.41




SANTA CLARA VALLEY (2-900)
SOUTH ALAMEDA COUNTY (2-901) UPPER AQUIFER
WELL 4S/1W-29C4, M.D.B.&M.
GROUND SURFACE ELEVATION 55




LIVERMORE VALLEY (2-10.00)
ALAMEDA COUNTY
WELL 3S/1E-2E1, M.D.B.&M.
GROUND SURFACE ELEVATION 381




NAPA VALLEY (2-2.01)
NAPA COUNTY
WELL 6N/4W-17A1, M.D.B.&M.
GROUND SURFACE ELEVATION 67




SONOMA VALLEY (2-2.02)
SONOMA COUNTY
WELL 5N/5W-28N1, M.D.B.&M.
GROUND SURFACE ELEVATION 11




SANTA CLARA VALLEY (2-900)
SOUTH ALAMEDA COUNTY (2-901) LOWER AQUIFER
WELL 4S/2W-36K1, M.D.B.&M.
GROUND SURFACE ELEVATION 25




SANTA CLARA VALLEY (2-900)
NORTH SANTA CLARA COUNTY (2-9.02)
WELL 7S/1E-31A2, M.D.B.&M.
GROUND SURFACE ELEVATION 155




HALF MOON BAY TERRACE (2-22.00)
SAN MATEO COUNTY
WELL 5S/5W-29N1, M.D.B.&M.
GROUND SURFACE ELEVATION 46




SUISUN-FAIRFIELD VALLEY (2-3.00)
SOLANO COUNTY
WELL 4N/2W-6A1, M.D.B.&M.
GROUND SURFACE ELEVATION 55




NOTE ---- CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

# GROUND WATER CONDITIONS IN CENTRAL AND NORTHERN CALIFORNIA, 1959-60

## FLUCTUATION OF WATER LEVEL IN WELLS SAN FRANCISCO BAY REGION

ELEVATION IN FEET - USGS DATUM

PAJARO VALLEY (3-200)
MONTEREY COUNTY
WELL 12S/2E-19J, M.D.B.&M.
GROUND SURFACE ELEVATION 61




GILROY-HOLLISTER VALLEY (3-300)
SAN BENITO COUNTY (3-302)
WELL 12S/5E-10F1, M.D.B.&M.
GROUND SURFACE ELEVATION 216




SALINAS VALLEY MONTEREY COUNTY (3-400)
PRESSURE AREA-400 FOOT AQUIFER (3-401)
WELL 14S/5E-16J1, M.D.B.&M.
GROUND SURFACE ELEVATION 71




SALINAS VALLEY MONTEREY COUNTY (3-400)
ARROYO SECO CONE (3-404)
WELL 17S/5E-32E1, M.D.B.&M.
GROUND SURFACE ELEVATION 165




GILROY-HOLLISTER VALLEY (3-300)
SOUTH SANTA CLARA COUNTY (3-301)
WELL 9S/3E-27C2, M.D.B.&M.
GROUND SURFACE ELEVATION 347




SALINAS VALLEY MONTEREY COUNTY (3-400)
EAST SIDE AREA (3-402)
WELL 14S/3E-12K1, M.D.B.&M.
GROUND SURFACE ELEVATION 101




SALINAS VALLEY MONTEREY COUNTY (3-400)
UPPER VALLEY AREA (3-405)
WELL 15S/7E-10P1, M.D.B.&M.
GROUND SURFACE ELEVATION 313




SALINAS VALLEY MONTEREY COUNTY (3-400)
PRESSURE AREA-180 FOOT AQUIFER (3-401)
WELL 15S/2E-10L, M.D.B.&M.
GROUND SURFACE ELEVATION 68




SALINAS VALLEY MONTEREY COUNTY (3-400)
FOREBAY AREA (3-403)
WELL 17S/3E-11C1, M.D.B.&M.
GROUND SURFACE ELEVATION 178




CARMEL VALLEY (3-700)
MONTEREY COUNTY
WELL 16S/1E-21A1, M.D.B.&M.
GROUND SURFACE ELEVATION 72




NOTE ———— CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

ELEVATION IN FEET - USGS DATUM

ELEVATION IN FEET - USGS DATUM

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

# GROUND WATER CONDITIONS IN CENTRAL AND NORTHERN CALIFORNIA, 1959-60

## FLUCTUATION OF WATER LEVEL IN WELLS CENTRAL COASTAL REGION

REDDING BASIN (5-6.00)
SHASTA COUNTY
WELL 31N/3W-18B1, M.D.B.&M.
GROUND SURFACE ELEVATION 458




COLLAYOMI VALLEY (5-19.00)
LAKE COUNTY
WELL 11N/7W-35E1, M.D.B.&M.
GROUND SURFACE ELEVATION 1078




SACRAMENTO VALLEY (5-21.00)
TEHAMA COUNTY (5-21.01)
WELL 26N/3W-4K1, M.D.B.&M.
GROUND SURFACE ELEVATION 295




SACRAMENTO VALLEY (5-21.00)
GLENN COUNTY (5-21.02)
WELL 21N/2W-31E1, M.D.B.&M.
GROUND SURFACE ELEVATION 167




SACRAMENTO VALLEY (5-21.00)
BUTTE COUNTY (5-21.03)
WELL 21N/1W-26K1, M.D.B.&M.
GROUND SURFACE ELEVATION 115




SACRAMENTO VALLEY (5-21.00)
COLUSA COUNTY (5-21.04)
WELL 17N/2W-11K1, M.D.B.&M.
GROUND SURFACE ELEVATION 83




SACRAMENTO VALLEY (5-21.00)
SUTTER COUNTY (5-21.05)
WELL 13N/3E-14E1, M.D.B.&M.
GROUND SURFACE ELEVATION 36




SACRAMENTO VALLEY (5-21.00)
YUBA COUNTY (5-21.06)
WELL 14N/5E-35D1, M.D.B.&M.
GROUND SURFACE ELEVATION 66




SACRAMENTO VALLEY (5-21.00)
PLACER COUNTY (5-21.07)
WELL 13N/5E-33M1, 12N/5E-25A1, M.D.B.&M.
GROUND SURFACE ELEVATION 92 +OR-




SACRAMENTO VALLEY (5-21.00)
SACRAMENTO COUNTY (5-21.08)
WELL 8N/6E-20J1, M.D.B.&M.
GROUND SURFACE ELEVATION 83




SACRAMENTO VALLEY (5-21.00)
YOLO COUNTY (5-21.09)
WELL 10N/2E-21M2, M.D.B.&M.
GROUND SURFACE ELEVATION 52




SACRAMENTO VALLEY (5-21.00)
SOLANO COUNTY (5-21.11)
WELL 6N/2E-29N1, M.D.B.&M.
GROUND SURFACE ELEVATION 15




NOTE ——— CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

ELEVATION IN FEET - USGS DATUM

ELEVATION IN FEET - USGS DATUM

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

# GROUND WATER CONDITIONS IN CENTRAL AND NORTHERN CALIFORNIA, 1959-60

## FLUCTUATION OF WATER LEVEL IN WELLS IN SACRAMENTO VALLEY CENTRAL VALLEY REGION

ELEVATION IN FEET - USGS DATUM

SAN JOAQUIN VALLEY (5-22.00)
MOKELUMNE RIVER AREA (5-22.01)
WELL 3N/7E-30K1, M.D.B.&M.
GROUND SURFACE ELEVATION 75'




SAN JOAQUIN VALLEY (5-22.00)
FARMINGTON - COLLEGEVILLE AREA (5-22.03)
WELL 1N/5E-17D1, M.D.B.&M.
GROUND SURFACE ELEVATION 99'




SAN JOAQUIN VALLEY (5-22.00)
CALAVERAS RIVER AREA (5-22.02)
WELL 2N/7E-19R2, 32A1, M.D.B.&M.
GROUND SURFACE ELEVATION 90, 71'




SAN JOAQUIN VALLEY (5-22.00)
IRACY AREA (5-22.04)
WELL 3S/6E-9J1, 3F1, M.D.B.&M.
GROUND SURFACE ELEVATION 16', 8'




SAN JOAQUIN VALLEY (5-22.00)
OAKDALE IRRIGATION DISTRICT (5-22.06)
WELL 2S/10E-33J1, M.D.B.&M.
GROUND SURFACE ELEVATION 131'




SAN JOAQUIN VALLEY (5-22.00)
MODESTO IRRIGATION DISTRICT (5-22.07)
WELL 3S/8E-13A1, M.D.B.&M.
GROUND SURFACE ELEVATION 91




SAN JOAQUIN VALLEY (5-22.00)
TURLOCK IRRIGATION DISTRICT (5-22.08)
WELL 5S/9E-24H1, M.D.B.&M.
GROUND SURFACE ELEVATION 75'




SAN JOAQUIN VALLEY (5-22.00)
MERCED IRRIGATION DISTRICT (5-22.09)
WELL 7S/12E-12R1, M.D.B.&M.
GROUND SURFACE ELEVATION 118'




SAN JOAQUIN VALLEY (5-22.00)
DELTA-MENDOTA AREA - DEEP ZONE (5-22.11)
WELL 8S/13E-15R1, M.D.B.&M.
GROUND SURFACE ELEVATION 23'




SAN JOAQUIN VALLEY (5-22.00)
DELTA-MENDOTA AREA-SHALLOW ZONE (5-22.11)
WELL 3S/6E-8M1, M.D.B.&M.
GROUND SURFACE ELEVATION 88'




SAN JOAQUIN VALLEY (5-22.00)
CHOWCHILLA WATER DISTRICT (5-22.12)
WELL 10S/15E-23R1, M.D.B.&M.
GROUND SURFACE ELEVATION 114'




SAN JOAQUIN VALLEY (5-22.00)
CONSOLIDATED IRRIGATION DISTRICT (5-22.18)
WELL 16S/20E-22R1, M.D.B.&M.
GROUND SURFACE ELEVATION 247'




SAN JOAQUIN VALLEY (5-22.00)
MADERA IRRIGATION DISTRICT (5-22.19)
WELL 10S/17E-27Q1, M.D.B.&M.
GROUND SURFACE ELEVATION 231'




SAN JOAQUIN VALLEY (5-22.00)
FRESNO IRRIGATION DISTRICT (5-22.20)
WELL 13S/19E-30J1, M.D.B.&M.
GROUND SURFACE ELEVATION 238'










SAN JOAQUIN VALLEY (5-22.00)
ALTA IRRIGATION DISTRICT (5-22.19)
WELL 15S/24E-22Q, M.D.B.M.




SAN JOAQUIN VALLEY (5-22.00)
LOWER KINGS RIVER AREA (5-22.20)
WELL 16S/22E-12K, M.D.B.M.




SAN JOAQUIN VALLEY (5-22.00)
ORANGE COVE IRRIGATION DISTRICT (5-22.21)
WELL 13S/20E-22N1, M.D.B.M.




SAN JOAQUIN VALLEY (5-22.00)
STONE CORRAL IRRIGATION DISTRICT (5-22.22)
WELL 16S/26E-32 P1, M.D.B.M.




SAN JOAQUIN VALLEY (5-22.00)
IVANHOE IRRIGATION DISTRICT (5-22.23)
WELL 18S/25E-19D1, M.D.B.M.




SAN JOAQUIN VALLEY (5-22.00)
KAWEAH DELTA WATER CONSERVATION DISTRICT (5-22.24)
WELL WELL 19S/22E-1N1, M.D.B.M.




SAN JOAQUIN VALLEY (5-22.00)
TULARE IRRIGATION DISTRICT (5-22.25)
WELL 20S/23E-9J, M.D.B.M.




SAN JOAQUIN VALLEY (5-22.00)
EXETER IRRIGATION DISTRICT (5-22.26)
WELL 19S/27E-29Q1, M.D.B.M.




SAN JOAQUIN VALLEY (5-22.00)
LINDSAY-STRATHMORE IRRIGATION DISTRICT (5-22.27)
WELL 20S/27E-8B1, M.D.B.M.




ELEVATION IN FEET - USGS DATUM

NOTE ———— CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1959-60

# FLUCTUATION OF WATER LEVEL IN WELLS IN NORTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION

SAN JOAQUIN VALLEY (5-22.00)
LINDMORE IRRIGATION DISTRICT (5-22.28)
WELL 20S/26E-22C2, M.D.B.&M.
GROUND SURFACE ELEVATION 342




SAN JOAQUIN VALLEY (5-22.00)
LOWER TULE RIVER IRRIGATION DISTRICT (5-22.30)
WELL 21S/29E-10H1, M.D.B.&M.
GROUND SURFACE ELEVATION 358




SAN JOAQUIN VALLEY (5-22.00)
SAUCELITO IRRIGATION DISTRICT (5-22.32)
WELL 23S/25E-29J, 22S/26E-15J, M.D.B.&M.
GROUND SURFACE ELEVATION 297 (?)




SAN JOAQUIN VALLEY (5-22.00)
SHAFTER-WASCO
WELL 27S/




SAN JOAQUIN VALLEY (5-22.00)
DELANO-EARLIMART IRRIGATION DISTRICT (5-22.35)
WELL 24S/26E-32G1, M.D.B.&M.
GROUND SURFACE ELEVATION 344




SAN JOAQUIN VALLEY (5-22.00)
SOUTH SAN JOAQUIN MUNICIPAL UTILITY DISTRICT (5-22.36)
WELL 25S/25E-28H2, M.D.B.&M.
GROUND SURFACE ELEVATION 618




SAN JOAQUIN VALLEY (5-22.00)
NORTH KERN WATER
WELL 27S/2




SAN JOAQUIN VALLEY (5-22.00)
PORTERVILLE IRRIGATION DISTRICT (5-22.29)
WELL 22S/27E-10R1, M.D.B.&M.
GROUND SURFACE ELEVATION 447




ELEVATION IN FEET - USGS DATUM

SAN JOAQUIN VALLEY (5-22.00)
SHAFTER-WASCO IRRIGATION DISTRICT (5-22.38)
WELL 27S/24E-5SC1, M.D.B.&M.
GROUND SURFACE ELEVATION 318




SAN JOAQUIN VALLEY (5-22.00)
NORTH KERN WATER STORAGE DISTRICT (5-22.37)
WELL 27S/25E-22A1, M.D.B.&M.
GROUND SURFACE ELEVATION 397




SAN JOAQUIN VALLEY (5-22.00)
EDISON - MARICOPA AREA (5-22.41)
WELL 32S/28E-23R1, M.D.B.&M., 12N/20W-31R1, S.B.B.&M.
GROUND SURFACE ELEVATION 387, 363




SAN JOAQUIN VALLEY (5-22.00)
KERN RIVER DELTA AREA (5-22.40)
WELL 30S/26E-27A1, M.D.B.&M.
GROUND SURFACE ELEVATION 339




SAN JOAQUIN VALLEY (5-22.00)
SEMITROPIC WATER STORAGE DISTRICT (5-22.43)
WELL 27S/23E-6L1, 26S/22E-35E1, M.D.B.&M.
GROUND SURFACE ELEVATION 260', 257'




SAN JOAQUIN VALLEY (5-22.00)
MENDOTA - HURON AREA (5-22.47)
WELL 17S/18E-24R1, M.D.B.&M.
GROUND SURFACE ELEVATION 258'




SAN JOAQUIN VALLEY (5-22.00)
AVENAL-MCKITTRICK AREA (5-22.44)
WELL 25S/19E-20D2, 26S/19E-12L1, M.D.B.&M.
GROUND SURFACE ELEVATION 440', 330'




NOTE: ----- CONNECTS MEASUREMENTS MADE AT INTERVALS OF 4 YEAR OR MORE

SAN JOAQUIN VALLEY (5-22.00)
MENDOTA - HURON AREA (5-22.47)
WELL 21S/18E-28M2, M.D.B.&M.
GROUND SURFACE ELEVATION 360'




SAN JOAQUIN VALLEY (5-22.00)
ALPAUGH-ALLENSWORTH AREA (5-22.34)
WELL 24S/23E-26Q2, M.D.B.&M.
GROUND SURFACE ELEVATION 204'




ELEVATION IN FEET - USGS DATUM

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

# GROUND WATER CONDITIONS IN CENTRAL AND NORTHERN CALIFORNIA, 1959-60

## FLUCTUATION OF WATER LEVEL IN WELLS IN SOUTHERN SAN JOAQUIN VALLEY

CENTRAL VALLEY REGION







HISTORIC
GROUND WATER AREAS

1 MADERA
2 FRESNO
3 CONSOLIDATED
4 FRESNO(2) CONSOLIDATED(3) AND OUTSIDE AREA (4a, 4b, & 4c)
5 CENTERVILLE BOTTOMS
6 ALTA
7 IVANHOE
8 OUTSIDE IVANHOE
9 MILL CREEK
10 TULARE
11 ELK BAYOU
12 LINDSAY - EXETER
13 TULE RIVER
14 LOWER DEER CREEK
15 MIDDLE DEER CREEK
16 DELANO - EARLIMART
17 McFARLAND - SHAFTER
18 ROSEDALE
19 ARVIN - EDISON

LEGEND

GROUND WATER LEVEL IN 1921
GROUND WATER LEVEL IN 1951
GROUND WATER LEVEL IN 1959
GROUND WATER LEVEL IN 1960

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

# GROUND WATER CONDITIONS IN CENTRAL AND NORTHERN CALIFORNIA, 1959-1960

## MAP OF 19 GROUND WATER AREAS IN SAN JOAQUIN VALLEY AND PROFILES ALONG SECTION A-A' SHOWING GROUND WATER LEVELS IN 1921, 1951, 1959 & 1960

SCALE OF MILES

ELEVATION IN FEET - USGS DATUM

MADERA GROUND-WATER AREA
AREA 342.8 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 249




CENTERVILLE BOTTOMS GROUND WATER AREA
AREA 18.15 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 353




MILL CREEK GROUND WATER AREA
AREA 178.23 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 305




FRESNO GROUND WATER AREA
AREA 4040 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 284




ALTA GROUND WATER AREA
AREA 190.95 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 331




TULARE GROUND WATER AREA
AREA 121.07 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 263




CONSOLIDATED GROUND WATER AREA
AREA 2450 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 296




IVANHOE GROUND WATER AREA
AREA 17.37 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 367




ELK BAYOU GROUND WATER AREA
AREA 97.9 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 295




FRESNO-CONSOLIDATED OUTSIDE GROUND WATER AREA
AREA 700.11 SQUARE MILES
AREA 99.11 SQUARE MILES (OUTSIDE AREA ONLY)
AVERAGE GROUND SURFACE ELEVATION 290 (OUTSIDE AREA 288.7)




OUTSIDE IVANHOE GROUND WATER AREA
AREA 79.85 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 345




LINDSAY-EXETER GROUND WATER AREA
AREA 138.48 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 277











TULE RIVER GROUND WATER AREA
AREA 1565 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 338'



LOWER DEER CREEK GROUND WATER AREA
AREA 182.22 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 299'



MIDDLE DEER CREEK GROUND WATER AREA
AREA 54.28 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 386'



OELANO-EARLIMART GROUND WATER AREA
AREA 1400 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 371'



ROSEDALE GROUND WATER AREA
AREA 78.88 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 363'



Mc FARLAND-SHAFTER GROUND WATER AREA
AREA 306.0 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 340'



ARVIN-EDISON GROUND WATER AREA
AREA 205.18 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 343'




ELEVATION IN FEET - USGS DATUM

YEAR

NOTE
SEE PLATE 8 FOR GROUND WATER UNIT LOCATION

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1959-60

FLUCTUATION OF AVERAGE WATER LEVEL, 1921 TO 1960, IN 19 GROUND WATER AREAS IN SAN JOAQUIN VALLEY